

JAIPUR DEVELOPMENT AUTHORITY

Room No. 26, Main Building, Ram Kishore Vyas Bhavan, Indira Circle, JawaharLal Nehru Marg, Jaipur - 302004
Telephone: +91-141-2569696 e.mail: ee.electric@jaipurjda.org

No:- JDA/Executive Engineer/Elect.-II/2015-16/D- 458

Dated: 14/12/15


NOTICE INVITING BID

NIB No. : EE-(Elect.-II)/24/2015-16)

Online Bids are invited up-to 6.00 PM of 04/01/2016 for "Annual rate contract for shifting and dismantling of HI/LT lines and providing and fixing of street light in Zone-1, 1A, 5 and 7 JDA, Jaipur". Details may be seen in the Bidding Document at our office or the website of State Public Procurement Portal website www.sppp.rajasthan.gov.in, www.eproc.rajasthan.gov.in and www.jaipurjda.org.

To participate in the bid, bidder has to be:

1. Registered on JDA website www.jaipurjda.org for participating in the Bid, the Bidder has to apply for the Bid and pay the Bidding Document Fee, RISL Processing Fee and Bid Security Deposit, online only.
2. Registered on e-Procurement Portal of Government of Rajasthan www.eproc.rajasthan.gov.in for online e-Bid submission.


(Sanjeev Sachdev)
Executive Engineer (Elect.-II)

JAIPUR DEVELOPMENT AUTHORITY

Room No. 26, Main Building, Ram Kishore Vyas Bhavan, Indira Circle, JawaharLal Nehru Marg, Jaipur - 302004
Telephone: +91-141-2569696 e.mail: ee.electric@jaipurjda.org

No:- JDA/Executive Engineer/Elect.-II/2015-16/D- 458

Dated: 14/12/15

NOTICE INVITING BID

NIB No. : EE-(Elect.-II/24/2015-16)

Name & Address of the Procuring Entity	<ul style="list-style-type: none"> ➤ Name: Executive Engineer (Elect.-II), Jaipur Development Authority ➤ Address: Room No. 26, Main Building, Ram Kishore Vyas Bhavan, Indira Circle, JawaharLal Nehru Marg, Jaipur-302004 (Rajasthan) ➤ Email:- ee.electric@jaipurjda.org
Subject Matter of Procurement	➤ Annual rate contract for shifting and dismantling of HT/LT lines and providing and fixing of street light in Zone-1, 1A, 5 and 7 JDA, Jaipur
Bid Procedure	➤ Signal Stage tender (e.g. Signal-stage Two part (envelope) open competitive) e-Bid procedure at http://eproc.rajasthan.gov.in
Bid Evaluation Criteria (Selection Method)	➤ L1 (e.g. Least Cost Based Selection (LCBS)-L1)
Websites for downloading Bidding Document, Corrigendum's, Addendums, etc.	➤ Websites: www.sppp.rajasthan.gov.in , www.eproc.rajasthan.gov.in , www.jaipurjda.org
Website for online Bid application and payment *	<ul style="list-style-type: none"> ➤ Website: www.jaipurjda.org ➤ For participating in the Bid, the Bidder has to apply for this Bid and pay the Bidding Document Fee, RISL Processing Fee and Bid Security Deposit, online only. <ul style="list-style-type: none"> ○ Bidding document fee: Rs. 1000/- Rupees (One Thousand only) ○ RISL Processing Fee: Rs. 1000/- (Rupees One Thousand only) ➤ Requisite Bid Security Deposit
Estimated Procurement Cost	➤ INR 296.07 Lacs (Rupees Two Crore Ninety Six Lacs Seven Thousand only)
Bid Security Deposit	➤ Amount (INR) : 2% (Rs. 5,92,140/-) (For A & AA class contractor registered in other department) of Estimated Procurement Cost, 0.5% of S.S.I. of Rajasthan, 0.5% (Rs. 1,48,035/-) for Bidder registered as contractor in JDA, 1% for Sick Industries, other than S.S.I., whose cases are pending with Board of Industrial & Financial Reconstruction
Pre-Bid	➤ N/A
Start/ End Date for Bid Applying, Online Payment and Bid Submission	<ul style="list-style-type: none"> ➤ Start Date: 21/12/2015 at 9.30 AM onwards ➤ End Date: 04/01/2016 at 6.00 PM
**Date/ Time/ Place of Technical Bid/Tender Opening	<ul style="list-style-type: none"> ➤ 08/01/2016 at 11.00 AM ➤ Room No. 309, CCC Building, Third Floor, Ram Kishore Vyas Bhavan, Indira Circle, Jawahar Lal Nehru Marg, Jaipur - 302004 (Rajasthan)
Date/ Time/ Place of Financial Bid Opening	➤ NA
Bid Validity	➤ 120 days from the bid submission deadline


Time period for Work	> 12 Months
Job No. & T.S. No.	> 335/2015-16 & NA

*The amount is to be deposited online by bidder. In case the amount exceeds the online payment limit the payment may be made through RTGS/NEFT in ICICI BANK LTD Bank Account Number 675401700586 IFSC Code ICIC0006754. After successful payment, update the UTR/Instrument number on JDA Tender portal against the tender you want to participate. The amount deposited will be confirmed by JDA and will be updated online.

** There should be a gap of 3 working days **BETWEEN** End Date for Bid Applying, Online Payment & Bid Submission **AND** Bid opening date.

Note:

1. Bidder (authorized signatory) shall submit their offer on-line in Electronic formats both for technical and financial proposal.
2. In case, any of the bidders fails to pay the Tender Fee, BSD, and RISL Processing Fee, online (subject to confirmation), its Bid shall not be accepted.
3. To participate in online bidding process, Bidders must procure a Digital Signature Certificate (Type III) as per Information Technology Act-2000 using which they can digitally sign their electronic bids. Bidders can procure the same from any CCA approved certifying agency, i.e. TCS, Safecrypt, Ncode etc. Bidders who already have a valid Digital Signature Certificate (DSC) need not procure a new DSC. Also, bidders must register on <http://eproc.rajasthan.gov.in> (bidders already registered on <http://eproc.rajasthan.gov.in> before 30-09-2011 must register again).
4. JDA will not be responsible for delay in online submission due to any reason. For this, bidders are requested to upload the complete bid well advance in time so as to avoid 11th hour issues like slow speed; choking of web site due to heavy load or any other unforeseen problems.
5. Bidders are also advised to refer "Bidders Manual Kit" available at eProc website for further details about the e-Tendering process.
6. Training for the bidders on the usage of e-Tendering System (eProcurement) is also being arranged by DoIT&C, GoR on a regular basis. Bidders interested for training may contact e-Procurement Cell, DoIT&C for booking the training slot.
Contact No: 0141-4022688 (Help desk 10 am to 6 pm on all working days) e-mail: eproc@rajasthan.gov.in
Address : e-Procurement Cell, JDA, Yojana Bhawan, Tilak Marg, C-Scheme, Jaipur
7. The procuring entity reserves the complete right to cancel the bid process and reject any or all of the Bids.
8. No contractual obligation whatsoever shall arise from the bidding document/ bidding process unless and until a formal contract is signed and executed between the procuring entity and the successful bidder.
9. Procurement entity disclaims any factual/ or other errors in the bidding document (the onus is purely on the individual bidders to verify such information) and the information provided therein are intended only to help the bidders to prepare a logical bid-proposal.
10. The provisions of RTPP Act 2012 and Rules thereto shall be applicable for this procurement. Furthermore, in case of any inconsistency in any of the provisions of this bidding document with the RTPP Act 2012 and Rules thereto, the later shall prevail.



(Sanjeev Sachdev)
Executive Engineer (Elect.-II)

Process for Participation & Depositing Payment Online

JAIPUR DEVELOPMENT AUTHORITY, has decided to receive Bidding document fee, RISL Processing Fee and Bid Security Deposit (BSD) through online mode only. for which the bidder has to get registered himself on JDA portal www.jaipurjda.org.

To participate in the bid, bidder has to be:

1. Registered on JDA website www.jaipurjda.org (by depositing Rs. 500.00 online, the validity of which remains 3 (three) years).
For participating in the Bid, the Bidder has to apply for this Bid and pay the Bid Document Fee, RISL Processing Fee and Bid Security Deposit, online only.
2. Registered on e-Procurement Portal of Government of Rajasthan www.eproc.rajasthan.gov.in for online e-Bid submission.

Methods for depositing on line amount

- Online through Internet Banking, Debit Card or Credit Card.
- In case the amount exceeds the online payment limit, the payment may be made through RTGS / NEFT / Transfer in Bank Account Number **675401700586** IFSC Code **ICIC0006754** of ICICI BANK Limited, JDA Campus Jaipur.

In case of RTGS / NEFT / Transfer the bidder is required to deposit the requisite amount in the dedicated bank account number as mentioned above and has to get the UTR / Reference number from the bank. This number requires to be updated whiling applying the bid on JDA portal.

While participation in the bid, a receipt will be generated through the system showing the submission details as per **Annexure-4**. The bidder is required to fill the instrument numbers for various heads on e-Procurement portal www.eproc.rajasthan.gov.in as mentioned in the receipt.

More details about Registration Process, Terms and Conditions and FAQ along with contact detail is available on JDA website www.jaipurjda.org under eServices>>JDA Tender

Template of Online Receipt as part of NIB Document

Bidder has to submitted as proof of deposited amount against the Bid on eProcurement Portal

Jaipur Development Authority

Bid Participation Receipt

Date & Time : 09/06/2015 05:13 PM

Bid Detail

Bid Id : 6215152001	Procurement Entity : xxxxxxxxxxxxxxxx
Bid Title : Testing	
Bid Value : 300000	Bid Opening Place : Manthan Hall, Jaipur Development Authority

Bidder Detail

Name of Entity	xxxxxxxxxxxxx	Mobile	9829012345
Registration Type	Individual	Instrument Amount	32500.00
Payment Mode	Online UTR	Payment Channel	Payment Gateway / CICI Branch - JDA
Instrument No	456123789	Instrument Date	17-06-2015

Dates Detail

Sr. No.	Event Name	Event Date
1	Publishing Date	01-06-2015 01:00 PM
2	Bid Opening Date	01-07-2015 03:00 PM

Specific Instrument Detail for eProc Rajasthan

Instrument Number	Head Name	Amount	Date
10000	Tender Fee	400.00	05-06-2015
10001	RISL Processing Fee	1000.00	05-06-2015
10002	Bid Security Deposit	30,000.00	05-06-2015

Instrument Type: DD

Issuer Detail : Jaipur Development Authority

ChallanNumber: 641515600014

JAIPUR DEVELOPMENT AUTHORITY

Room No. 26, Main Building, Ram Kishore Vyas Bhavan, Indira Circle, JawaharLal Nehru Marg, Jaipur - 302004
Telephone: +91-141-2569696 e.mail: ee.electric@jaipurjda.org

No:- JDA/Executive Engineer/Elect.-II/2015-16/D-

Dated:

NOTICE INVITING BID

NIB No. : EE-(Elect.-II)/24/2015-16)

Online Bids are invited up-to 6.00 PM of 04/01/2016 for "**Annual rate contract for shifting and dismantling of HT/LT lines and providing and fixing of street light in Zone-1, 1A, 5 and 7 JDA, Jaipur**". Details may be seen in the Bidding Document at our office or the website of State Public Procurement Portal website www.sppp.rajasthan.gov.in, www.eproc.rajasthan.gov.in and www.jaipurjda.org.

To participate in the bid, bidder has to be:

1. Registered on JDA website www.jaipurjda.org for participating in the Bid, the Bidder has to apply for the Bid and pay the Bidding Document Fee, RISL Processing Fee and Bid Security Deposit, online only.
2. Registered on e-Procurement Portal of Government of Rajasthan www.eproc.rajasthan.gov.in for online e-Bid submission.

(Sanjeev Sachdev)
Executive Engineer (Elect.-II)

Detail NIB for uploading on SPP Portal, e-Procurement, JDA Portal & as part of NIB Document

JAIPUR DEVELOPMENT AUTHORITY

Room No. 26, Main Building, Ram Kishore Vyas Bhavan, Indira Circle, JawaharLal Nehru Marg, Jaipur - 302004
Telephone: +91-141-2569696 e.mail: ee.electric@jaipurjda.org

No:- JDA/Executive Engineer/Elect.-II/2015-16/D-

Dated:

NOTICE INVITING BID**NIB No. : EE-(Elect.-II/24/2015-16)**

Name & Address of the Procuring Entity	<ul style="list-style-type: none"> ➤ Name: Executive Engineer (Elect.-II), Jaipur Development Authority ➤ Address: Room No. 26, Main Building, Ram Kishore Vyas Bhavan, Indira Circle, JawaharLal Nehru Marg, Jaipur-302004 (Rajasthan) ➤ Email:- ee.electric@jaipurjda.org
Subject Matter of Procurement	➤ Annual rate contract for shifting and dismantling of HT/LT lines and providing and fixing of street light in Zone-1, 1A, 5 and 7 JDA, Jaipur
Bid Procedure	➤ Signal Stage tender (e.g. Signal-stage Two part (envelope) open competitive) e-Bid procedure at http://eproc.rajasthan.gov.in
Bid Evaluation Criteria (Selection Method)	➤ L1 (e.g. Least Cost Based Selection (LCBS)-L1)
Websites for downloading Bidding Document, Corrigendum's, Addendums, etc.	➤ Websites: www.sppp.rajasthan.gov.in , www.eproc.rajasthan.gov.in , www.jaipurjda.org
Website for online Bid application and payment *	<ul style="list-style-type: none"> ➤ Website: www.jaipurjda.org ➤ For participating in the Bid, the Bidder has to apply for this Bid and pay the Bidding Document Fee, RISL Processing Fee and Bid Security Deposit, online only. <ul style="list-style-type: none"> ○ Bidding document fee: Rs. 1000/- Rupees (One Thousand only) ○ RISL Processing Fee: Rs. 1000/- (Rupees One Thousand only) ➤ Requisite Bid Security Deposit
Estimated Procurement Cost	➤ INR 296.07 Lacs (Rupees Two Crore Ninety Six Lacs Seven Thousand only)
Bid Security Deposit	➤ Amount (INR) : 2% (Rs. 5,92,140/-) (For A & AA class contractor registered in other department) of Estimated Procurement Cost, 0.5% of S.S.I. of Rajasthan, 0.5% (Rs. 1,48,035/-) for Bidder registered as contractor in JDA, 1% for Sick Industries, other than S.S.I., whose cases are pending with Board of Industrial & Financial Reconstruction
Pre-Bid	➤ N/A
Start/ End Date for Bid Applying, Online Payment and Bid Submission	<ul style="list-style-type: none"> ➤ Start Date: 21/12/2015 at 9.30 AM onwards ➤ End Date: 04/01/2016 at 6.00 PM
**Date/ Time/ Place of Technical Bid/Tender Opening	<ul style="list-style-type: none"> ➤ 08/01/2016 at 11.00 AM ➤ Room No. 309, CCC Building, Third Floor, Ram Kishore Vyas Bhavan, Indira Circle, Jawahar Lal Nehru Marg, Jaipur - 302004 (Rajasthan)

Date/ Time/ Place of Financial Bid Opening	➤ NA
Bid Validity	➤ 120 days from the bid submission deadline
Time period for Work	➤ 12 Months
Job No. & T.S. No.	➤ 335/2015-16 & NA
<p>*The amount is to be deposited online by bidder. In case the amount exceeds the online payment limit the payment may be made through RTGS/NEFT in ICICI BANK LTD Bank Account Number 675401700586 IFSC Code ICIC0006754. After successful payment, update the UTR/Instrument number on JDA Tender portal against the tender you want to participate. The amount deposited will be confirmed by JDA and will be updated online.</p> <p>** There should be a gap of 3 working days BETWEEN End Date for Bid Applying, Online Payment & Bid Submission AND Bid opening date.</p>	
<p>Note:</p> <ol style="list-style-type: none"> Bidder (authorized signatory) shall submit their offer on-line in Electronic formats both for technical and financial proposal. In case, any of the bidders fails to pay the Tender Fee, BSD, and RISL Processing Fee, online (subject to confirmation), its Bid shall not be accepted. To participate in online bidding process, Bidders must procure a Digital Signature Certificate (Type III) as per Information Technology Act-2000 using which they can digitally sign their electronic bids. Bidders can procure the same from any CCA approved certifying agency, i.e. TCS, Safecrypt, Ncode etc. Bidders who already have a valid Digital Signature Certificate (DSC) need not procure a new DSC. Also, bidders must register on http://eproc.rajasthan.gov.in (bidders already registered on http://eproc.rajasthan.gov.in before 30-09-2011 must register again). JDA will not be responsible for delay in online submission due to any reason. For this, bidders are requested to upload the complete bid well advance in time so as to avoid 11th hour issues like slow speed; choking of web site due to heavy load or any other unforeseen problems. Bidders are also advised to refer "Bidders Manual Kit" available at eProc website for further details about the e-Tendering process. Training for the bidders on the usage of e-Tendering System (eProcurement) is also being arranged by DoIT&C, GoR on a regular basis. Bidders interested for training may contact e-Procurement Cell, DoIT&C for booking the training slot. Contact No: 0141-4022688 (Help desk 10 am to 6 pm on all working days) e-mail: eproc@rajasthan.gov.in Address : e-Procurement Cell, JDA, Yojana Bhawan, Tilak Marg, C-Scheme, Jaipur The procuring entity reserves the complete right to cancel the bid process and reject any or all of the Bids. No contractual obligation whatsoever shall arise from the bidding document/ bidding process unless and until a formal contract is signed and executed between the procuring entity and the successful bidder. Procurement entity disclaims any factual/ or other errors in the bidding document (the onus is purely on the individual bidders to verify such information) and the information provided therein are intended only to help the bidders to prepare a logical bid-proposal. The provisions of RTPP Act 2012 and Rules thereto shall be applicable for this procurement. Furthermore, in case of any inconsistency in any of the provisions of this bidding document with the RTPP Act 2012 and Rules thereto, the later shall prevail. 	

(Sanjeev Sachdev)
Executive Engineer (Elect.-II)

Process for Participation & Depositing Payment Online

JAIPUR DEVELOPMENT AUTHORITY, has decided to receive Bidding document fee, RISL Processing Fee and Bid Security Deposit (BSD) through online mode only for which the bidder has to get registered himself on JDA portal www.jaipurjda.org.

To participate in the bid, bidder has to be:

1. Registered on JDA website www.jaipurjda.org (by depositing Rs. 500.00 online, the validity of which remains 3 (three) years).
For participating in the Bid, the Bidder has to apply for this Bid and pay the Bid Document Fee, RISL Processing Fee and Bid Security Deposit, online only.
2. Registered on e-Procurement Portal of Government of Rajasthan www.eproc.rajasthan.gov.in for online e-Bid submission.

Methods for depositing on line amount

- Online through Internet Banking, Debit Card or Credit Card.
- In case the amount exceeds the online payment limit, the payment may be made through RTGS / NEFT / Transfer in Bank Account Number **675401700586** IFSC Code **ICIC0006754** of ICICI BANK Limited, JDA Campus
Jaipur.

In case of RTGS / NEFT / Transfer the bidder is required to deposit the requisite amount in the dedicated bank account number as mentioned above and has to get the UTR / Reference number from the bank. This number requires to be updated whiling applying the bid on JDA portal.

While participation in the bid, a receipt will be generated through the system showing the submission details as per **Annexure-4**. The bidder is required to fill the instrument numbers for various heads on e-Procurement portal www.eproc.rajasthan.gov.in as mentioned in the receipt.

More details about Registration Process, Terms and Conditions and FAQ along with contact detail is available on JDA website www.jaipurjda.org under [eServices](#)>>JDA Tender

Template of Online Receipt as part of NIB Document

Bidder has to submitted as proof of deposited amount against the Bid on e-Procurement Portal

Jaipur Development Authority			
Bid Participation Receipt			
		Date & Time : 09/06/2015 05:13 PM	
Bid Detail			
Bid Id : 6215152001	Procurement Entity : XXXXXXXXXXXXX		
Bid Title : Testing			
Bid Value : 300000	Bid Opening Place : Manthan Hall, Jaipur Development Authority		
Bidder Detail			
Name of Entity :	XXXXXXXXXXXX	Mobile: 9829012345	
Registration Type:	Individual	Instrument Amount : 32500.00	
Payment Mode:	Online/UTR	Payment Channel :Payment Gateway/ICICI Branch - JDA	
Instrument No :	456123789	Instrument Date : 17-06-2015	
Dates Detail			
Sr. No.	Event Name	Event Date	
1	Publishing Date	01.06/2015 01:00 PM	
2	Bid Opening Date	01.07/2015 03:00 PM	
Specific Instrument Detail for eProc Rajasthan			
Instrument Type: DD			
Instrument Number	Head Name	Amount	Date
10000	Tender Fee	400.00	05/06/2015
10001	RISL Processing Fee	1000.00	05/06/2015
10002	Bid Security Deposit	30,000.00	05/06/2015
Issuer Detail : Jaipur Development Authority		ChallanNumber: 641515600014	

SCHEDULE 'A' : INFORMATION USE FULL FOR THE CONTRACTORS:

The bidder should see the site and fully understand the condition of the site before bidding and include all lead, lifts etc. for the material in his item rate / percentage to the quoted on the rates as given in schedule 'G'. Then work shall be carried out in accordance with the Rajasthan PWD specification for electric works 1980 and to the entire satisfaction of the Engineer-Incharge of the work.

SCHEDULE 'B':LIST OF THE DRAWING TO BE SUPPLIED BY THE DEPARTMENT:

The drawing may be seen in office of the undersigned.

SCHEDULE 'C ':LIST OF THE DRAWING TO BE SUPPLIED BY THE CONTRACTOR:

List of the drawing to be supplied by the contractor Nil. But the contract or shall have to arrange drawings required for the work at his own cost after deposition necessary cost within JDA.

SCHEDULE 'D': TEST OF THE MATERIALS:

The test of the material and workmanship shall be conducted by the JDA staff as necessary. The result of such tests should confirm to be standard laid down in the Indian standards and or the standards laid down in the detailed specification of the Public Works

Deptt. proper quality control is required to be maintained by the contractor. Qualified personnel as required under the contractor enlistments rules duly approved by the Deptt. shall have to be engaged at site by the contractor. The Deptt. reserves the right to engage such staff and recover the expenses from the contractor on such account in case of his failure to do so.

SCHEDULE 'E': SAMPLES OF THE MATERIALS:

The samples of the material to be used by the contractor shall be deposited 15 days in advance with the Engineer In-charge and be got approved by him before use.

SCHEDULE 'F': TIME OF COMPLETION:

The work should start within 15 days of issue of work order and completion within months/days.

SCHEDULE 'G': ATTACH SEPARATELY SCHEDULE 'G' BASED ON 2013 BSR PWD RAJASTHAN JAIPUR /JDA APPROVED.

SCHEDULE 'H':SPECIAL CONDITION ATTACHED SEPARATELY.

SCHEDULE 'T': LIST F THE MATERIAL TO BE SUPPLIED BY THE DEPTT.

Whatever material available in JDA store shall be issued @ the prevailing store issue date of JDA + 5% storage charges at the time of issue of cement.

Signature of Contractor
with full address.

Executive Engineer (Elect.-II)
JDA, Jaipur.

SPECIAL CONDITIONS

SCHEDULE 'H'

1. If there is any typographical error or otherwise in the 'G' Schedule the rate given in the relevant BSR on which Schedule 'G' has been prepared, shall prevail.
2. The contractor shall follow the contractor labour regulation and abolition Act 1970 & Rule 1971.
3. The JDA shall have right to cause an audit technical examination of the work and the final bills of the contractor including all supporting vouchers, abstract etc. to be made within two years after payment of the final bills and if as a result such audit any amount is found to have been over paid / excess in respect of any work done by the contractor under the contract or any work claimed by him to have been done under this contract and found not to have been executed the contractor shall be liable to refund such amount and it shall be lawful for the JDA to recover such sum from him in the manner prescribed in special condition no. 8 or any other manner legally permissible and if it is found that the contractor was paid less than that was due to him under the contract in respect of work executed by him under it, the amount of such under payment shall be paid by the JDA to the contractor.
4. The contractor shall not work after the sunset and before sunrise without specific permission of the authority Engineer.
5. Wherever any claim against the contractor for the payment of a sum of money arises out of under the contracts, the JDA shall be entitled to recover the sum by appropriating in part or whole of the security deposit of the contractor, In the event of the security being insufficient or if no security has been taken from the contractor then the balance of the total sum recoverable as the case may be shall be deducted from any sum then due or which at any time there contract with the JDA should this sum be sufficient to recover the full amount recoverable. The contractor shall pay to JDA on demand the balance remaining due. The JDA shall further have the right to affect such recoveries under P.D.R. Act.
6. The rate quoted by the contractor shall remain valid for a period of 4 (Four) months from the date of opening of the bids.
7. By submission of this bid the contractor agree to abide with all printed conditions provided in the PWD manual from 64 (Chapter 3-para 36) and subsequent modification.

8. No conditions are to be added by the contractor and conditional bid is liable to be rejected.
9. All transaction in this execution of this work and this bid will be liable to Sale-Tax vide section. 2(B) read with sub-clause (4) Sale-tax Rule, 1954.
10. If any bidder withdraws his bid prior to expiry of said validity period given at S.No. 7 or mutually extended period or makes modifications in the rate, terms and conditions of the bid within the said period which are not acceptable to the department or fails to commence the work in the specified period, fails to execute the agreement and fails to furnish performance guarantee the department shall without prejudice to any, other right or remedy, be at liberty to forfeit the amount of earnest money given in any form absolutely. If any contractor, who having submitted a bid does not execute the agreement or start the work or does not complete the work and the work has to be put to rebidding he will stand debarred for 6 Months from participating of bidding in JDA in addition to forfeiture of Earnest Money / Security Deposit and other action under agreement.
11. The contractor shall arrange his own machinery required for the work such as Bitumen Mixer, Hot Mix plants and paver, road roller, Tar boiler, sprayer etc.
12. The contractor shall arrange his own storage tanks up to 10 Tones capacity for storage of bulk bitumen wherever supplied by the department.
13. Rules regarding enlistment of contractor provide that work up to the times limit for which they are qualified for bidding can be allotted to them, Therefore, before bidding the contractor will keep this in mind, and submit the details of the work. Bids with incomplete or incorrect information are liable to be rejected.
14. Any material not conforming to the specifications collected at site have to be removed by the contractor within a period of 3 days of the instruction, issued by do Engineer -In charge in writing failing which, such material shall be removed by the Engineer-In charge at risk and cost of the contractor after expiry of 3 days period.
15. The material collected at site and paid provisionally shall remain under and ward of the contractor till it is consumed, fully on the work.
16. The rates provided in bid documents are inclusive of all Taxes and royalty.
17. For paver work at least 3 road rollers shall be simultaneously deployed.

18. No extra lead of earth/material shall be paid over and above as specified in 'G' Schedule Source/borrow pit area for earth shall have to be arranged by the Contractor at his own cost.
19. Undersigned has full right to reject any or all bids without given any reasons.
20. Mortar of Masonry work and lean concrete will be permitted mixer with hopper.
21. As per Supreme Court decision "All contracts with Governments shall require registration of workers under the building and other construction workers (Regulation of Employment and Conditions of Service) Act, 1996 and extension of benefits to such workers under the act.
22. Special Conditions of Contract regarding Defect Liability Period (DLP) for Roads works costing Rs. 25.00 lacs and more shall be applicable
23. The bidders are required to submit copy of their enlistment as contractor.
24. Conditions of RPWA-100 will be mandatory & acceptable to the contractor.
25. Any bid received with unattested cutting/ overwriting in rates shall be rejected and such bidder will be debarred from bidding for three months in JDA.
26. All the provision of **THE RAJASTHAN TRANSPARENCY IN PUBLIC PROCUREMENT ACT 2012 and Rules, 2013 will be applicable. If there is any contradictions in existing epscial conditions and provisions of THE RAJASTHAN TRANSPARENCY IN PUBLIC PROCUREMENT ACT 2012 and Rules 2013 provision of THE RAJASTHAN TRANSPARENCY IN PUBLIC PROCUREMENT ACT 2012 and Rules 2013 shall be applicable.**
27. "If any bidder quotes a rate below than the Schedule "G" rates, i.e. rates below than at par, then the bidder has to deposit the difference amount i.e. amount between the rates as per at par and below, as work performance guarantee. This amount has to be deposited before the commencement of work and will be refunded after successful completion of work. Lowest bidder will be issued LOA (Letter of Acceptance) and within 7 days period he has to deposit difference amount in the form of BG/FDR/NSC. The validity of these shall be for a period three months beyond the stipulated date of completion/ actual date of completion. In case of non deposition of the same in specified period the 2% Bid security will be forfeited. In case work is not completed satisfactorily. The work performance security will be forfeited along with Bid security."

SIGNATURE OF CONTRACTOR
WITH FULL ADDRESS:

EXECUTIVE ENGINEER (Elect.-II),
JDA JAIPUR

JAIPUR DEVELOPMENT AUTHORITY, JAIPUR
Special Terms & Conditions for Electrification work.

The Contractor has to give the performance guarantee of the following materials for the period mentioned against them from the date of completion of work:

(a)	Transformers	30 Months
(b)	All types of Insulators	18 Months
(c)	ACSR Conductors	6 Months
(d)	Isolators	6 Months
(e)	Horn gap fuse set	6 Months
(f)	LT Pillar Box	6 Months
(g)	All types of HT/LT cables	18 Months

1. The Contractor has to arrange for the permission for the charging of electrical system from the Electrical Inspector Govt. of Rajasthan. He will have to deposit the necessary fees, which shall be reimbursed by Jaipur Development Authority.
2. The contractor will coordinate for the system handing over and charging process and if any defects, is pointed out by the RSEB/JVVNL, then he will have to rectify the same.
3. The final bill shall be paid after the lines and substations are handed over to RSEB/JVVNL and system is charged.
4. Inspection shall be bear by the contractor it self.
5. The material shall be purchased from the firms, which are also supplying the material to RSEB/JVVNL.
6. All HT/LT cables should be sequentially marked with cable size & length duly embossed.
7. The contractor shall return unused material issued to him by the deptt. If desired by the Engineer in-charge and in case, of failure to do so he shall be charged for such unreturned material at double the issue rate including storage and supervision charges or the market rate whichever is higher. The basis of the theoretical consumption and allowing for wastage @ 5% at double the issue rate including storage and supervision charges or market rate which ever is higher.
8. **The contractor shall be fully responsible to follow safety code as per IS 3764:1992 (upto date). The work should be executed without damaging existing water pipe line, LT/HT electric under ground cable, poles, existing surface drain, water connections, Telephone cables etc. In case of any damages the penalty/ liability imposed for such work shall be borne by the contractor and shall be got repaired immediately by arranging material/ labor/ assistance etc. In case of delay JDA reserve right to execute/ get executed the work at the cost and risk of the contractor.**
9. It is a mandatory condition that contractor will get all insulated material tested from CTL of JVVNL before using it at site..

Executive Engineer (Elect-II)
JDA, Jaipur.

I carefully study & do agree for above terms & conditions.

Signature & Seal of the Contractor

JAIPUR DEVELOPMENT AUTHORITY, JAIPUR.

DETAILED SPECIAL CONDITION AND SPECIFICATIONS

1. The scope of the Schedule 'H' and 'G' comprises Street light work in the multi level parking at JDA Campus mentioned in the Schedule 'H'.
2. The tubular poles are proposed to be erected generally in the median strip of the road or sides unless otherwise instructions are given to change the alignment.
3. The road in question in national, highway/important only road and as not only heavy traffic passes through the road but all the VIPs also pass through it the before it will be the contractor responsibility the provide all retardates caution signs during the execution of work at his own cost in order in to avoid any miss happening.
4. No opening shall be left uncovered during night. The bidder shall make all arrangement to avoid any claim if preferred on his account shall be the liability of the bidder.
5. No road or part of the road shall be cut without taking the prior permission in writing from the competent authority. The permission shall be arranged by bidder on the request of JDA. However, any changes will be borne by JDA.
6. The contractor shall be deemed to have carefully examined the specifications general condition and bid drawing etc. and they have been fully informed and have satisfied himself as to the nature and character of the work to be executed site conditions and other relevant matters and details.
7. References to standards code specifications recommendation shall mean the attested addition of such publications of the work to be executed at site before the date of invitation to submit proposals.
8. The excavated material shall be place within 1.5 Mtr. of the edge the half of the depth of the trench with have is more side clear shall be done within 24 hours.
9. The work shall be carried out strictly Dom plying within Indian Electricity Rules in force and as per specifications for Electrical and lift work issued by PWD Raj., Jaipur 1980 or any other IS code for this work.
10. **Trenching** : The trenches shall be of shaper size as instructed by the Engineer-in-Charge.
 - (a) **Width**
 - (i) The minimum width of trench for laying single cable shall be 35 Cm.
 - (ii) Where more than one cable is to be laid in the same trench in horizontal formation. The width of the trench shall be increased such that the spacing between the cables shall be at least 20 Cm.
 - (b) **Depth**

- (i) Where cable core laid in single tier formation in the total depth of shall not be less than 75 cm for cable up to 1.1 KV.
- (ii) When more than one tier of cable is unavoidable and vertical formation of laying is adopted depth of trench in (i) above shall increase by 30 cm for each additional tier to be formed.
- (iii) The depth shall be 1.0 Mtr. of 11 KV, 1.5 Mtr. for 33 KV.

(c) EXCAVATION

The trench must be excavated straight and if it is necessary to give any band or curve radius of such trench shall be at least 12 time the over all diameter of the cable.

(d) PLACING OF THE CABLE

The cable must be places in the trench on band of fine sand of 8 cm thick bed, and the cable shall be laid below water and sewer lines.

- (e) For the safe guard of cable it must have covering of clean dry river sand or any other type of soil as directed by Engineer-in-Charge is not less than 17 cm.

(f) PROTECTION

To protect the cable against mechanical damages the second class bricks or stone katla as specification shall be placed over the cable width wise.

- 11. Satisfactory type / acceptance test that results wherever applicable conducted from Govt. / Govt. approved laboratory as per ISS shall be submitted prior to use. The routine tests of cable shall be conducted only after delivery at site at his own cost.

12. EARTHING

The ground earthing shall be done generally confirming to IS specification of 3043-1966 all the work earth terminal be provided duly crimped / soldered.

13. CONTROLLING PANELS

The controlling panels such as main panel service pillar-box and fuse boxes are to be installed in span. The rubber gasket bedding of high quality rubber is to be provided around all operable parts. The all-hard works should be made corrosion resistant giving all chemical treatment before its fabrication and before final coat desired colour painting and red oxide primer should be applied. All internal connectives are be made with PVC insulated copper conductor with copper lugs dully crimped. The internal wiring shall be arranged with clips the bus bars and connection shall consists of drawn high conductivity copper strip with PVC 3 leaves tops of phase colours.

14. SUBMISSION OF DRAWING BY THE CONTRACTOR

The following two drawing are required to be submitted by the contractor.

- (i) Main Panel Drawing : The contractor shall submit the drawing of main panel all dimensions all internal connection of diagram, well before its fabrication and obtain prior approval of the drawings from the competent authority.
- (ii) Completion drawings : The contractor shall submit the completion drawings of the project showing the roots of the cable and position of panel etc.

15. TESTING

The following test shall be performed by the contractor at his own cost.

- (i) **Continuity and installation test of cable** : The contractor shall arrange for the continuity of cable for well use of the perfect of the cable.
 - (ii) **Mager Testing** : The whole installation shall be arranged to be test by contractor after its completion shall in presence of Engineer-in-Charge and result shall be recoated and signed jointly.
16. **Earthing Testing:** Earth test shall be performed by the contractor and results will be used be recorded and signed jointly.
17. Any other test for cable etc. required shall be arranged by the contractor.
18. No condition of any short except as provided in the printed from schedule of quantities will be entertained.
19. Conditions given in the bid from apply in full.
20. The contractor shall have to obey the labour laws. The labour shall have to pay monthly and shall have first line on the bill of contractor, in case of complaint of labour and non-payment of wages is received to the department.
21. The rate of every item should be quoted against each in figures and in words as well for complete Non BSR Items.
22. In case of any typographical error in nomenclature, unit and rate, the rates as per BSR on which 'G' Schedule is prepared shall be binding on the bids.
23. In case of any dispute the Executive Engineer (Elect-I) decision shall be final.
24. The bidders are expected to be fully conversant with the general and special conditions of contract in force in this office. They must see the site of work acquaint themselves of the position of the materials, Fluctuation of the rates in the market, see the schedule and plans in the office and remove doubts, if any, before submitting their bids.
25. The JDA is not responsible for arranging any material whatsoever any the contractor will have to complete the work within the specified time with specified material and approved accessories, from the stock, non-availability of material or delay in the consignment will not be entertained to as an excuse for extension of time for completion of work.
26. Contractor will not be paid extra for sales or any other tax.
27. Bids must be submitted on the prescribed forms duly signed by the bids on every page.
28. All entries by the bidder should be in on ink only. Erasers and over writings are not permissible. All cancellation correction and insertions must be signed by the bidder.If any rates are not quoted, bid will be rejected.
29. Rate quoted should be given for the work; separately in words and figures in case there is any difference in rates between words and figures the lower of the two will be taken as correct.

30. All the papers signed by the parties to this contract and bond together and sealed shall deemed to form part of the contract bond and shall be read as conditions of contract.
31. In every case in which by virtue for the provisions of section 12 sub section (I) of the Workman's Compensation Act, 1923 cost is obliged to pay compensation to a workman employed by the contractor or by a sub contractor for execution to said work Govt. will recover from the contractor the amount of the compensation paid and without prejudice to the rights of Govt. under section 12 sub section (2) of the said Act, Govt. shall be at liberty to recover such amount or any part there of by deducting if from the earnest money deposited by the contractor to his credit or any other sum due by Govt. to the contractor whether under this contract or other wise.
32. The contractor should have submit safety certificate for equipment each year separately in maintenance period.
33. The contractor shall arrange the certificate from electric inspector on completion of the electric installation at his own however any fee to be paid on this account shall be paid by the JDA.
34. The entire material should be as per PWD BSR 2013 of Electrical work of Schedule 'G' & specified main materials of schedule 'H' and shall be of ISI marked.

I/We have carefully study the instructions / conditions mentioned above & do hereby undertake to agree for the same.

**SIGNATURE OF CONTRACTOR
WITH FULL ADDRESS:**

**EXECUTIVE ENGINEER (Elect-II),
JDA, JAIPUR**

Note :

- 1- fdlh Hkh fufonk dks fcuk dkj.k crk, fujLr fd;k tk ldrk gSA
- 2- vkosnd @ laosnd dks fufonk izklr djus ds fy, vkosnu ds lkFk iath;u izek.k i= dh izfr izLrqr djuk vfuok;Z gSA
- 3- vkosnd @ laosnd dks fufonk izi= ij viuk irk ,oa nwjHkk"k uEcj vafdr djuk vfuok;Z gSA

Annexure A: Compliance with the code of Integrity and No Conflict of Interest

Any person participating in a procurement process shall –

- (a) Not offer any bribe, reward or gift or any material benefit either directly or indirectly in exchange for an unfair advantage in procurement process or to otherwise influence the procurement process;
- (b) Not misrepresent or omit the misleads or attempts to mislead so as to obtain a financial or other benefit or avoid an obligation;
- (c) Not indulge in any collusion, Bid rigging or anti-competitive behavior to impair the transparency, fairness and progress of the procurement process;
- (d) Not misuse any information shared between the procuring Entity and the Bidders with an intent to gain unfair advantage in the procurement process;
- (e) Not indulge in any coercion including impairing or harming or threatening to do the same, directly or indirectly, to any party or to its property to influence the procurement process;
- (f) Not obstruct any investigation or audit of a procurement process;
- (g) Disclose conflict of interest, if any; and
- (h) Disclose any previous transgressions with any Entity in India or any other country during the last three years or any debarment by any other procuring entity.

Conflict of Interest :-

The Bidder participating in a bidding process must not have a Conflict of interest. A conflict of interest is considered to be a situation in which a party has interests that could improperly influence that party's performance of official duties or responsibilities, contractual obligations, or compliance with applicable laws and regulations.

- i. A Bidder may be considered to be in Conflict of Interest with one or more parties in a bidding process if, including but not limited to:
 - a. Have controlling partners/shareholders in common ; or
 - b. Receive or have received any direct or indirect subsidy from any of them; or
 - c. Have the same legal representative for purposes of the Bid; or

- d. Have a relationship with each other; directly or through common third parties, that puts them in a position to have access to information about or influence on the Bid of another Bidder, or influence the decisions of the Procuring Entity regarding the bidding process; or
- e. The Bidder participates in more than one Bid in a bidding process. Participation by a Bidder in more than one Bid will result in the disqualification of all Bids in which the Bidder is involved. However, this does not limit the inclusion of the same subcontractor, not otherwise participating as a Bidder, in more than one Bid; or
- f. The Bidder or any of its affiliates participated as a consultant in the preparation of the design or technical specifications of the Goods, Works or Services that are the subject of the Bid; or
- g. Bidder or any of its affiliates has been hired (or is proposed to be hired) by the Procuring Entity as engineer-in-charge/ consultant for the contract.

Annexure B: Declaration by the Bidder regarding Qualifications Declaration by the Bidder

In relation to my/our Bid submitted to for procurement of in response to their Notice inviting Bids No.Dated I/We hereby declare under Section 7 of Rajasthan Transparency in Public Procurement Act, 2012, that :

1. I/We possess the necessary professional, technical, financial and managerial resources and competence required by the Bidding Document issued by the Procuring Entity;
2. I/We have fulfilled my/our obligation to pay such of the taxes payable to the Union and the State Government or any local authority as specified in the Bidding Document;
3. I/We are not insolvent, in receivership, bankrupt or being wound up, not have my/our affairs administered by a court or a judicial officer, not have my/our business activities suspended and not the subject of legal proceeding for any of the foregoing reasons;
4. I/We do not have, and our directors and officers not have, been convicted of any criminal offence related to my/our professional conduct or the making of false statements or misrepresentations as to my/our qualifications to enter into a procurement Contract within a period of three years preceding the commencement of this procurement process, or not have been otherwise disqualified pursuant to debarment proceedings;
5. I/We do not have a conflict of interest as specified in the Act, Rules and the Bidding Document, which materially affects fair competition;

Date :

Signature of bidder

Place :

Name :

Designation :

Address :

Annexure C: Grievance Redressal during Procurement Process

The designation and address of the First Appellate Authority is JDC, JDA, Jaipur

The designation and address of the Second Appellate Authority is EC, JDA, Jaipur

(1) Filing an appeal

If any Bidder or prospective bidder is aggrieved that any decision, action or omission of the Procuring Entity is in contravention to the provisions of the Act or the Rules or the Guidelines issued thereunder, he may file an appeal to First Appellate Authority, as specified in the Bidding Document within a period of ten days from the date of such decision or action, omission, as the case may be, clearly giving the specific ground or grounds on which he feels aggrieved: Provided that after the declaration of a Bidder as successful the appeal may be filed only by a Bidder who has participated in procurement proceedings: Provided further that in case a Procuring Entity evaluates the Technical Bids before the opening of the Financial Bids, an appeal related to the matter of Financial Bids may be filed only by a Bidder whose Technical Bid is found to be acceptable.

(2) The officer to whom an appeal is filed under para (1) shall deal with the appeal as expeditiously as possible and shall endeavour to dispose it of within thirty days from the date of the appeal.

(3) If the officer designated under para (1) fails to dispose of the appeal filed within the period specified in para (2), or if the Bidder or prospective bidder or the Procuring Entity is aggrieved by the order passed by the First Appellate Authority, the Bidder or prospective bidder or the Procuring Entity, as the case may be, may file a second appeal to Second Appellate Authority specified in the Bidding Document in this behalf within fifteen days from the expiry of the period specified in para (2) or of the date of receipt of the order passed by the First Appellate Authority, as the case may be.

(4) Appeal not to lie in certain cases

No appeal shall lie against any decision of the Procuring Entity relating to the following matters, namely :-

- (a) Determination of need of procurement;
- (b) Provisions limiting participation of Bidders in the Bid process;
- (c) The decision of whether or not to enter into negotiations;
- (d) Cancellation of a procurement process;

(e) Applicability of the provisions of confidentiality.

(5) Form of Appeal

(a) An appeal under para (1) or (3) above shall be in the annexed form along with as many copies as there are respondents in the appeal.

(b) Every appeal shall be accompanied by an order appealed against, if any, affidavit verifying the facts stated in the appeal and proof of payment of fee.

(c) Every appeal may be presented to First Appellate Authority or Second Appellate Authority, as the case may be, in person or through registered post or authorized representative.

(6) Fee for filing appeal

(a) Fee for first appeal shall be rupees two thousand five hundred and for second appeal shall be rupees ten thousand, which shall be non-refundable.

(b) The fee shall be paid in the form of bank demand draft or banker's cheque of a Scheduled Bank in India payable in the name of Appellate Authority concerned.

(7) Procedure for disposal of appeal

(a) The First Appellate Authority or Second Appellate Authority, as the case may be, upon filing of appeal, shall issue notice accompanied by copy of appeal, affidavit and documents, if any, to the respondents and fix date of hearing.

(b) On the date fixed for hearing, the First Appellate Authority or Second Appellate Authority, as the case may be, shall,-

(i) Hear all the parties to appeal present before him; and

(ii) Peruse or inspect documents, relevant records or copies thereof relating to the matter.

(c) After hearing the parties, perusal or inspection of documents and relevant records or copies thereof relating to the matter, the Appellate Authority concerned shall pass an order in writing and provide the copy of order to the parties to appeal free of cost.

(d) The order passed under sub-clause (c) above shall also be placed on the State Public Procurement Portal.

FORM No. 1

[See Rule 83]

**Memorandum of Appeal under the Rajasthan
Transparency in Public Procurement Act, 2012**

Appeal No. of

Before the (First/Second Appellate Authority)

1. Particulars of appellant :

(i) Name of the appellant :

(ii) Official address, if any :

(iii) Residential address :

2. Name and address of the respondent (s) :

(i)

(ii)

(iii)

3. Number and date of the order appealed against and name and designation of the officer/authority who passed the order (enclose copy), or a statement of a decision, action or omission of the Procuring Entity in contravention to the provisions of the Act by which the appellant is aggrieved:

4. If the Appellant proposes to be represented by a representative, the name and postal address of the representative:

5. Number of affidavits and documents enclosed with the appeal :

6. Grounds of appeal :

(Supported by an affidavit)

7. Prayer :

Place

Date

Appellant's Signature

Annexure D: Additional Conditions of Contract

1. Correction of arithmetical errors

Provided that a Financial Bid is substantially responsive, the Procuring Entity will correct arithmetical errors during evaluation of Financial Bids on the following basis:

- i. If there is a discrepancy between the unit price and the total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail and the total price shall be corrected, unless in the opinion of the Procuring Entity there is an obvious misplacement of the decimal point in the unit price, in which case the total price as quoted shall govern and the unit price shall be corrected;
- ii. If there is an error in a total corresponding to the addition or subtraction of subtotals, the subtotals shall prevail and the total shall be corrected ; and
- iii. If there is a discrepancy between words and figures, the amount in words shall prevail, unless the amount expressed in words is related to an arithmetic error, in which case the amount in figures shall prevail subject to (i) and (ii) above.

If the Bidder that submitted the lowest evaluated Bid does not accept the correction of errors, its Bid shall be disqualified and its Bid Security shall be forfeited or its Bid Securing Declaration shall be executed.

2. Procuring Entity's Right to Vary Quantities

(i) At the time of award of contract, the quantity of Goods, works or services originally specified in the Bidding Document may be increased or decreased by a specified percentage, but such increase or decrease shall not exceed twenty percent, of the quantity specified in the Bidding Document. It shall be without any change in the unit prices or other terms and conditions of the Bid and the conditions of contract.

(ii) If the Procuring Entity does not procure any subject matter of procurement or procures less than the quantity specified in the Bidding Document due to change in circumstances, the

Bidder shall not be entitled for any claim or compensation except otherwise provided in the Conditions of Contract.

(iii) In case of procurement of Goods or services, additional quantity may be procured by placing a repeat order on the rates and conditions of the original order. However, the additional quantity shall not be more than 25% of the value of Goods of the original contract and shall be within one month from the date of expiry of last supply. If the supplier fails to do so, the Procuring Entity shall be free to arrange for the balance supply by limited Bidding or otherwise and the extra cost incurred shall be recovered from the supplier.

3. Dividing quantities among more than one Bidder at the time of award (In case of procurement of Goods)

As a general rule all the quantities of the subject matter of procurement shall be procured from the Bidder, whose Bid is accepted. However, when it is considered that the quantity of the subject matter of procurement to be procured is very large and it may not be in the capacity of the Bidder, whose Bid is accepted, to deliver the entire quantity or when it is considered that the subject matter of procurement to be procured is of critical and vital nature, in such cases, the quantity may be divided between the Bidder, whose Bid is accepted and the second lowest Bidder or even more Bidders in that order, in a fair, transparent and equitable manner at the rates of the Bidder, whose Bid is accepted.

JAIPUR DEVELOPMENT AUTHORITY, JAIPUR

Name of work: Annual rate contract for shifting and dismantling of HT/LT lines and providing and fixing of street light in zone-1, 1A, 5 and 7 JDA, jaipur.

G-Schedule

S.No.	Particular	Qty.	Unit	Rate	Amount
1	P/Laying P.V.C. / XLPE insulated & P.V.C. sheathed cable of 1.1 KV grade with aluminium conductor of IS:1554 P-I / IS :7098 P - I of Group 1 of approved make in ground as per IS:1255 including excavation of 30cmx75cm size trench, 25 cm thick under layer of sand, IInd class bricks covering, refilling earth, compaction of earth, making necessary connection, testing etc. as required of size.				
1.1	10.0 Sqmm. 2 Core	11000.00	Mtr	137.00	1507000.00
1.2	16.0 Sqmm. 4 Core	6000.00	Mtr	178.00	1068000.00
1.3	25.0 Sqmm. 3.5 Core	5000.00	Mtr	208.00	1040000.00
1.4	185.0 Sqmm. 3.5 Core	4000.00	Mtr	917.00	3668000.00
2	Supplying and making one end termination with heavy duty single compression brass gland SIBG type, heavy duty aluminium lugs duly crimped with crimping tool, PVC tape etc for following size of Armoured PVC insulated & PVC sheathed/ XLPE aluminium conductor cable of 1100 volt grade as required of size.				
2.1	3.5 x 185.0 sq.mm	40.00	Per Set	395.00	15800.00
3	P & Laying XLPE insulated IS:7098/II/85 of Group1 and approved make H.T.cable for working voltage 11 K.V.Earthed direct in ground including excavation of 30cmx100cm size trench, 25cm layer of river sand, IInd class bricks covering, refilling earth, compaction of earth, making necessary connection testing etc.as required of size.				
3.1	3 core 70.0 Sq.mm	500.00	Mtr	754.00	377000.00
3.2	3 core 185.0 Sq.mm	4000.00	Mtr	1266.00	5064000.00
4	Providing & making heat shrinkable type indoor/outdoor/straight through terminations/ joint kit of Group1 and approved make suitable for XLPE insulated 11 KV / 33 KV cable, with required components, preparation of cable ends, testing etc. as required of following sizes .				
4.1	11 KV End Termination Kit Indoor type				
a	3 core 70/95 Sq.mm	15.00	Per Set	4500.00	67500.00
b	3 core 120/150/185/225 Sq.mm	40.00	Per Set	5000.00	200000.00
4.2	11 KV End Termination Kit Outdoor type				
a	3 core 70/95 Sq.mm	15.00	Per Set	5700.00	85500.00
b	3 core 120/150/185/225 Sq.mm	15.00	Per Set	6500.00	97500.00
4.3	11 KV Straight Through Joint Kit				
a	3 core 120/150/185/225 Sq.mm	15.00	Per Set	15000.00	225000.00
5	S & Laying following size earth wire/strip in horizontal or vertical run in ground/surface/recess including riveting, soldering, saddles, making connection etc. as required.				
a	8 SWG G.I. (Hot Dipped) Wire	1100.00	Mtr	9.00	9900.00
6	S & Laying following size ' B ' class G.I. Pipe conforming to IS : 1239 P - 1 (1990) with accessories for laying earth conductor/strip / cable in ground/surface/recess as required				
a	100 mm dia.	200.00	Mtr	667.00	133400.00

S.No.	Particular	Qty.	Unit	Rate	Amount
7	Supply and erection of P.C.C./R.C.C. pole as per REC manual no 15/1979 conforming to IS: 2905/1966 including excavation of pit and back filling with stone aggregate/boulders and soil in 0.45m consolidating each deposited layer of 0.45m by ramming and watering etc complete in all respect.				
a	9.0 Mtr long (200 Kg) as per Discom specification	10.00	Each	3859.20	38592.00
b	9.0 Mtr long (400 Kg) as per Discom specification	20.00	Each	4328.40	86568.00
8	Supply and erection of GI stay set as per Discom specification complete with long stay rod with anchor plate including stay clamps turn buckle and G.I stay wire tightened through strain insulator, in cement concrete 1:3:6 including excavation of pit-re-filling etc as reqd.				
a	Stay set of dia 16mm,1.8m long stay rod and anchor plate 300x300x6.4mm	15.00	Each	785.00	11775.00
9	Supply and fixing of 11kV, 400 Amp 3pole, central pot rotating double break type isolator (IS:9921 part I toV) without earth blade operating mechanism with GI spring loaded reverse loop type fixed contact, solid hard drawn electrolytic copper tubular moving contact with silver/ nickel plated at end points, 9 nos post insulator of 12 kV (IS:2554 & IS 5350 part III), hot dipped galvanising hard ware, nut, bolts etc complete in all respect as per specification of Discom.(Type tested by ERDA/CPRI.)	5.00	Each	13150.00	65750.00
10	SITC of 11 KV, 400/630 A, 20kA / 3 sec, Out door, Extensible type Ring main unit (RMU) in suitable RCC foundation with 2 no. Load break switch & 1 no. VCB / SF6 circuit breaker with over load, Earth fault, short circuit relay, copper bus bar, earthing switch, mechanical ON / OFF / Earth indication, Voltage presence indicator, Ring core protection CT 2.5 VA, 10P10 as per transformer rating, Shunt trip coil, Anti reflex operating handle, right angle boots etc. as required.	14.00	Per Set	414560.00	5803840.00
11	Supply & fabrication steel structure with MS channel / angle / joist / ISMB / sheet etc. including welding, rivetting, cutting, nut & bolt , Painting etc. as required.	8000.00	Kg.	84.00	672000.00
12	Supplying and laying of 7/3.15 mm hot dipped galvanized stay wire as required	835.00	Mtr	25.00	20875.00
13	Supply and fixing of pillar box made of 2 mm thick powder coated CRCA sheet of 415 volts 3 phase 4 wire triple pole and neutral type, complete in all respect as required. Including knife switch of 400 amp. rating , HRC fuses with copper one piece U contacts base, brass studs and nuts, copper busbar for main and interconnection, MS angle frame of 50 x 50 x 6 mm grouted with C.C. of M-10 grade to achieve the height of 1.5 feet above the road level suitable for four outgoing.	10.00	Each	42500.00	425000.00
14	Supply and fixing 100 Amp, 11kV Horn gap fuse set IS 9385 on existing DP structure with 6 nos 24kV/22kV post insulator (IS:5350 part III), hot dipped hard ware,fuse wire of required size etc. complete in all respect as per specification given by Discom. (Type tested by ERDA/CPRI)	5.00	Each	6050.00	30250.00

S.No.	Particular	Qty.	Unit	Rate	Amount
15	Supply and fixing double pole structure for 11/0.4 Kv substation as per Discom specification complete in all respect as required including nuts and bolts etc (excluding the cost of poles) made of MS channel of 4 nos 100 x 50 x 6mm and 4 nos 75 x 40 x 6mm and MS flat 50 x 6mm as per Discom specifications.	5.00	Each	9570.00	47850.00
16	Supply & Erection of lattice structure of height 12.8 mtr in alignment, including excavation of pit and Providing and laying of cement concrete in ratio 1:3:6 using 43 grade cement, river sand and 12 mm to 20 graded blast crusher broken in pit/ found cement plaster upto 0.50mtr. from top to bottom in 1:3:6 ratio and paint of tower of approved make two coat of red oxide paint and one coat of aluminium paint before installation and one coat of paint after irrection work completed as per technical specifications & drawing of DISCOM.	5.00	Each	42250.00	211250.00
17	Supply and installation of spike of M.S. rod 20mm dia 3.0mtr. long for earthing of (tower/pole) drive into earth by mechanical means sturcture connection the spike with cross arm top hamper PCC pole, lattics tower to earth etc. complete as per technical specification of DISCOM	100.00	Per Set	650.00	65000.00
18	Supply and fixing of following LT Supporting accessories with nut bolt & Clamps made out as per standard Discom's specifications.				
18.1	LT cross arm 600 mm long with clamp	40.00	Each	280.00	11200.00
18.2	LT cross arm 1200 mm long with clamp	40.00	Each	480.00	19200.00
19	Supply and fixing of LT porcelain pin insulator as per IS 1445-1997 suitable for working voltage 1100 volts including all accessories like hot dip GI forged spindle of 260mm long and nuts etc as reqd as per Discom specification.				
19.1	120mm x 85mm	80.00	Each	85.00	6800.00
20	Supply and fixing of porcelain shackle insulator as per IS:1443 1979 suitable for working on 1100 volts including hot dipped GI accessories and heavy duty hardwares etc as required as per Discom specification.				
20.1	100mm x 110mm	40.00	Each	120.00	4800.00
21	Supply and fixing of 'V' type cross arms made of MS channel on the existing poles complete including all necessary nut and bolt etc with clamps as per Discom specification.				
21.1	11kV cross arms (75 x 40 x 6.8 kg/mtr)	10.00	Each	850.00	8500.00
22	Supply and fixing of top hamper on the existing pole complete including nut bolts etc as required.				
22.1	Vertical type				
22.11	11 kV (.7m long) (65 x 65 x6mm angle)	10.00	Each	315.00	3150.00
23	Supply and fixing of Cross arms made out from 100 x 50 x 5 mm MS channel complete in all respect as required including nuts and bolts and clamp as per Discom specification etc as required.				
23.1	2 x 1.3 m long	10.00	Each	1634.00	16340.00
24	Supply and fixing 11kV pin insulator(IS 731/ 1971) with minimum creepage distance of 300mm on existing bracket including all accessories like hot dipped GI spindle and nuts etc (as per specificationof Discom).	40.00	Each	135.00	5400.00

S.No.	Particular	Qty.	Unit	Rate	Amount
25	Supply and fixing 11kV Disc insulator (IS 731/ 1971) with minimum creepage distance of 300mm on existing bracket including all accessories like hot dipped GI spindle and nuts etc (as per specification of Discom).				
25.1	B & S type hardware 45 KN	10.00	Each	560.00	5600.00
25.2	B & S disc insulator 45 KN	30.00	Each	406.00	12180.00
26	Supplying and drawing of XLPE insulated LT Aerial bunched Aluminium conductor cable conforming to IS 14255/1995 and IS 398 (Pt-4)/ 1994 on existing cross arms through I hook with all necessary T&P required including binding and twisting etc. complete in all respect as required as per Discom specification.				
26.1	3 X 50 sq. mm. + 1X35 sq. mm. (Bared)	1000.00	Mtr	134.00	134000.00
27	Providing, fixing, testing and commissioning of LT Distribution box with HR fuse/MCCB type weather proof box of size 650x500x250mm, made out of smoke grey colour sheet moduling compound (S.M.C. Electrical grade 3) confirming IS 13410 amended upto date, front and back both side openable completely hinged door with doors shall be centrally closed triple position locking arrangement and shall be operational with common handle from outside the door and base of box to avoid penetration of dust and ingress of water. Rubber gasket shall be fitted with suitable adhesive. The enclosure shall be anti corrosive, dust & rust proof. Vermin & water proof, ultra-violet stabilized cable termination arrangement & necessary fixing arrangement shall be provided with fuse link in spare should be invariably provided with each box comprising of as per following with embossed JVVNL/JDA with month & year of manufacturing.				
	a. Switch disconnector 250 AMP TP b. HRC Fuse base made of DMC 250 Amp c. HRC Fuse link 250 Amp d. Copper wire PVC insulated 50 Sq.mm 4 Core e. Aluminium bus bar insulated with DMC/SMC f. Top and Base made of SMC g. MS Angle Frame for Box 50x50x6mm h. Copper Lugs 50 Sq.mm i. M10 grade Nominal Mix 1:3:6 (1 cement : 3 coarse sand : 6 graded stone aggregate 20mm nominal size). j. The above item are inclusive of cost of safety measures as per codal provision during erection/execution.	50.00	Each	17820.00	891000.00
28	Supplying and drawing FR PVC insulated & unsheathed flexible copper conductor ISI marked (IS:694) of 1.1 kV grade and approved make in existing surface or recessed conduit/casing capping including making connections etc. as required.				
28.1	2 x 2.5 sq.mm	2025.00	Mtr	41.00	83025.00
29	P & F in position frame made out of M.S. angle (riveted or welded) finished with two coats of red oxide and enamel paint including cutting, welding, holes etc.of following sizes as required.				
29.1	50mm x 50mm x 6mm	215.00	Mtr	313.00	67295.00
30	P & F paper phenolic resin bonded laminates confirming to IS : 2036 - 1995 for boxes/ frames including making holes for switches etc, with brass screws, washers/ zinc plated nut and bolts as required.				
30.1	6.4 mm thick	7.68	Sqm.	891.00	6842.88

S.No.	Particular	Qty.	Unit	Rate	Amount
31	P&F 240/415 V AC MCB with positive isolation of breaking capacity not less than 10 KA (B/ C/ D tripping characteristic) ISI marked IS 8828(1996)]/ conforming to IEC 60898 in existing board/sheets including making connections, testing etc. as required.				
31.1	Single pole MCB				
	6 A to 32 A rating	350.00	Each	151.00	52850.00
31.2	Four pole MCB				
	6 A to 32 A rating	30.00	Each	918.00	27540.00
32	SITC of wall/ free standing floor mounted dust and vermin proof compartmentalised cubical panel made out of CRCA sheet , required hardware ,duly treated for derusting in 7 tank process with dephosphating and with powder coating on both side of panel in desired shade The panel having PU/ Neoprene rubber gasket of not less than 3mm thickness , separate detachable gland plate M.S. base channel ,hinged door with locking arrangement for equipment/switchgear . Thickness of sheet shall not be less than 1.6 mm up to 600 mm length / width of any compartment and be of 2.0 mm above 600 mm. Load bearing structure shall be of 2.0 mm thick sheet supported by base M.S. channel if required . Side walls and cable alley compartments having bolted type doors with / without detachable extension type structure. (only outer area on all sides shall be measured & panel to be fabricated from CPRI approved fabricator)				
		96.00	Sqm.	2752.00	264192.00
33	Supplying and fixing of Aluminium / Copper bus bar by means of SMC / DMC type insulator, high tensile nuts and bolts spring washers in existing panel including bending , cutting in required shape and size and colour coding with heat shrinkable PVC sleeves.				
33.1	Electrolytic grade Aluminium bus bar	15.00	Kg.	420.00	6300.00
34	SF of 110/220 V, LED (22.5 mm dia) Indicating lamp with integral circuit, terminal block, including connection etc. as required.				
34.1	Red/yellow/Green colour	21.00	Each	150.00	3150.00
35	P & F of ac operated heavy duty 230 /440 Volt power contactor conforming to IS:13947-4-1/IEC:947-4-1 having provision of mechanical interlocking, auuxiliary contacts, Din rail mounting type including making connections, testing etc. as required.				
35.1	4 pole Power contactors with following AC 1 Rating				
	63 Amp	7.00	Each	3536.00	24752.00
36	P&F of mechanical / digital time switch having following day / week programme and minimum 100 hours reserve and AC1 rating of 16-20 amperes including making connection, programming etc. as required				
36.1	One day & week reserve (digital type)	7.00	Each	5746.00	40222.00

S.No.	Particular	Qty.	Unit	Rate	Amount
37	P & F IP-65 protected street light luminaire on existing bracket suitable for HPSV/ MH LAMP, made from powder coated single piece pressure die cast aluminium housing, electrochemically brightened and anodized POT optics aluminium reflector, heat resistant and toughened glass cover and accessories like copper ballast, electronic ignitor, capacitor, holder prewired up to terminal block etc. as required including making connection testing etc. as required (without lamp)				
37.1	Street Light Suitable for HPSV Lamps				
a	1 X 150 Watt	50.00	Each	5250.00	262500.00
b	1 X 250 Watt	100.00	Each	5464.00	546400.00
38	P & F Normal / High Output High pressure sodium vapour/ Metal halide / Halogen lamp as required.				
38.1	HPSV Tubular lamp Normal Output				
a	150 Watt 15000 Lumens	50.00	Each	465.00	23250.00
b	250 Watt 28000 Lumens	100.00	Each	550.00	55000.00
39	Supply and erection of hot dipped galvanised steel swaged tubular pole conforming to IS: 2713-1980 (part I to II) with galvanised base plate in position including excavation of the pit and filling the same with C.C. of M-20 grade (1:1.5:3) from base plate to 50cm above ground level, with the help of steel frame not less than 40 cm dia up to 114.3mm outer dia and 50 cm beyond 114.3mm outer dia around the pole. Duly finished with cement plaster, earthing terminals , cable entry, GI cable sleeve complete as required. The pole shall be galvanised using ISI mark seamless tube for structural purpose of following height & designation. (See Table E - 09 for specs.)				
39.1	8.5 Mtr. (410 SP - 17)	25.00	Each	11880.00	297000.00
39.2	9.0 Mtr. (410 SP - 28)	25.00	Each	14760.00	369000.00
40	Add for supply and fixing of hot dipped galvanised Overhang of following size over the existing poles				
40.1	88.9 mm OD x 3.25 mm thickness	100.00	Mtr	950.00	95000.00
41	Supply and erection of GI Octagonal / Conical pole of following length and dimension as per table E-10 with base plate on the cement concrete foundation of M-20 grade (1:1.5:3) with the help of anchor bolts of grade 6.8 (IS: 1367 P III). The pole shall have a weatherproof flush door and locking arrangements. The complete work shall be supervised and certified by the manufacturers for satisfactory supply, erection, testing and commissioning.				
41.1	Octagonal MS Poles made of S-355JO grade steel sheet , folded lengthwise to obtained Octagonal shape, having single longitudinal seam weld and hot dipped galvanised internally & externally in accordance with IS 2629. (See Table E - 10 for specs.)				
a	9 Mtr.	30.00	Each	16800.00	504000.00
b	10 Mtr.	30.00	Each	18700.00	561000.00
42	Supply, Erection and Fixing of hot dipped galvanised Overhang (48.3 X 3.25 mm) with cap (400 x 88.9 / 114.3 x 3.25 mm) over the existing poles				
42.1	Single arm overhang	75.00	Mtr	890.00	66750.00

S.No.	Particular	Qty.	Unit	Rate	Amount
43	SITC of quick make and quick break 3 pole current limiting MCCB having following current rating, short circuit breaking capacity at 440/415 V, 50 Hz; O/L & S/C settings and conforming to IS 60947-2 / IEC 60947-2 with front face and centralised adjustable, line load interchangeability, having positive isolation capability, provision for UVR , shunt trip , earth fault trip, push (test) to trip, including making connections with lugs & spreaders, etc. as required.				
43.1	With Thermal Magnetic release				
	up to 100 Amp , 25 kA, adjustable O/L & fixed S/C setting, Ics = 100 % Icu	30.00	Each	4782.00	143460.00
44	SITC of quick make and quick break 4 POLE current limiting MCCB having following current rating, short circuit breaking capacity at 440/415 V, 50 Hz; O/L & S/C settings and conforming to IS 60947-2 / IEC 60947-2 with front face and centralised adjustable, line load interchangeability, having positive isolation capability, provision for UVR , shunt trip ,earth fault trip, push (test) to trip , including making connections with lugs & spreaders, etc. as required.				
44.1	With Thermal Magnetic release				
	up to 100 Amp , 25 kA, adjustable O/L & fixed S/C setting, Ics = 100 % Icu	6.00	Each	6341.00	38046.00
45	Providing and fixing of fuse box size 250(H) x 200(W) x 150(D) mm fabricated of 1.6mm MS sheet with hinged cover, dust and vermin proof, rubber gasket, locking arrangement, duly holded with 2 nos pole clamps of 20 mm x 3 mm flat with nut and bolts, complete with anticorrosive treatment, finished with two coat of approved enamel paint. The box shall be provided with 2 / 4 nos copper bus bar 125 x 20 x 3 mm with brass screws suitable supports,earth terminal, inter connection, knock outs for 20 / 25 mm cable gland, 1 no. 16 Amp kitkat fuse of GROUP2 complete in all respect.				
		50.00	Each	1500.00	75000.00
46	Providing and fixing of 120W LED street light with pressure die cast aluminium housing & toughened glass with IP-66 degree of protection. Individual LED's must have lenses for better throw across & along the road with luminaire efficacy of greater than 100Lumen/watt, colour rendering (CRI) of = 70 and co-related colour temperature (CCT) of 5700K (±500K). The luminaire should bear 5KV surge protection, PF =0.9 (HPF) and total harmonic distortion of THD =10%, voltage range of 140-280V. Luminaire should have maintainable driver compartment for easy access during maintenance. The driver used must be a constant voltage/current driver with efficiency of =85% and compliance to IEC standards 60598. System life 50000 burning hours. The manufactures LOGO must be embossed into the housing of the luminaire. Manufactures to provide certificate of compliance LM80 from source manufacturer and should have adequate testing facilities at works (Approved by ministry of science Govt. of India/NABL) to perform tests LM80 and LM79. LED Make:- Philips, Bajaj, Keselec.				
		60.00	Each	29000.00	1740000.00

S.No.	Particular	Qty.	Unit	Rate	Amount
47	P & F of IP 65 protected LED Post-Top-Light system with Die cast housing, polycarbonate diffuser, 40 - 60W, 220-240V, 50Hz (integrated Driver), LED lamps supplied with pre-wired cable of 1 mtr. Driver shall be high efficiency having efficiency > 85% and in compliance to IEC standards (Integral with light fixture).system life of 25000 Burning Hours with 70% of initial Lumens maintained. Light output in Cool white or Warm White Colour as per engineers choice. Fixtures shall be CE compliance.				
47.1	60W LED Post Top Fixture	60.00	Each	28000.00	1680000.00
48	Dismantling/Removing of power line materials collecting from site and depositing the same with AEN office/ store. Refilling pits in compaction, leveling etc. GI wire, stay wire etc. shall be bounded in the shape of coils, if any material is damaged during Dismantling/ transportation replacing/repairing shall be on the part of contractor				
a	L.T. Cable above 35Sqmm	500.00	Mtr	31.00	15500.00
b	Stay Set	50.00	Nos.	93.00	4650.00
c	L.T. cross arms	50.00	Mtr	7.00	350.00
d	L.T. PIN insulator	50.00	Nos.	5.00	250.00
e	L.T. Shackle insulator	50.00	Nos.	5.00	250.00
f	PCC Pole	50.00	Nos.	155.00	7750.00
g	ACSR Weasel/Rabit conductor	2000.00	Mtr	0.70	1400.00
h	Horn gape set	15.00	Nos.	300.00	4500.00
i	isolator	15.00	Nos.	335.00	5025.00
j	Post insulator	20.00	Nos.	25.00	500.00
k	Other steel items	50.00	Kg.	1.25	62.50
l	R.S. Joist	20.00	Nos.	500.00	10000.00
m	Lattice Tower	15.00	Nos.	987.00	14805.00
n	11KV cross arm	50.00	Nos.	12.30	615.00
o	11 KV Top Hampars	50.00	Nos.	10.00	500.00
p	11KV disc insulators	50.00	Nos.	4.50	225.00
q	11KV disc H/W	25.00	Nos.	4.75	118.75
r	11KV pin insulators	50.00	Nos.	3.50	175.00
s	LT Pillar Box	30.00	Nos.	800.00	24000.00
t	11/0 4 KV transformer	30.00	Each	530.00	15900.00
49	Charges for repair of HT/LT pillar box including cost of welding/Cutting for repairing of gates/switch compartment and providing hole fastned with kunda for locking arrangemaent & cleaning rubbing red oxide primining & painting (pain as per engineer -in -charge)of existing panel/connecton of incoming & outgoing cables etc.as required.	15.00	Each	3000.00	45000.00
50	Charges for repair of main pillar box including cost of welding/Cutting for repairing of gates/switch compartment and providing hole fastned with kunda for locking arrangemaent & cleaning rubbing red oxide primining & painting (pain as per engineer -in -charge)of existing panel/connecton of incoming & outgoing cables etc.as required.	15.00	Each	2500.00	37500.00

S.No.	Particular	Qty.	Unit	Rate	Amount
51	Charges for repair of Feeder pillar box including cost of welding/Cutting for repairing of gates/switch compartment and providing hole fastned with kunda for locking arrangemaent & cleaning rubbing red oxide primining & painting (pain as per engineer -in -charge)of existing panel/connecton of incoming & outgoing cables etc.as required.	25.00	Each	2000.00	50000.00
52	Painting on Street light pole including Hoist Charges	400.00	Each	225.00	90000.00
53	PU Painting over 2.8 Mtr long ornamental poles & their fixtures by using thiner,Etc priemer epoxy primer epoxy papers and cotton cloths etc as required	20.00	Each	1850.00	37000.00
54	Labour charges for disconnecting/ reconnecting the existing outgoing 6 nos. of cables in each feeder pillar in accordance with the timer contact of each phase and removing feeder pillar box and depositing in JDA store and obtaining receiptfor AEN store.	15.00	Each	200.00	3000.00
55	Removing of tubular pole by digging under the pole, pulling out Single arm	20.00	Each	350.00	7000.00
56	Removing of tubular pole by digging under the pole, pulling out Double arm	20.00	Each	400.00	8000.00
57	Removing of 1x250 W/1x150 W sodium light fixture with lamp from the existing pole the depositing in JDA store.	20.00	Each	100.00	2000.00
58	Removing of tube light luminaire from the existing pole, disconnecting etcand depositing in JDA store.	20.00	Each	20.00	400.00
59	Removing of tube light rod from existing luminaire on the existing pole and depositing in JDA store.	20.00	Each	2.00	40.00
60	Fixing of the feeder pillar, by grouting making connections etc. complete job as required.	20.00	Each	400.00	8000.00
61	Removing of main cubicle panel by disconnecting the cables, removing the panel complete panel with accessories and depositing in JDA store.	20.00	Each	500.00	10000.00
62	Fixing the main cubicle panel at site, grouting the legs,s making connections connections job, as required by Engineer in charge.	20.00	Each	600.00	12000.00
63	Removing the street light bracket of all size from the existing PCC/RCC/tubular pole complete work as required by Engineer in charge and depositing in JDA store.	20.00	Each	20.00	400.00
64	Labour charges for testing/connection of armoured cable for complete job of one feeder pillar and fuse box at the pole including testing of incoming cable from main panel/outgoing cables to all light poles from one feeder pillar box and providing lugs in cable connections. If required complete job for testing of one feeder & its fuse box as required by engineer incharge.	20.00	Each	100.00	2000.00
					29607011.13

Executive Engineer (Elect-II)
JDA, Jaipur