

जयपुर विकास प्राधिकरण, जयपुर

क्रमांक: जविप्रा/अधि.अभि.-11/2017-18/डी-166-168

दिनांक : 12/5/17

बिड आमंत्रण सूचना

बिड संख्या- अधि.अभि.11/04-06/2017-18

जयपुर विकास प्राधिकरण में (1) जोन-11 के क्षेत्र में कांदल रेडीमेड बिटुमिनस पेचिंग मिक्स निर्माण एवं सप्लाई का कार्य। (दर संविदा) के लिए अनुमानित लागत 11.50 लाख रुपये की निविदा डालने एवं ऑन लाईन भुगतान की अन्तिम तिथि दिनांक 07.06.2017 को सांय 6:00 बजे तक किया जा सकता है (2) जोन-11 में विभिन्न सड़कों पर पेच रिपेयर का कार्य (दर संविदा) के लिए अनुमानित लागत 105.00 लाख रुपये की निविदा डालने एवं ऑन लाईन भुगतान की अन्तिम तिथि दिनांक 16.06.2017 को सांय 6:00 बजे तक किया जा सकता है, (3) जोन-11 के क्षेत्र में पूर्व निर्मित कांदल बिटुमिनस पेचिंग मिक्स द्वारा गड्डे भरने का कार्य। (दर संविदा) के लिए अनुमानित लागत 2.00 लाख रुपये की मोहरबन्द निविदा दिनांक 18.05.2017 से 01.06.2017 तक बेची जाकर निविदा की अमानता राशि, निविदा शुल्क दिनांक 02.06.2017 को 3.00 तक स्वीकार कर इसी दिनांक को 3.30 बजे अधोहस्ताक्षरकर्ता के कक्ष में खोली जावेगी। विस्तृत विवरण, जो कि निविदा प्रपत्र में उपलब्ध है, अधोहस्ताक्षरकर्ता के कार्यालय में अथवा राजस्थान सरकार के उपापन पोर्टल www.sppp.raj.nic.in व www.eproc.rajasthan.gov.in एवं जयपुर विकास प्राधिकरण की वेबसाईट www.jda.urban.rajasthan.gov.in पर देखी जा सकती है। (UBN(1)JDA1718 WSR C 00066 (2) JDA 1718 WSR C 00066 (3) JDA 1718 WSR C 00067

निविदादाता को निविदा में भाग लेने हेतु आवश्यक है कि :-

1. जयपुर विकास प्राधिकरण की वेबसाईट www.jda.urban.rajasthan.gov.in पर पंजीकृत हो। निविदा शुल्क व आर.आई.एस.एल. प्रक्रिया शुल्क केवल ऑन लाईन ही देय होगी। बोली प्रतिभूति ऑनलाईन अथवा बैंक गारन्टी के द्वारा दी जा सकती है।
2. ऑन लाईन निविदा में भाग लेने हेतु राजस्थान सरकार के पोर्टल www.eproc.rajasthan.gov.in पर पंजीकृत हो।
3. क्रम संख्या 1 व 2 की निविदा ई-टेण्डरिंग के माध्यम से एवं क्रम संख्या 3 पर वर्णित मोहरबन्द निविदा प्राप्त की जावेगी।


अधिशायी अभियन्ता-11
जविप्रा, जयपुर

JAIPUR DEVELOPMENT AUTHORITY, JAIPUR

Room No. 121, Main Building, 1st floor Ram Kishore Vyas Bhavan, Indira Circle, JawaharLal Nehru Marg, Jaipur - 302 004
Telephone: +91-141-2569696 e.mail: xxxxxxxx@jaipurjda.org

No.:-JDA/EE-11/2017-18/D- 166 to 168

Dated 12/5/17


NOTICE INVITING BID

NIB No. : EE-11/ 04-06/2017-18

Online Bids are invited for (1) **Production and Supply of Kandhal Readymade Bituminous Pothole Patching Mix in Zone 11 area JDA, Jaipur. (ARC).** Estimated cost of Rs. 11.50 Lacs. The Last date of for applying bid and making online payment on JDA portal is up-to 6.00 PM of 07.06.2017 (2) **Patch Repair work on Different Roads of Zone-11, JDA, Jaipur (ARC).** Estimated cost of Rs. 105.00 Lacs . The Last date of for applying bid and making online payment on JDA portal is up-to 6.00 PM of 16.06.2017 & (3) **"Placing and Compacting Kandhal Readymade Bituminous Patching Mix in potholes on various roads in Zone 11 area JDA, Jaipur. (ARC)"** Estimated cost of Rs. 2.00 Lacs. The Last date of for Sale of tender up to up-to 6.00 PM of 01.06.2017 & EMD, Tender cost should be deposited up to 3.00 PM on dated 02.06.2017. The tender to be opened on 02.06.2017 at 3.30 PM. Details may be seen in the Bidding Document at our office or the State Public Procurement Portal website www.sppp.rajasthan.gov.in, www.eproc.rajasthan.gov.in and www.jda.urban.rajasthan.gov.in

To participate in the bid, bidder has to be:

1. Registered on JDA website www.jda.urban.rajasthan.gov.in
For participating in the Bid, the Bidder has to apply for the Bid and pay the Bidding Document Fee, RSI Processing Fee and Bid Security Deposit, online only.
2. Registered on e-Procurement Portal of Government of Rajasthan ww.eproc.rajasthan.gov.in for online e-Bid submission.
3. Tender of S. No. 1 & 2 to be received through E-Tendering system & Tender of S. No. 3 to be received by Sealed cover envelop System.


(Rajendra Kumar Mathur)
Executive Engineer-11

Copy to :-

01- PRO Cell, JDA, Jaipur for publication in News paper.

(i) Job No. 527/2014-15

(Rajendra Kumar Mathur)
Executive Engineer-11

Detail NIB for uploading on SPP Portal, e-Procurement, JDA Portal & as part of NIB Document

JAIPUR DEVELOPMENT AUTHORITY, JAIPUR

Room No. 121, Main Building, 1st floor Ram Kishore Vyas Bhavan, Indira Circle, JawaharLal Nehru Marg, Jaipur - 302 004
Telephone: +91-141-2569696 e.mail: xxxxxxxx@jaipurjda.org

No.: JDA/EE-11/2017-18/D- 166

Dated 12/5/17

NOTICE INVITING BID

NIB No. : EE-11/04/2017-18

Name & Address of the Procuring Entity	<ul style="list-style-type: none"> ➤ Name: Executive Engineer-11, Jaipur Development Authority ➤ Address: Room No. MB-FF-121, , Ram Kishore Vyas Bhavan, Indira Circle, JawaharLal Nehru Marg, Jaipur 302004 (Rajasthan) ➤ Email:- xxxxxxxx@jaipurjda.org
Subject Matter of Procurement	➤ Production and Supply of Kandhal Readymade Bituminous Pothole Patching Mix in Zone 11 area JDA, Jaipur. (ARC)
Bid Procedure	➤ Singal Stage tender (eg. Single -stage (envelope) open competitive) eBid procedure at http://www.eproc.rajasthan.gov.in
Bid Evaluation Criteria (Selection Method)	➤ L1 (eg. Least Cost Based Selection (LCBS)-L1)
Websites for downloading Bidding Document, Corrigendum's, Addendums, etc.	➤ Websites: www.sppp.rajasthan.gov.in , www.eproc.rajasthan.gov.in , www.jda.urban.rajasthan.gov.in
Website for online Bid application participation and payment	<ul style="list-style-type: none"> ➤ Website: www.jaipurjda.org For participating in the Bid, the Bidder has to apply for this Bid and pay the Bidding Document Fee, RISL Processing Fee and Bid Security Deposit online only. ○ Bidding document fee: Rs. 250/- (Rupees Two Hundred Fifty only) ○ RISL Processing Fee: Rs. 1000/- (Rupees One Thousand only) ○ Requisite Bid Security Deposit
Estimated Procurement Cost	➤ INR 11.50 Lacs (Rupees Eleven Lacs Fifty Thousand only)
Bid Security Deposit	➤ Amount (INR) : 2% (Rs. 23,000/-) (For A & AA class contractor registered in other department) of Estimated Procurement Cost, 0.5% of S.S.I. of Rajasthan, 0.5% (Rs. 5750/-) (For Contractor registered in JDA) for Bidder registered as contractor in JDA, 1% for Sick Industries, other than S.S.I., whose cases are pending with Board of Industrial & Financial Reconstruction
Date/Time/place of Pre-Bid	➤ N/A
Applying Bid and making online payment on JDA portal (www.jda.urban.rajasthan.gov.in)	<ul style="list-style-type: none"> ➤ Start Date: 18.05.2017 from 11.00 AM onwards ➤ End Date: 07.06.2017 at 6.00 PM ➤ In case EMD in form BG original Bank Guarantee is to be submitted in Room No. <u>MB-SF 225A</u> (Room no. of DD (E&B) of Main Building, JDA, Jaipur by 12.06.2017 up to 4.00 PM
Bid submission on e-Procurement Portal of GOR (WWW.Eproc.rajasthan.gov.in)	<ul style="list-style-type: none"> ➤ Start Date: 18.05.2017 from 11.00 AM onwards ➤ End Date: 07.06.2017 at 6.00 PM
**Date/Time/Place of Technical Bid Opening	<ul style="list-style-type: none"> ➤ 13.06.2017 at 3.00 PM ➤ Address: 121, Main Building, JDA, Jaipur 302004 (Rajasthan)
Date/Time/Place of Financial Bid Opening	➤ N/A
Bid Validity	➤ 120 days from the bid submission deadline
Time Period	➤ 12 Months
* Jaipur Development Authority has decided to receive Earnest Money Deposit (EMD) (Bid Security), Tender Fee and RISL processing fee online through JDA Portal. The bid security options available in tender for participants are a Mentioned Below:	

A. Payment Options:

Option-1: Bank Guarantee (BG) against EMD / Bid Security

Bidder may opt Bank Guarantee (BG) against EMD (Bid Security), for which bidder requires to prepare BG before applying in the tender. The details of BG requires to be fed on JDA portal before paying balance amount (Tender Fee + RISL Processing Fee). This amount will be paid through Payment Gateway only, option to make balance payment through EFT (RTGS/NEFT) will not be available. If bidder does not opt for BG against EMD, options of making complete payment through Payment Gateway or through EFT (NEFT / RTGS) will be available.

Option-2: Electronic Fund Transfer (EFT: NEFT/RTGS)

If the bidder selects payment mode as EFT (NEFT/RTGS), "Paying Slip for EFT (NEFT/RTGS)" will be generated by the system for the complete amount. The payment can be made from any Bank any Branch using this Paying Slip through NEFT/RTGS (Claim against payment made through EFT in any other JDA bank account will not be acceptable and bidder stands disqualified from participation in the bid applied for). After successful transaction through NEFT/RTGS, as per the standard procedures it may take 4 to 24 hours in process of confirmation of EFT through Auto-Process depending on the time of EFT done. Therefore, option to make payment through EFT (NEFT/RTGS) will be available till 48 hours prior to closing date of bid participation.

Option-3: Payment Gateway (Aggregator)

The facility to make payment through Debit Card, Credit Card, Net banking etc., will be available. User can use this facility from anywhere any time till the closing date & time of bid participation.


B. Bid Participation Receipt

After confirming payment, the bidder will get Bid Participation Receipt on the basis of which user will get the payment details along with other details for bidding on e-Procurement portal of GOR.

- In case of BG as the remaining payment will be done through Payment Gateway, on successful transaction the "Bid Participation Receipt" will be generated on real time basis.
- In case complete payment is done through Payment Gateway, on successful transaction the "Bid Participation Receipt" will be generated on real time basis.
- In case complete payment is done through EFT (NEFT/RTGS), on confirmation of payment from ICICI Bank (Auto Process) "Bid Participation Receipt" will be available on Login of Bidder on JDA portal.

Note:

1. Bidder (authorized signatory) shall submit their offer on-line in Electronic formats both for technical and financial proposal.
2. In case, any of the bidders fails to pay the Tender Fee, BSD, and RISL Processing Fee, online (subject to confirmation), its Bid shall not be accepted.
3. To participate in online bidding process, Bidders must procure a Digital Signature Certificate (Type III) as per Information Technology Act-2000 using which they can digitally sign their electronic bids. Bidders can procure the same from any CCA approved certifying agency, i.e. TCS, Safe crypt, N code etc. Bidders who already have a valid Digital Signature Certificate (DSC) need not procure a new DSC. Also, bidders must register on <http://eproc.rajasthan.gov.in> (bidders already registered on <http://eproc.rajasthan.gov.in> before 30-09-2011 must register again).
4. JDA will not be responsible for delay in online submission due to any reason. For this, bidders are requested to upload the complete bid well advance in time so as to avoid 11th hour issues like slow speed; choking of web site due to heavy load or any other unforeseen problems.
5. Bidders are also advised to refer "Bidders Manual Kit" available at eProc website for further details about the e-Tendering process.
6. Training for the bidders on the usage of e-Tendering System (e-Procurement) is also being arranged by DoIT&C, GoR on a regular basis. Bidders interested for training may contact e-Procurement Cell, DoIT&C for booking the training slot. Contact No: 0141-4022688 (Help desk 10 am to 6 pm on all working days) e-mail: eproc@rajasthan.gov.in Address : e-Procurement Cell, JDA, Yojana Bhawan, Tilak Marg, C-Scheme, Jaipur
7. The procuring entity reserves the complete right to cancel the bid process and reject any or all of the Bids.
8. No contractual obligation whatsoever shall arise from the bidding document/ bidding process unless and until a formal contract is signed and executed between the procuring entity and the successful bidder.
9. Procurement entity disclaims any factual/ or other errors in the bidding document (the onus is purely on the individual bidders to verify such information) and the information provided therein are intended only to help the bidders to prepare a logical bid-proposal.
10. The provisions of RTPPA Act 2012 and Rules thereto shall be applicable for this procurement. Furthermore, in case of any inconsistency in any of the provisions of this bidding document with the RTPP Act 2012 and Rules thereto, the later shall prevail.


(Rajaendra Kumar Mathur)
Executive Engineer-11

Process for Participation & Depositing Payment Online

JAIPUR DEVELOPMENT AUTHORITY, has decided to receive Bidding document fee, RISL Processing Fee and Bid Security Deposit (BSD) through online mode only for which the bidder has to get registered himself on JDA portal

www.jda.urban.rajasthan.gov.in.

To participate in the bid, bidder has to be:

1. Registered on JDA website www.jda.urban.rajasthan.gov.in (by depositing Rs. 500.00 online, the validity of which remains 3 (three) years).
For participating in the Bid, the Bidder has to apply for this Bid and pay the Bid Document Fee, RISL Processing Fee and Bid Security Deposit, online only.
2. Registered on e-Procurement Portal of Government of Rajasthan www.eproc.rajasthan.gov.in for online e-Bid submission.

Methods for depositing on line amount

Option-1: Bank Guarantee (BG) against EMD / Bid Security

Bidder may opt Bank Guarantee (BG) against EMD (Bid Security), for which bidder requires to prepare BG before applying in the tender. The details of BG requires to be fed on JDA portal before paying balance amount (Tender Fee + RISL Processing Fee). This amount will be paid through Payment Gateway only, option to make balance payment through EFT (RTGS/NEFT) will not be available.

If bidder does not opt for BG against EMD, options of making complete payment through Payment Gateway or through EFT (NEFT / RTGS) will be available.

Option-2: Electronic Fund Transfer (EFT: NEFT/RTGS)

If the bidder selects payment mode as EFT (NEFT/RTGS), "Paying Slip for EFT (NEFT/RTGS)" will be generated by the system for the complete amount. The payment can be made from any Bank any Branch using this Paying Slip through NEFT/RTGS (Claim against payment made through EFT in any other JDA bank account will not be acceptable and bidder stands disqualified from participation in the bid applied for). After successful transaction through NEFT/RTGS, as per the standard procedures it may take 4 to 24 hours in process of confirmation of EFT through Auto-Process depending on the time of EFT done. Therefore, option to make payment through EFT (NEFT/RTGS) will be available till 48 hours prior to closing date of bid participation.

Option-3: Payment Gateway (Aggregator)

The facility to make payment through Debit Card, Credit Card, Net banking etc., will be available. User can use this facility from anywhere any time till the closing date & time of bid participation.

C. Bid Participation Receipt

After confirming payment, the bidder will get Bid Participation Receipt on the basis of which user will get the payment details along with other details for bidding on e-Procurement portal of GOR.

- In case of BG as the remaining payment will be done through Payment Gateway, on successful transaction the "Bid Participation Receipt" will be generated on real time basis.
- In case complete payment is done through Payment Gateway, on successful transaction the "Bid Participation Receipt" will be generated on real time basis.

In case complete payment is done through EFT (NEFT/RTGS), on confirmation of payment from ICICI Bank (Auto Process) "Bid Participation Receipt" will be available on Login of Bidder on JDA portal.

While participation in the bid, a receipt will be generated through the system showing the submission details as per Bid Participation Receipt (Sample Enclosed). The bidder is required to fill the instrument numbers for various heads on e-Procurement portal www.eproc.rajasthan.gov.in as mentioned in the receipt.

Jaipur Development Authority, Jaipur.	
Bid Participation Receipt	
	Date & Time:-
Bid Detail	
Bid ID:	Procurement Entity:-
Bid Title:	
Bid Value:	Bid Opening Place:
Bidder Detail	
Name of Entity:	Mobile No.:
Registration Type:	Instrument Amount:
Payment Mode:	Payment Channel:
Instrument No.:	Instrument Date:

Dates Detail		
Sr. No.	Event Name	Event Date
1	Publishing Date	
2	Bid Opening Date	

Specific Instrument for eProc Rajasthan			
Instrument Type			
Instrument Number	Head Name	Amount	Date
	Tender Fee		
	RISL Processing Fee		
	Bid Security Deposit		
Issuer Detail: Jaipur Development Authority		Challan Number:	

More details about Registration Process, Terms and Conditions and FAQ along with contact detail is available on JDA website www.jda.urban.rajasthan.gov.in.

OFFICE OF THE JAIPUR DEVELOPMENT AUTHORITY, JAIPUR

SCHEDULE AND SPECIFICATIONS

- 1 **Name of work** : Production and Supply of Kandhal Readymade Bituminous Pothole Patching Mix in Zone 11 area JDA, Jaipur. (ARC).
- 2 **NIB No.** : EE-11/04/2017-18
- 3 **Approximate cost** : Rs. 11.50 Lacs
- 4 **Cost of the tender documents** : Rs. 250.00 The Bidders are required to submitted Bid security, cost of Bid documents, Bid processing fees through online payment after registering with JDA on www.jaipurjda.org/e-services/e-tender portal. There should be a gap of 3 working days between End date for Bid Applying, Online Payment & Bid Submission and Bid Opening date. In the absence of such fess the bid of respective bidder will be considered as non-responsive and shall be rejected.
- 5 **Bid Processing fees** : Rs. 1000/- (In favour of M.D. R.I.S.L., Jaipur)
- 6 **Earnest Money (in favour of Secretary, JDA, Jaipur)** : Rs. @ 2% Rs. 23,000/- (For A & AA class contractor registered in other department and @ ½ % Rs. 5750/- (For contractor registered in JDA) through online payment after registering with JDA on www.jaipurjda.org/e-services/e-tender portal. There should be a gap of 3 working days between End date for Bid Applying, Online Payment & Bid Submission and Bid Opening date.
Bid Security (Earnest money) may be submitted online or by way of bank guarantee. In case bidder opt to submit bid security through bank guarantee, the bank guarantee should valid up to 15 Months from the date of opening of the bid in prescribed format.
- 7 **Publishing date on SPPP Portal** : 15/05/2017 at 11.00 AM Onwards
- 8 **Document sale/download/Bid participation amount deposit start date on JDA Portal** : 18/05/2017 at 11.00 AM Onwards
- 9 **Bid Submission Start Date on eProc Portal of GOR** : 18/05/2017 at 11.00 AM Onwards
- 10 **Document sale/download/Bid participation amount deposit End date on JDA Portal** : 07/06/2017 at 06.00 PM
- 11 **Bid Submission End Date on eProc Portal of GOR** : 07/06/2017 at 06.00 PM
- 12 **Physical BG submission Start Date** : 08/06/2017 at 10.00 AM Onwards
- 13 **Physical BG submission End Date** : 12/06/2017 at 4.00 PM
- 14 ****Date/ Time/ Place of Bid Opening** : 13/06/2017 at 3.00 PM
121, Main Building, JDA, Jaipur 302004 (Rajasthan)
- 15 **Completion period of work** : 12 Month

SCHEDULE 'A' : INFORMATION USEFUL FOR THE CONTRACTORS :

The Bidder should see the site and fully understand the condition of the site before bidding and include all lead, lifts etc. for the material in his item rate/percentage to be quoted on the rates as given in the schedule 'G'. The work shall be carried out in accordance with the Rajasthan PWD detailed specification and to the entire satisfaction of the Engineer-In-Charge of the work.

SCHEDULE 'B' : LIST OF THE DRAWING TO BE SUPPLIED BY THE DEPARTMENT:

The drawing may be seen in office of the undersigned.

SCHEDULE 'C' : LIST OF THE DRAWING TO BE SUPPLIED BY THE CONTRACTOR:

List of the drawing to be supplied by the contractor NIL. But the contractor shall have to arrange at his own cost drawings required for the work after depositing necessary cost within JDA.

SCHEDULE 'D' : TEST OF THE MATERIALS :

The test of the material and workmanship shall be conducted by the JDA staff as necessary, The result of such tests should confirm to the standard laid down in the Indian standards and or the standards laid down in the detailed specification of the Public Works Deptt, Proper quality control is required to be maintained by the contractor qualified personnel as required under the contractor enlistments rules duly approved by the Deptt. shall have to be engaged at site by the contractor. The deptt. reserves the right to engage such staff and recover the expenses from the contractor on such account in case of his failure to do so.

SCHEDULE 'E' : SAMPLES OF THE MATERIALS :

The samples of the material to be used by the contractor shall be deposited 7 days in advance with the Engineer In charge and be got approved by him before use.

SCHEDULE 'F' : TIME OF COMPLETION :

The work should start within stipulated period given in the work order and should be completed within the prescribed time period. In case of failure, the Contractor shall be liable for action under the conditions of agreement and special conditions of the tender.

SCHEDULE 'G' : ATTACH SEPARATELY BASED ON BSR PWD, JAIPUR.

SCHEDULE 'H' : SPECIAL CONDITION : ATTACHED SEPARATELY.

SCHEDULE -I Cost of bid documents, Processing Fees & Bid Security Deposit.

Date of submission of Bid Cost, Bid Processing fees & EMD upto 07/06/2017 upto 6.00 PM through online payment after registering with JDA on www.jda.urban.rajasthan.gov.in portal. There should be a gap 3 working days between End date for Bid applying, Online payment & Bid submission and Bid Opening date. In the absence of such fees the bid of respective bidder will be considered as non-responsive and shall be rejected. If a bidder opt bid security to be deposited through bank guarantee, the bank guarantee should be valid for next 15 months after the bid opening date. A copy of the such bank guarantee will be required to be attached with the bid submission document uploaded on E-procurement portal of GOR. The bank guarantee will be physically handed over upto prescribed time to Nodal officer of on-line tendering system of JDA i.e. D.D.(E&B) in room No. MB-SF 225A main building, JLN Marg, JDA, Jaipur, as per specified in bid documents.


Annexure A : Compliance with the code of Integrity and No Conflict of Interest

Annexure B : Declaration by the Bidder regarding Qualifications

Annexure C : Grievance Redressal during Procurement Process

Annexure D : Additional Conditions of Contract

SIGNATURE OF CONTRACTOR
with full address & Mobile No. :


EXECUTIVE ENGINEER -11
Jaipur Development Authority,
Jaipur


SPECIAL CONDITIONS

SCHEDULE 'H'

01. Use of Bitumen mixture Tar mechanical lime grinder, cement concrete mixer & vibrator is essential for the work. Which shall have to be arranged by the contractor at his own level/cost?
02. If there is any typographical error or otherwise in the 'G' Schedule the rates given in the relevant BSR on which schedule 'G' has been prepared, shall prevail.
03. The contractor shall follow the contractor labour regulation and abolition Act 1970 & Rule 1971.
04. The JDA shall have right to cause on audit and technical examination of the work and the final bills of the contractor including all supporting vouchers, abstract etc. to be made within two years after payment of the final bills and if as a result such audit any amount is found to have been over paid/excess in respect of any work done by the contractor under the contract or any work claimed by him to have been done under this contract and found not to have been executed the contractor shall be liable to refund such amount and it shall be lawful ;for the JDA to recover such sum from him in ;the manner prescribed in special condition no. 8 or any other manner legally permissible and if it is found that the contractor was paid less then that was due to him under the contract in respect of any work executed by him under it, the amount of such under payment shall be paid bay the JDA to the contractor.
05. The contractor shall not work after the sunset and before sunrise without specific permission of the authority Engineer.
06. Whenever any claim against the contractor for the payment of a sum of money arises out or under the contracts, the JDA shall be entered to recover the sum by appropriating in part or whole of the security deposit of the contractor. In the event of the security being insufficient or if no security has been taken from the contractor then the balance of the total sum recoverable as the case may shall be deducted from any sum then due or which a any time there contract with the JDA should this sum be sufficient to recover the full amount recoverable, the contractor shall pay to JDA on demand the balance remaining due. The JDA shall further have the right to effect such recoveries under P.D.R. Act.
07. The rate quoted by the contractor shall remain valid for a period of 4(four) months from the date of opening of the tenders.
08. By submission of this tender the contractor agree to abide with all printed conditions provided in the PWD manual from 64 (Chapter 3-para 36) and subsequent modification.
09. No conditions are to be added by the contractor and conditional tender is liable to be rejected.
10. All transaction in the execution of this work and this tender will be liable to sale-tax vide section 2(B) read with sub clause (4) Sale-tax Rule, 1954.
11. If any tenderer withdraws his tender prior to expiry of said validity period given at S. No. 7 or mutually extended prior or makes modifications in the rates, terms and conditions of the tender within the said period which are not acceptable to the department or fails to commence the work in the specified period, fails to execute the agreement the department shall without prejudice to any, other right or remedy, be at liberty to forfeit the amount of earnest money given in any form absolutely. If any contractor, who having submitted a tender does not execute the agreement or start the work or dose not complete the work and the work has to be put to retendering, he shall stand debarred for six months from participating of tendering in JDA in addition to forfeiture of Earnest Money / Security Deposit and other action under agreement
12. The contractor shall arrange his own machinery required for the work such as Bitumen Mixer, Hot Mix plants and paver road roller, Tarboiler, sprayer etc.
13. The contractor shall arrange his own storage tanks upto 10 Tones capacity for storing bulk bitumen wherever supplied by the department.

14. Rules regarding enlistment of contractors provide that work upto five times limit for which they are qualified for tendering can be allotted to them Therefore, before tender the contractors will keep this in mind, and submit the details of work. Tenders with incomplete or incorrect information are liable to be rejected.
15. Any material not conforming to the specifications collected at site shall have to be removed by the contractor within a period of 3 days of the instructions, issued by the Engineer-Incharge in writing. Failing which, such material shall be removed by the Engineer-Incharge at risk and the contractor after expiry of 3 days period.
16. The material collected at site and paid provisionally shall remain under the watch and ward of the contractor till it is consumed, fully on the work.
17. The rates provided in tender documents are inclusive of all Taxes royalty.
18. For paver work at least 3 road rollers shall be simultaneously deployed.
19. Bitumen for tack coat or any other purposes, shall be applied only by a bitumen sprayer of a mechanical pressure.
20. No extra lead of earth/material shall be paid over and above as specified in 'G' schedule. Source/borrow pit area for earth shall have to be arranged by the Contractor at his own cost.
21. Undersigned has full right to reject any or all tenders without given any reasons.
22. Mortar of Masonry work and lean concrete will be permitted mixer with hopper.
23. As per Supreme Court decision "All contracts with Governments shall require registration of workers under the building and other construction workers (Regulation of Employment and Conditions of Service) Act, 1996 and extension of benefits to such workers under the act."
24. **Special Conditions of Contract regarding Defect Liability Period (DLP) for Various works costing Rs. 25.00 lacs and more shall be applicable.**
25. The tenderer are required to submit copy of their enlistment as contractor.
26. Conditions of RPWA-100 will be mandatory & acceptable to the contractor.
27. Any tender received with unattested cutting/overwriting in rates shall be rejected and such bidder will be debarred from tendering for three months in JDA.
28. All the provisions of THE RAJASTHAN TRANSPARENCY IN PUBLIC PROCUREMENT ACT, 2012 and Rules, 2013 will be applicable. If there is any contradictions in existing special conditions and provisions of THE RAJASTHAN TRANSPARENCY IN PUBLIC PROCUREMENT ACT, 2012 and RULES, 2013, provisions of THE RAJASTHAN TRANSPARENCY IN PUBLIC PROCUREMENT ACT, 2012 and RULES 2013 shall be applicable.


Signature of Contractor
with full address & Mobile No.


Executive Engineer -11
JDA, Jaipur.

JAIPUR DEVELOPMENT AUTHORITY, JAIPUR
Other Conditions/Special Conditions

1. The Contractor will have to install display boards at site of work as directed by Engineer in charge. Failing which penalty of Rs. 5000.00 per day will be imposed.
2. DLP period of various nature of works amounting more than 25 Lacs has been revised. The time period as per order No.JDA/EX.En.(TA to DE-I)/2016/ D-29 dated 11.03.2016
3. निविदा में निर्धारित राशि से अधिक/कम Bid Security राशि बिडर द्वारा Online नहीं जमा कराई जावे, सिस्टम द्वारा भी कम/अधिक राशि बिड स्वीकार नहीं की जावेगी।
4. अलग-अलग समय में जमा कराई गई राशि सिस्टम द्वारा जोडकर एक बिड में स्वीकार नहीं की जावेगी।
5. एक यू.टी.आर. काम में लेने के पश्चात् पुनः उसी नम्बर का यू.टी.आर. सिस्टम द्वारा दूसरी बिड में प्रयुक्त नहीं किया जावे।
6. Specification for kandhal readymade bituminous mix dated 1 February 2013 is enclosed. It's compliance is required in production and supply. The Contractor Shall be solely responsible if the mix is not workable and is not usable for a period of 6 months for making durable patches.
7. All 50 Kg bags shall be transported to a storage facility provided by the supplier at his cost for Six months. Since the mix contains volatile kerosene, sealed bags shall not be stored in a closed building or warehouse. Storage shall be made under an open shed or in a well ventilated warehouse. No. open flame or smoking shall be allowed in the vicinity of the stored mix.
8. This is a Tender for a rate contract for a Period of One Year
9. The amount and quantity is tentative which may increase or decrease to any extent as per the actual requirement & performance of the item after execution may be reduced to any extent.
10. In case no work carried out within the period of rate contract then no compensation or claim is payable to contractor
11. Contractor has to start the work with in a short notice of 24 hours after giving work order & if failing, execution of work may be carried out at risk & cost of contractor.
12. Job mix shall be submitted by the contractor before start of work at his own cost. No payment shall be made for this if applicable.

Signature of Contractor
with full address & Mobile No.


Executive Engineer -11
JDA, Jaipur

Specification for Kandhal Readymade Bituminous Pothole Patching Mix

1. Scope

The material shall consist of plant mixed readymade pothole patching bituminous mixture composed of mineral aggregate coated with bituminous material. The material shall be capable of being stocked for at least six months without stripping and shall be workable at all times. Unless specified otherwise, this mix shall be supplied in 50-kg plastic lined, sturdy bags. This material is intended for patching potholes up to 75 mm (3 inches) deep. For deeper potholes, patching mix shall be placed and compacted in 75 mm thick layers.

2. Materials

2.1 Bitumen

Medium Curing Cutback Bitumen MC-800 conforming to Indian Standards Specification IS: 217 Specification for Cutback Bitumen shall be used in preparing the patching mix and shall be supplied by a certified manufacturer of this product. For proper mixing, the bitumen shall be heated as specified in Section 3.

MC Cutback Bitumen shall be treated with a proper type and amount of an anti-stripping agent by the approved bitumen supplier so that when combined with the proposed job aggregate the resulting mix shall pass the Wet Coating Test, Static Immersion Test and Stripping Test as given in Annexure I. The antistripping agent shall conform to IS 14982. The contractor shall furnish the sample of the job aggregate each year to the bitumen supplier for these coating and stripping tests and obtain a certificate that the bitumen material has been treated to suit the job aggregate. This yearly certificate must be on file and shall be available at the asphalt mix plant when required by the Engineer. The contractor shall also forward a copy to the Engineer. Under no circumstances, the contractor or the department shall be permitted to manufacture the MC cutback by blending paving bitumen and kerosene.

2.2 Coarse Aggregate

2.2.1 The coarse aggregate shall consist of crushed rock, crushed gravel or other hard material retained on 2.36 mm sieve. It shall be clean, hard, durable and cubical shape, free from dust and soft organic and other deleterious substances. The aggregate shall satisfy the physical requirements specified in Table 1.

2.2.2. Where crushed gravel is proposed for use as aggregate, not less than 90% by weight of the crushed material retained on 4.75mm sieve shall have at least two fractured faces resulting from crushing operation.

TABLE I. Physical Properties of Coarse Aggregate

Property	Test	Requirement	Test method
Cleanliness	Grain size analysis	Max. 2% passing 0.075 micron	IS 2386 Part I
Particle shape	Flakiness & Elongation Index (combined)	Max. 55%	IS 2386 Part I
Strength *	Los Angeles Abrasion Value	Max. 40%	IS 2386 Part IV
	Aggregate Impact Value	Max. 30%	IS 2386 Part IV
Durability	Soundness (Sodium or Magnesium), 5 cycles		
	Sodium Sulphate	Max. 12%	IS 2386 Part V
	Magnesium Sulphate	Max. 18%	IS 2386 Part V
Water absorption	Water absorption	Max. 2%	IS 2386 Part III

* The coarse aggregate may satisfy either of the two strength tests.

2.3 Fine Aggregate

Fine aggregate shall consist of crushed mineral material passing 2.36 mm sieve and retained on 75-micron sieve. It shall be clean, hard, durable, and free from dust and soft organic and other deleterious substances. No natural sand shall be permitted.

2.4. Composition of Mixtures

When tested in accordance with IS:2386 Part 1 (wet sieving method), the combined aggregate grading shall fall within the limits shown in Table 2. As far as possible an aggregate with water absorption of 1.0 or less shall be used. The amount of residual bitumen binder (total cutback bitumen minus diluent such as kerosene) in the mix shall be as shown in Table 3. The readymade patching mix shall be rejected if it does not meet the grading (especially the 0.075 mm sieve) and the minimum residual bitumen content. The produced mix shall be tested by an independent approved testing laboratory before its acceptance by the Engineer.

Table 2. Gradation of Stockpile Patching Mix

Sieve size, mm	Percent passing
9.5	100
4.75	40 - 100
2.36	10 - 40
1.18	0 - 10
0.075	0 - 2

Table 3. Minimum Residual Bitumen Content by Weight of Mix

Aggregate water absorption, %	Minimum residual bitumen content, %
Less than 1.0	4.5
1.1 to 1.5	5.0
1.6 to 2.0	5.5

Based on the characteristics of the aggregate and the performance of the mix, the Engineer can specify amount of residual bitumen higher than that shown in Table 3.

The contractor shall ascertain from the supplier of MC 800 as to how much residual bitumen it contains. For example, if the MC-800 contains 80% bitumen and 20% kerosene and a total of 6.0% MC-800 is used by weight of the mix, the residual bitumen content in the mix will be 4.8 percent.

3. Preparation and Storage of Mixture

The Kandhal readymade patching mix shall preferably be produced in a conventional batch type hot mix plant. However, if a portable or stationary asphalt drum plant is used, under no circumstances drying/heating of aggregates with a burner flame and mixing with MC-800 shall be carried out simultaneously because MC-800 containing volatile kerosene will catch fire and pose a safety hazard. The contractor and the engineer shall ensure there is no open flame inside or outside the drum when MC-800 is added for mixing.

The mix should be such that it can be stocked, handled, placed, and finished without stripping of the bitumen from the aggregate. To help prevent stripping and avoid heat buildup in a stockpile (which may burn the entire stockpile), the mixed material should not be stockpiled no higher than 1.5 m for the first 48 hours. The stockpile then can be raised in height and made conical in shape. Unless specified otherwise, the readymade cold mix shall be placed and sealed in plastic lined, sturdy 50-kg bags on cooling.

The mineral aggregate should be clean and surface dry before mixing. The temperature of aggregate and bituminous material should comply with those shown in Table 4.

Table 4. Temperature Ranges for Producing Stockpile Patching Mix

Bituminous material	Aggregate temperature, C	Bitumen temperature, C
MC-800	25 - 65	75 - 95

Since the range of aggregate temperature is rather low and the maximum aggregate temperature is restricted to 65 C, it may not be possible to dry the aggregate within this temperature range. Therefore, the aggregate can be processed in a dryer at high temperatures and allowed to cool before the bituminous binder is added. Pre-drying the aggregate at high temperatures will also help in reducing the fines (material

1.8.
passing 0,075 mm sieve), which will go into the baghouse. The resulting mix then would have fines less than 2 % as required in the stringent gradation specifications.

High aggregate temperature while mixing with the cutback bitumen will not only cause excessive loss of kerosene from the cutback but will also pose a safety hazard in the plant pug mill. Proper and adequate venting of the pug mill is necessary. Under no circumstances there shall be any open flame in the vicinity of MC-800 cutback because it contains volatile kerosene.

Since the mix contains volatile kerosene it is not safe to store the loose mix or sealed bags in a closed building/warehouse. Store under an open shed or in a well ventilated warehouse. No open flame or smoking shall be allowed in the vicinity of the stored mix.

4. Quality Control and Acceptance of Mixture

The composition of the produced mix (gradation and bitumen content) shall be tested by an independent, approved testing laboratory before acceptance by the Engineer. Before conducting the bitumen extraction test to determine residual bitumen content in the Kandhal patching mix, the sample shall be cured completely to remove all kerosene. Curing shall be done as follows. Place the loose mix in an open metal container and heat slowly on a hot plate with frequent stirring until a constant weight is achieved.

The following two tests shall be performed by the contractor (in presence of a Department representative) on the mixture, freshly prepared or taken from a stockpile or sealed bag at any time during its storage life (usually 6 months).

- Water Resistance Test (See Annexure I, Test C)
- Workability Test (See Annexure I, Test D)

The water resistance test would indicate whether the patching mix has a potential for stripping in the pothole in presence of water. If the mix fails this test, it means a proper type and/or amount of an antistripping agent has not been used in the bituminous binder.

If the mix fails in workability it could be due to improper bitumen type, low bitumen content, excessive fines or improper gradation. Even one-half percent lower bitumen content can make the patching mix unworkable and useless.

Stocked patching material may be rejected, at any time during the six month period if, in the opinion of the Engineer, the patching material has stripped (more than 10% uncoated particles) or otherwise become unfit or unworkable for use.

5. Measurement for Payment

The tonnage of the Kandhal ready-made pothole patching mix shall be measured and determined from the actual plant batch reports as recorded by a representative of the

19

Engineer assigned to the work. In case the Kandhal mix is supplied in plastic lined, sturdy bags, each bag must weigh at least 50 kg and the number of bags shall be counted for payment.

6. Rate

The Kandhal readymade bituminous patching material shall be paid for at the contract unit price per ton or per 50-kg bag, FOB the asphalt mix plant, at the work site, or at other destination as specified in the contract. A reasonable amount of earnest money will be kept by the Department for 6 months or on depletion of the stockpile, whichever is earlier, to ensure the product is satisfactory for use and meets all tests specified earlier during the life of the product.

ANNEXURE I

A. Wet Coating Test

Heat the unwashed job aggregate, cutback bitumen and distilled water to 40 C in a suitable oven. Weigh 100 g of dry aggregate into a suitable mixing container (such as seamless tin can, 16 oz capacity). Add 3 ml of distilled water. Mix thoroughly with a spatula until the aggregate particles are uniformly wetted. Add cutback bitumen equivalent to 5.0 +/- 0.2 g of bitumen residue. Mix rigorously with the spatula until all aggregate is coated, but not more than 5 minutes. Transfer the contents into a 400 ml beaker containing 150 ml of distilled water (22 - 32 C). Let stand for 15 minutes and visually determine the percent of retained coating, which should be at least 98 percent.

B. Static-Immersion Test

The coated aggregate as prepared in the preceding wet coating test shall remain immersed in the beaker of distilled water (22 - 32 C) for 24 hours. At the end of this period, visually determine the percent of retained coating while the sample remains immersed in water, which should be at least 95 percent.

C. Water Resistance Test

Fifty grams of patching mix, whether freshly prepared or taken from the stockpile or a sealed bag, shall be heated at 120 C in a laboratory oven for 1 hour, cooled to 95 C in laboratory air, and then placed in 400 ml of boiling water in a 600-ml glass beaker and stirred with a glass rod at the rate of 1 revolution per second for 3 minutes. The water shall be decanted and the mix shall be spread on an absorbent paper for visual observation of the coating. The aggregate shall be at least 90 % coated with a bituminous film.

D. Workability Test

Approximately 2.5 kg of the patching mix shall be cooled to -7 C in a freezer. After cooling, the mixture shall be capable of being broken up readily with a spatula that

20

has a blade length of approximately 200 mm. This test shall be performed when the mix is produced and thereafter anytime during storage. If the mix is not workable at -7 C, it shall be rejected and the composition of the mix shall be properly modified (for example, by increasing the bitumen content and/or gradation changes). This test is also applicable in areas with hot climate because it amplifies the workability characteristics of the mix by using a lower test temperature.

Annexure A : Compliance with the code of Integrity and No Conflict of Interest

Any person participating in a procurement process shall -

- (a) Not offer any bribe, reward or gift or any material benefit either directly or indirectly in exchange for an unfair advantage in procurement process or to otherwise influence the procurement process;
- (b) Not misrepresent or omit the misleads or attempts to mislead so as to obtain a financial or other benefit or avoid an obligation;
- (c) Not indulge in any collusion, Bid rigging or anti-competitive behavior to impair the transparency, fairness and progress of the procurement process;
- (d) Not misuse any information shared between the procuring Entity and the Bidders with an intent to gain unfair advantage in the procurement process;
- (e) Not indulge in any coercion including impairing or harming or threatening to do the same, directly or indirectly, to any party or to its property to influence the procurement process;
- (f) Not obstruct any investigation or audit of a procurement process;
- (g) Disclose conflict of interest, if any; and
- (h) Disclose any previous transgressions with any Entity in India or any other country during the last three years or any debarment by any other procuring entity.

Conflict of Interest :-

The Bidder participating in a bidding process must not have a Conflict of interest.

A conflict of interest is considered to be a situation in which a party has interests that could improperly influence that party's performance of official duties or responsibilities, contractual obligations, or compliance with applicable laws and regulations.

- i. A Bidder may be considered to be in Conflict of Interest with one or more parties in a bidding process if, including but not limited to:
 - a. Have controlling partners/ shareholders in common ; or
 - b. Receive or have received any direct or indirect subsidy from any of them; or
 - c. Have the same legal representative for purposes of the Bid; or
 - d. Have a relationship with each other; directly or through common third parties, that puts them in a position to have access to information about or influence on the Bid of another Bidder, or influence the decisions of the Procuring Entity regarding the bidding process; or
 - e. The Bidder participates in more than one Bid in a bidding process. Participation by a Bidder in more than one Bid will result in the disqualification of all Bids in which the Bidder is involved. However, this does not limit the inclusion of the same subcontractor, not otherwise participating as a Bidder, in more than one Bid; or
 - f. The Bidder or any of its affiliates participated as a consultant in the preparation of the design or technical specifications of the Goods, Works or Services that are the subject of the Bid; or
 - g. Bidder or any of its affiliates has been hired (or is proposed to be hired) by the Procuring Entity as engineer-in-charge/ consultant for the contract.

Annexure B : Declaration by the Bidder regarding Qualifications

Declaration by the Bidder

In relation to my/our Bid submitted to for procurement of in response to their Notice inviting Bids No.Dated I/We hereby declare under Section 7 of Rajasthan Transparency in Public Procurement Act, 2012, that :

1. I/We possess the necessary professional, technical, financial and managerial resources and competence required by the Bidding Document issued by the Procuring Entity;
2. I/We have fulfilled my/our obligation to pay such of the taxes payable to the Union and the State Government or any local authority as specified in the Bidding Document;
3. I/We are not insolvent, in receivership, bankrupt or being wound up, not have my/our affairs administered by a court or a judicial officer, not have my/our business activities suspended and not the subject of legal proceeding for any of the foregoing reasons;
4. I/We do not have, and our directors and officers not have, been convicted of any criminal offence related to my/our professional conduct or the making of false statements or misrepresentations as to my/our qualifications to enter into a procurement Contract within a period of three years preceding the commencement of this procurement process, or not have been otherwise disqualified pursuant to debarment proceedings;
5. I/We do not have a conflict of interest as specified in the Act, Rules and the Bidding Document, which materially affects fair competition;

Date :

Signature of bidder

Place :

Name :

Designation :

Address :

Annexure C : Grievance Redressal during Procurement Process

The designation and address of the First Appellate Authority is JDC, JDA, Jaipur

The designation and address of the Second Appellate Authority is EC, JDA, Jaipur

Filing an appeal

If any Bidder or prospective bidder is aggrieved that any decision, action or omission of the Procuring Entity is in contravention to the provisions of the Act or the Rules or the Guidelines issued there under, he may file an appeal to First Appellate Authority, as specified in the Bidding Document within a period of ten days from the date of such decision or action, omission, as the case may be, clearly giving the specific ground or grounds on which he feels aggrieved:

Provided that after the declaration of a Bidder as successful the appeal may be filed only by a Bidder who has participated in procurement proceedings:

Provided further that in case a Procuring Entity evaluates the Technical Bids before the opening of the Financial Bids, an appeal related to the matter of Financial Bids may be filed only by a Bidder whose Technical Bid is found to be acceptable.

- (1) The officer to whom an appeal is filed under para (1) shall deal with the appeal as expeditiously as possible and shall endeavour to dispose it of within thirty days from the date of the appeal.
- (2) If the officer designated under para (1) fails to dispose of the appeal filed within the period specified in para (2), or if the Bidder or prospective bidder or the Procuring Entity is aggrieved by the order passed by the First Appellate Authority, the Bidder or prospective bidder or the Procuring Entity, as the case may be, may file a second appeal to Second Appellate Authority specified in the Bidding Document in this behalf within fifteen days from the expiry of the period specified in para (2) or of the date of receipt of the order passed by the First Appellate Authority, as the case may be.

(3) Appeal not to lie in certain cases

No appeal shall lie against any decision of the Procuring Entity relating to the following matters, namely :-

- (a) Determination of need of procurement;
- (b) Provisions limiting participation of Bidders in the Bid process;
- (c) The decision of whether or not to enter into negotiations;
- (d) Cancellation of a procurement process;
- (e) Applicability of the provisions of confidentiality.

(4) Form of Appeal

- (a) An appeal under para (1) or (3) above shall be in the annexed form along with as many copies as there are respondents in the appeal.
- (b) Every appeal shall be accompanied by an order appealed against, if any, affidavit verifying the facts stated in the appeal and proof of payment of fee.
- (c) Every appeal may be presented to First Appellate Authority or Second Appellate Authority, as the case may be, in person or through registered post or authorized representative.

(5) Fee for filing appeal

- (a) Fee for first appeal shall be rupees two thousand five hundred and for second appeal shall be rupees ten thousand, which shall be non-refundable.
- (b) The fee shall be paid in the form of bank demand draft or banker's cheque of a Scheduled Bank in India payable in the name of Appellate Authority concerned.

(6) Procedure for disposal of appeal

- (a) The First Appellate Authority or Second Appellate Authority, as the case may be, upon filing of appeal, shall issue notice accompanied by copy of appeal, affidavit and documents, if any, to the respondents and fix date of hearing.
- (b) On the date fixed for hearing, the First Appellate Authority or Second Appellate Authority, as the case may be, shall,
 - (i) Hear all the parties to appeal present before him; and
 - (ii) Peruse or inspect documents, relevant records or copies thereof relating to the matter.
- (c) After hearing the parties, perusal or inspection of documents and relevant records or copies thereof relating to the matter, the Appellate Authority concerned shall pass an order in writing and provide the copy of order to the parties to appeal free of cost.
- (d) The order passed under sub-clause (c) above shall also be placed on the State Public Procurement Portal.

FORM No. 1

[See Rule 83]

**Memorandum of Appeal under the Rajasthan
Transparency in Public Procurement Act, 2012**

Appeal No. of Before the
..... (First/Second Appellate Authority)

1. Particulars of appellant :

(i) Name of the appellant :

(ii) Official address, if any :

(iii) Residential address :

2. Name and address of the respondent (s) :

(i)

(ii)

(iii)

3. Number and date of the order appealed against and name and designation of the officer/authority who passed the order (enclose copy), or a statement of a decision, action or omission of the Procuring Entity in contravention to the provisions of the Act by which the appellant is aggrieved:

4. If the Appellant proposes to be represented by a representative, the name and postal address of the representative:

5. Number of affidavits and documents enclosed with the appeal :

6. Grounds of appeal :
(Supported by an affidavit)

7. Prayer :

Place

Date

Appellant's Signature

Annexure D : Additional Conditions of Contract

1. Correction of arithmetical errors

Provided that a Financial Bid is substantially responsive, the Procuring Entity will correct arithmetical errors during evaluation of Financial Bids on the following basis:

- (i) If there is a discrepancy between the unit price and the total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail and the total price shall be corrected, unless in the opinion of the Procuring Entity there is an obvious misplacement of the decimal point in the unit price, in which case the total price as quoted shall govern and the unit price shall be corrected;
- (ii) If there is an error in a total corresponding to the addition or subtraction of subtotals, the subtotals shall prevail and the total shall be corrected ; and
- (iii) If there is a discrepancy between words and figures, the amount in words shall prevail, unless the amount expressed in words is related to an arithmetic error, in which case the amount in figures shall prevail subject to (i) and (ii) above.

If the Bidder that submitted the lowest evaluated Bid does not accept the correction of errors, its Bid shall be disqualified and its Bid Security shall be forfeited or its Bid Securing Declaration shall be executed.

2. Procuring Entity's Right to Vary Quantities

- (i) At the time of award of contract, the quantity of Goods, works or services originally specified in the Bidding Document may be increased or decreased by a specified percentage, but such increase or decrease shall not exceed twenty percent, of the quantity specified in the Bidding Document. It shall be without any change in the unit prices or other terms and conditions of the Bid and the conditions of contract.
- (ii) If the Procuring Entity does not procure any subject matter of procurement or procures less than the quantity specified in the Bidding Document due to change in circumstances, the Bidder shall not be entitled for any claim or compensation except otherwise provided in the Conditions of Contract.
- (iii) In case of procurement of Goods or services, additional quantity may be procured by placing a repeat order on the rates and conditions of the original order. However, the additional quantity shall not be more than 50% of the value of Goods of the original contract and shall be within one month from the date of expiry of last supply. If the supplier fails to do so, the Procuring Entity shall be free to arrange for the balance supply by limited Bidding or otherwise and the extra cost incurred shall be recovered from the supplier.

3. Dividing quantities among more than one Bidder at the time of award (In case of procurement of Goods)

As a general rule all the quantities of the subject matter of procurement shall be procured from the Bidder, whose Bid is accepted. However, when it is considered that the quantity of the subject matter of procurement to be procured is very large and it may not be in the capacity of the Bidder, whose Bid is accepted, to deliver the entire quantity or when it is considered that the subject matter of procurement to be procured is of critical and vital nature, in such cases, the quantity may be divided between the Bidder, whose Bid is accepted and the second lowest Bidder or even more Bidders in that order, in a fair, transparent and equitable manner at the rates of the Bidder, whose Bid is accepted.

Jaipur Development Authority, Jaipur


Name of work: Production and Supply of Kandhal Readymade Bituminous Pothole Patching Mix in Zone 11 area JDA, Jaipur. (ARC)

G. Schedule

S. No.	Particulars	Unit	Qty	Rate	Amount
1	Producing and supply of Kandhal redymade cold bituminous patching mix in 50-kg plastic lined, sturdy bage for repair of potholes in adverse climatic conditions including the bituminous mix with a minimum of 5.6% MC-800 cutback bitumen (containing a suitable anti- stripping agent) by weight of mix and in strict conformance to gradation and other requirements such as 6-month storage life as per the enclosed specification dated 1 February 2013; transfer with all leads and lift complete in all respects as per direction of engineer-in-charge.	50-kg per bags	2020.00	550	1111000.00
Total					1111000.00

Special Conditions:-

- 1 Specification for kandhal readymade bituminous mix dated 1 February 2013 is enclosed. It's compliance is required in production and supply. The Contractor Shall be solely responsible if the mix is not workable and is not usable for a period of 6 months for making durable patches.
- 2 All 50 Kg bags shall be transported to a storage facility provided by the supplier at his cost for Six months. Since the mix contains volatile kerosene, sealed bags shall not be stored in a closed building or warehouse. Storage shall be made under an open shed or in a well ventilated warehouse. No. open flame or smoking shall be allowed in the vicinity of the stored mix.
- 3 This is a Tender for a rate contract for a Period of One Year
- 4 The amount and quantity is tentative which may increase or decrease to any extent as per the actual requirement & performance of the item after execution may be reduced to any extent.
- 5 In case no work carried out within the period of rate contract then no compensation or claim is payable to contractor
- 6 Contractor has to start the work with in a short notice of 24 hours after giving work order & if failing, execution of work may be carried out at risk & cost of contractor.
- 7 Job mix shall be submitted by the contractor before start of work at his own cost. No payment shall be made for this if applicable.


Executive Engineer-11
JDA, Jaipur

I/We here by agree to execute the above work in% (in

Figures).....% (in words) Above/below G-Schedule.

Signature of Contractor
With full address
Phone No.

Validate

Print

Help

Percentage BoQ

Tender Inviting Authority: JAIPUR DEVELOPMENT AUTHORITY, JAIPUR

Name of Work: Production and Supply of Kandhal Readymade Bituminous Pothole Patching Mix in Zone 11 area JDA, Jaipur. (ARC)

Contract No: NIB No- EE-11_04_2017-18

Bidder Name :						
PRICE SCHEDULE						
(This BOQ template must not be modified/replaced by the bidder and the same should be uploaded after filling the relevant columns, else the bidder is liable to be rejected for this tender. Bidders are allowed to enter the Bidder Name and Values only)						
NUMBER #	TEXT #	NUMBER #	TEXT #	NUMBER	NUMBER #	TEXT #
Sl. No.	Item Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT Without Taxes	TOTAL AMOUNT In Words
1	2	4	5	6	53	55
1.00	Producing and supply of Kandhal redymade cold bituminous patching mix in 50-kg plastic lined, sturdy bage for repair of potholes in adverse climatic conditions including the bituminous mix with a minimum of 5.6% MC-800 cutback bitumen (containing a suitable anti- stripping agent) by weight of mix and in strict conformance to gradation and other requirements such as 6-month storage life as per the enclosed specification dated 1 February 2013; transfer with all leads and lift complete in all respects as per direction of engineer in-charge.	2020.000	50-kg per bags	550.00	1111000.00	INR Eleven Lakh Eleven Thousand Only
Total in Figures					1111000.00	INR Eleven Lakh Eleven Thousand Only
Quoted Rate in Figures			Select		0.0000	INR Zero Only
Quoted Rate in Words			INR Zero Only			