

# जयपुर विकास प्राधिकरण, जयपुर

क्रमांक: जविप्रा/अधि.अभि.-11/2018-19/डी-247-248

दिनांक : 25/6/18

## बिड आमंत्रण सूचना


बिड संख्या- अधि.अभि.11/02-03/2018-19

जयपुर विकास प्राधिकरण द्वारा (1) जोन-11 क्षेत्र में विभिन्न सड़कों का निर्माण एवं नवीनीकरण का कार्य, जविप्रा, जयपुर (दर संविदा), जिसकी अनुमानित लागत रूपये 192.50 लाख के लिए ऑनलाईन निविदा दिनांक 25.07.2018 सांय 6:00 बजे तक एवं (2) जोन-11 क्षेत्र में सड़कों की वार्षिक मरम्मत एवं विविध कार्य जविप्रा, जयपुर (दर संविदा), जिसकी अनुमानित लागत रूपये 77.00 लाख के लिए ऑनलाईन अल्पकालीन निविदा दिनांक 06.07.2018 सांय 6:00 बजे तक आमंत्रित की जाती है। निविदा बोली का ऑनलाईन आवेदन व भुगतान जविप्रा पोर्टल पर करने की अन्तिम तिथि क्रमशः दिनांक 25.07.2018 एवं 06.07.2018 को सांय 6:00 बजे तक है। निविदा बोली के दस्तावेजों का विस्तृत विवरण [www.sppp.raj.nic.in](http://www.sppp.raj.nic.in) व [www.eproc.rajasthan.gov.in](http://www.eproc.rajasthan.gov.in) एवं [www.jda.urban.rajasthan.gov.in](http://www.jda.urban.rajasthan.gov.in) पर देखा जा सकता है।

1. (UBN No. ....)
2. (UBN No. ....)

निविदा में भाग लेने वालों को निम्न शर्तों की पूर्ति करनी होगी :-

1. निविदा दाता जयपुर विकास प्राधिकरण की वेबसाइट [www.jda.urban.rajasthan.gov.in](http://www.jda.urban.rajasthan.gov.in) पर पंजीकृत हो एवं निविदा में भाग लेने के लिए बोलीदाता को आवेदन करने के लिए दस्तावेज शुल्क, अमानता राशि, आर.आई.एस.एल. प्रोसेसिंग शुल्क ऑनलाईन जमा करनी होगी।
2. ऑनलाईन निविदा प्रस्तुत करने के लिए निविदा दाताओं का राजस्थान सरकार के ई-प्राक्यूमेंट पोर्टल [www.eproc.rajasthan.gov.in](http://www.eproc.rajasthan.gov.in) पर पंजीकृत हो।

  
अधिशाषी अभियन्ता-11  
जविप्रा, जयपुर

(1) Job No. 069/2018-19

(2) Job No. 068/2018-19

JAIPUR DEVELOPMENT AUTHORITY, JAIPUR

Room No. 121, Main Building, 1st floor Ram Kishore Vyas Bhavan, Indira Circle, JawaharLal Nehru Marg, Jaipur – 302 004  
Telephone: +91-141-2569696 e.mail: xxxxxxxx@jaipurjda.org

No.: JDA/EE-11/2018-19/D- 247-248

Dated 25/6/18

**NOTICE INVITING BID**

NIB No. : EE-11/ 02-03/2018-19

(1) Online Bids are invited upto 6.00 PM of 25.07.2018 for **Construction and Renewal of various road in zone 11 Area JDA Jaipur (Annual Rate Contract) Estimated cost Rs. 192.50 Lacs.** The Last date of for applying bid and making online payment on JDA portal is up-to 6.00 PM of 25.07.2018 and (2) Online Short term Bids are invited upto 6.00 PM of 06.07.2018 for **Miscellaneous work for Annual Road maintenance in Zone 11, JDA Jaipur. (Annual Rate Contract) Estimated Cost Rs. 77.00 Lacs.** The Last date of for applying bid and making online payment on JDA portal is up-to 6.00 PM of 06.07.2018. Details may be seen in the Bidding Document at our office or the State Public Procurement Portal website [www.sppp.rajasthan.gov.in](http://www.sppp.rajasthan.gov.in), [www.eproc.rajasthan.gov.in](http://www.eproc.rajasthan.gov.in) and [www.jda.urban.rajasthan.gov.in](http://www.jda.urban.rajasthan.gov.in)

1. (UBN No. ....) 2. (UBN No. ....)

**To participate in the bid, bidder has to be:**

1. Registered on JDA website [www.jda.urban.rajasthan.gov.in](http://www.jda.urban.rajasthan.gov.in)  
For participating in the Bid, the Bidder has to apply for the Bid and pay the Bidding Document Fee, RISL Processing Fee and Bid Security Deposit, online only.
2. Registered on e-Procurement Portal of Government of Rajasthan [ww.eproc.rajasthan.gov.in](http://ww.eproc.rajasthan.gov.in) for online e-Bid submission.

(Rajandra Kumar Mathur)  
Executive Engineer-11

Copy to :-

01- PRO Cell, JDA, Jaipur for publication in News paper.

(3) Job No. 069/2018-19

(4) Job No. 068/2018-19

  
(Rajandra Kumar Mathur)  
Executive Engineer-11

## Detail NIB for uploading on SPP Portal, e-Procurement, JDA Portal &amp; as part of NIB Document

JAIPUR DEVELOPMENT AUTHORITY, JAIPUR  
Room No. 121, Main Building, 1st floor Ram Kishore Vyas Bhavan, Indira Circle, JawaharLal Nehru Marg, Jaipur – 302 004  
Telephone: +91-141-2569696 e.mail: xxxxxxxx@jaipurjda.org

No.: JDA/EE-11/2018-19/D- 248

Dated 25/6/18

**NOTICE INVITING BID**  
**NIB No. : EE-11/03/2018-19**

Name & Address of the Procuring Entity	<ul style="list-style-type: none"> <li>➤ Name: Executive Engineer-11, Jaipur Development Authority</li> <li>➤ Address: Room No. MB-FF-121, , Ram Kishore Vyas Bhavan, Indira Circle, JawaharLal Nehru Marg, Jaipur 302004 (Rajasthan)</li> <li>➤ Email:- xxxxxxxx@jaipurjda.org</li> </ul>
Subject Matter of Procurement	➤ Miscellaneous work for Annual Road maintenance in Zone 11, JDA Jaipur. (Annual Rate Contract)
Bid Procedure	➤ Single Stage tender (eg. Single -stage (envelope) open competitive) eBid procedure at <a href="http://www.eproc.rajasthan.gov.in">http://www.eproc.rajasthan.gov.in</a>
Bid Evaluation Criteria (Selection Method)	➤ L1 (eg. Least Cost Based Selection (LCBS)-L1)
Websites for downloading Bidding Document, Corrigendum's, Addendums, etc.	➤ Websites: <a href="http://www.sppp.rajasthan.gov.in">www.sppp.rajasthan.gov.in</a> , <a href="http://www.eproc.rajasthan.gov.in">www.eproc.rajasthan.gov.in</a> , <a href="http://www.jda.urban.rajasthan.gov.in">www.jda.urban.rajasthan.gov.in</a>
Website for online Bid application participation and payment	<ul style="list-style-type: none"> <li>➤ Website: <a href="http://www.jaipurjda.org">www.jaipurjda.org</a> For participating in the Bid, the Bidder has to apply for this Bid and pay the Bidding Document Fee, RISL Processing Fee and Bid Security Deposit online only.</li> <li>○ Bidding document fee: Rs. 1000/- (Rupees One Thousand only)</li> <li>○ RISL Processing Fee: Rs. 1000/- (Rupees One Thousand only)</li> <li>○ Requisite Bid Security Deposit</li> </ul>
Estimated Procurement Cost	➤ INR 77.00 Lacs (Rupees Seventy Seven Lacs only)
Bid Security Deposit	➤ Amount (INR) : 2% (Rs. 1,54,000/-) (For A & AA class contractor registered in other department) of Estimated Procurement Cost, 0.5% (Rs. 38,500/-) (For Bidder registered as contractor in JDA in Class-AA, A, B and C in JDA)
Date/Time/place of Pre-Bid	➤ N/A
Applying Bid and making online payment on JDA portal ( <a href="http://www.jda.urban.rajasthan.gov.in">www.jda.urban.rajasthan.gov.in</a> )	<ul style="list-style-type: none"> <li>➤ Start Date: 26.06.2018 from 11.00 AM onwards</li> <li>➤ End Date: 06.07.2018 at 6.00 PM</li> <li>➤ In case EMD in form BG original Bank Guarantee is to be submitted in Room No. MB-SF 226 of Main Building, JDA, Jaipur by 09.07.2018 to 11.07.2018 up to 4.00 PM</li> </ul>
Bid submission on e-Procurement Portal of GOR ( <a href="http://WWW.Eproc.rajasthan.gov.in">WWW.Eproc.rajasthan.gov.in</a> )	<ul style="list-style-type: none"> <li>➤ Start Date: 26.06.2018 from 11.00 AM onwards</li> <li>➤ End Date: 06.07.2018 at 6.00 PM</li> </ul>
**Date/ Time/ Place of Bid Opening	<ul style="list-style-type: none"> <li>➤ 12.07.2018 at 3.00 PM</li> <li>➤ Address: 121, Main Building, JDA, Jaipur 302004 (Rajasthan)</li> </ul>
Date/ Time/ Place of Financial Bid Opening	➤ N/A
Bid Validity	➤ 120 days from the bid submission deadline
Time Period	➤ 12 Months
* Jaipur Development Authority has decided to receive Earnest Money Deposit (EMD) (Bid Security), Tender Fee and RISL processing fee online through JDA Portal. The bid security options available in tender for participants are a Mentioned Below:	

#### A. Payment Options:

##### Option-1: Bank Guarantee (BG) against EMD / Bid Security

Bidder may opt Bank Guarantee (BG) against EMD (Bid Security), for which bidder requires to prepare BG before applying in the tender. The details of BG requires to be fed on JDA portal before paying balance amount (Tender Fee + RISL Processing Fee). This amount will be paid through Payment Gateway only, option to make balance payment through EFT (RTGS/NEFT) will not be available. If bidder does not opt for BG against EMD, options of making complete payment through Payment Gateway or through EFT (NEFT / RTGS) will be available.

##### Option-2: Electronic Fund Transfer (EFT: NEFT/RTGS)

If the bidder selects payment mode as EFT (NEFT/RTGS), "Paying Slip for EFT (NEFT/RTGS)" will be generated by the system for the complete amount. The payment can be made from any Bank any Branch using this Paying Slip through NEFT/RTGS (Claim against payment made through EFT in any other JDA bank account will not be acceptable and bidder stands disqualified from participation in the bid applied for). After successful transaction through NEFT/RTGS, as per the standard procedures it may take 4 to 24 hours in process of confirmation of EFT through Auto-Process depending on the time of EFT done. Therefore, option to make payment through EFT (NEFT/RTGS) will be available till 48 hours prior to closing date of bid participation.

##### Option-3: Payment Gateway (Aggregator)

The facility to make payment through Debit Card, Credit Card, Net banking etc., will be available. User can use this facility from anywhere any time till the closing date & time of bid participation.


#### B. Bid Participation Receipt

After confirming payment, the bidder will get Bid Participation Receipt on the basis of which user will get the payment details along with other details for bidding on e-Procurement portal of GOR.

- In case of BG as the remaining payment will be done through Payment Gateway, on successful transaction the "Bid Participation Receipt" will be generated on real time basis.
- In case complete payment is done through Payment Gateway, on successful transaction the "Bid Participation Receipt" will be generated on real time basis.
- In case complete payment is done through EFT (NEFT/RTGS), on confirmation of payment from ICICI Bank (Auto Process) "Bid Participation Receipt" will be available on Login of Bidder on JDA portal.

#### Note:

1. Bidder (authorized signatory) shall submit their offer on-line in Electronic formats both for technical and financial proposal.
2. In case, any of the bidders fails to pay the Tender Fee, BSD, and RISL Processing Fee, online (subject to confirmation), its Bid shall not be accepted.
3. To participate in online bidding process, Bidders must procure a Digital Signature Certificate (Type III) as per Information Technology Act-2000 using which they can digitally sign their electronic bids. Bidders can procure the same from any CCA approved certifying agency, i.e. TCS, Safe crypt, N code etc. Bidders who already have a valid Digital Signature Certificate (DSC) need not procure a new DSC. Also, bidders must register on <http://eproc.rajasthan.gov.in> (bidders already registered on <http://eproc.rajasthan.gov.in> before 30-09-2011 must register again).
4. JDA will not be responsible for delay in online submission due to any reason. For this, bidders are requested to upload the complete bid well advance in time so as to avoid 11th hour issues like slow speed; choking of web site due to heavy load or any other unforeseen problems.
5. Bidders are also advised to refer "Bidders Manual Kit" available at eProc website for further details about the e-Tendering process.
6. Training for the bidders on the usage of e-Tendering System (e-Procurement) is also being arranged by DoIT&C, GoR on a regular basis. Bidders interested for training may contact e-Procurement Cell, DoIT&C for booking the training slot. Contact No: 0141-4022688 (Help desk 10 am to 6 pm on all working days) e-mail: [eproc@rajasthan.gov.in](mailto:eproc@rajasthan.gov.in) Address : e-Procurement Cell, JDA, Yojana Bhawan, Tilak Marg, C-Scheme, Jaipur
7. The procuring entity reserves the complete right to cancel the bid process and reject any or all of the Bids.
8. No contractual obligation whatsoever shall arise from the bidding document/ bidding process unless and until a formal contract is signed and executed between the procuring entity and the successful bidder.
9. Procurement entity disclaims any factual/ or other errors in the bidding document (the onus is purely on the individual bidders to verify such information) and the information provided therein are intended only to help the bidders to prepare a logical bid-proposal.
10. The provisions of RTPPA Act 2012 and Rules thereto shall be applicable for this procurement. Furthermore, in case of any inconsistency in any of the provisions of this bidding document with the RTPPA Act 2012 and Rules thereto, the later shall prevail.

  
(Rajaendra Kumar Mathur)  
Executive Engineer-11

## Process for Participation & Depositing Payment Online

JAIPUR DEVELOPMENT AUTHORITY, has decided to receive Bidding document fee, RISL Processing Fee and Bid Security Deposit (BSD) through online mode only for which the bidder has to get registered himself on JDA portal

[www.jda.urban.rajasthan.gov.in](http://www.jda.urban.rajasthan.gov.in).

### To participate in the bid, bidder has to be:

1. Registered on JDA website [www.jda.urban.rajasthan.gov.in](http://www.jda.urban.rajasthan.gov.in) (by depositing Rs. 500.00 online, the validity of which remains 3 (three) years).  
For participating in the Bid, the Bidder has to apply for this Bid and pay the Bid Document Fee, RISL Processing Fee and Bid Security Deposit, online only.
2. Registered on e-Procurement Portal of Government of Rajasthan [www.eproc.rajasthan.gov.in](http://www.eproc.rajasthan.gov.in) for online e-Bid submission.

### Methods for depositing on line amount

#### Option-1: Bank Guarantee (BG) against EMD / Bid Security

Bidder may opt Bank Guarantee (BG) against EMD (Bid Security), for which bidder requires to prepare BG before applying in the tender. The details of BG requires to be fed on JDA portal before paying balance amount (Tender Fee + RISL Processing Fee). This amount will be paid through Payment Gateway only, option to make balance payment through EFT (RTGS/NEFT) will not be available.

If bidder does not opt for BG against EMD, options of making complete payment through Payment Gateway or through EFT (NEFT / RTGS) will be available.

#### Option-2: Electronic Fund Transfer (EFT: NEFT/RTGS)

If the bidder selects payment mode as EFT (NEFT/RTGS), "Paying Slip for EFT (NEFT/RTGS)" will be generated by the system for the complete amount. The payment can be made from any Bank any Branch using this Paying Slip through NEFT/RTGS (Claim against payment made through EFT in any other JDA bank account will not be acceptable and bidder stands disqualified from participation in the bid applied for). After successful transaction through NEFT/RTGS, as per the standard procedures it may take 4 to 24 hours in process of confirmation of EFT through Auto-Process depending on the time of EFT done. Therefore, option to make payment through EFT (NEFT/RTGS) will be available till 48 hours prior to closing date of bid participation.

#### Option-3: Payment Gateway (Aggregator)

The facility to make payment through Debit Card, Credit Card, Net banking etc., will be available. User can use this facility from anywhere any time till the closing date & time of bid participation.

### C. Bid Participation Receipt

After confirming payment, the bidder will get Bid Participation Receipt on the basis of which user will get the payment details along with other details for bidding on e-Procurement portal of GOR.

- In case of BG as the remaining payment will be done through Payment Gateway, on successful transaction the "Bid Participation Receipt" will be generated on real time basis.
- In case complete payment is done through Payment Gateway, on successful transaction the "Bid Participation Receipt" will be generated on real time basis.

In case complete payment is done through EFT (NEFT/RTGS), on confirmation of payment from ICICI Bank (Auto Process) "Bid Participation Receipt" will be available on Login of Bidder on JDA portal.

While participation in the bid, a receipt will be generated through the system showing the submission details as per Bid Participation Receipt (Sample Enclosed). The bidder is required to fill the instrument numbers for various heads on e-Procurement portal [www.eproc.rajasthan.gov.in](http://www.eproc.rajasthan.gov.in) as mentioned in the receipt.

<b>Jaipur Development Authority, Jaipur.</b>	
<b>Bid Participation Receipt</b>	
	Date & Time:-
<b>Bid Detail</b>	
Bid ID:	Procurement Entity:-
Bid Title:	
Bid Value:	Bid Opening Place:
<b>Bidder Detail</b>	
Name of Entity:	Mobile No.:
Registration Type:	Instrument Amount:
Payment Mode:	Payment Channel:
Instrument No.:	Instrument Date:

<b>Dates Detail</b>		
Sr. No.	Event Name	Event Date
1	Publishing Date	
2	Bid Opening Date	

<b>Specific Instrument for eProc Rajasthan</b>			
<b>Instrument Type</b>			
Instrument Number	Head Name	Amount	Date
	Tender Fee		
	RISL Processing Fee		
	Bid Security Deposit		
Issuer Detail: Jaipur Development Authority		Challan Number:	

More details about Registration Process, Terms and Conditions and FAQ along with contact detail is available on JDA website [www.jda.urban.rajasthan.gov.in](http://www.jda.urban.rajasthan.gov.in).

# OFFICE OF THE JAIPUR DEVELOPMENT AUTHORITY, JAIPUR

## SCHEDULE AND SPECIFICATIONS

- 1 Name of work : Miscellaneous work for Annual Road maintenance in Zone 11, JDA Jaipur. (Annual Rate Contract)
- 2 NIB No. : EE-11/03/2018-19
- 3 Approximate cost : Rs. 77.00 Lacs
- 4 Cost of the tender documents : Rs. 1000.00 The Bidders are required to submitted Bid security, cost of Bid documents, Bid processing fees through online payment after registering with JDA on [www.jaipurjda.org/e-services/e-tender](http://www.jaipurjda.org/e-services/e-tender) portal. There should be a gap of 3 working days between End date for Bid Applying, Online Payment & Bid Submission and Bid Opening date. In the absence of such fess the bid of respective bidder will be considered as non-responsive and shall be rejected.
- 5 Bid Processing fees : Rs. 1000/- (In favour of M.D. R.I.S.L., Jaipur)
- 6 Earnest Money (in favour of Secretary, JDA, Jaipur) : Rs. @ 2% Rs. 1,54,000/- (For A & AA class contractor registered in other department and @ ½ % Rs. 38,500/- (For contractor registered in JDA) through online payment after registering with JDA on [www.jaipurjda.org/e-services/e-tender](http://www.jaipurjda.org/e-services/e-tender) portal. There should be a gap of 3 working days between End date for Bid Applying, Online Payment & Bid Submission and Bid Opening date.  
Bid Security (Earnest money) may be submitted online or by way of bank guarantee. In case bidder opt to submit bid security through bank guarantee, the bank guarantee should valid up to 15 Months from the date of opening of the bid in prescribed format.
- 7 Publishing date on SPPP Portal : 26/06/2018 at 11.00 AM Onwards
- 8 Document sale/download/Bid participation amount deposit start date on JDA Portal : 26/06/2018 at 11.00 AM Onwards
- 9 Bid Submission Start Date on eProc Portal of GOR : 26/06/2018 at 11.00 AM Onwards
- 10 Document sale/download/Bid participation amount deposit End date on JDA Portal : 06/07/2018 at 06.00 PM
- 11 Bid Submission End Date on eProc Portal of GOR : 06/07/2018 at 06.00 PM
- 12 Physical BG submission Start Date : 09/07/2018 at 10.00 AM Onwards
- 13 Physical BG submission End Date : 11/07/2018 at 4.00 PM
- 14 \*\*Date/ Time/ Place of Bid Opening : 12/07/2018 at 3.00 PM  
121, Main Building, JDA, Jaipur 302004 (Rajasthan)
- 15 Completion period of work : 12 Month

### SCHEDULE 'A' : INFORMATION USEFUL FOR THE CONTRACTORS :

The Bidder should see the site and fully understand the condition of the site before bidding and include all lead, lifts etc. for the material in his item rate/percentage to be quoted on the rates as given in the schedule 'G'. The work shall be carried out in accordance with the Rajasthan PWD detailed specification and to the entire satisfaction of the Engineer-In-Charge of the work.

**SCHEDULE 'B' : LIST OF THE DRAWING TO BE SUPPLIED BY THE DEPARTMENT:**

The drawing may be seen in office of the undersigned.

**SCHEDULE 'C' : LIST OF THE DRAWING TO BE SUPPLIED BY THE CONTRACTOR:**

List of the drawing to be supplied by the contractor NIL. But the contractor shall have to arrange at his own cost drawings required for the work after depositing necessary cost within JDA.

**SCHEDULE 'D' : TEST OF THE MATERIALS :**

The test of the material and workmanship shall be conducted by the JDA staff as necessary, The result of such tests should confirm to the standard laid down in the Indian standards and or the standards laid down in the detailed specification of the Public Works Deptt, Proper quality control is required to be maintained by the contractor qualified personnel as required under the contractor enlistments rules duly approved by the Deptt. shall have to be engaged at site by the contractor. The deptt. reserves the right to engage such staff and recover the expenses from the contractor on such account in case of his failure to do so.

**SCHEDULE 'E' : SAMPLES OF THE MATERIALS :**

The samples of the material to be used by the contractor shall be deposited 7 days in advance with the Engineer In charge and be got approved by him before use.

**SCHEDULE 'F' : TIME OF COMPLETION :**

The work should start within stipulated period given in the work order and should be completed within the prescribed time period. In case of failure, the Contractor shall be liable for action under the conditions of agreement and special conditions of the tender.

**SCHEDULE 'G' : ATTACH SEPARATELY BASED ON BSR PWD, JAIPUR.**

**SCHEDULE 'H' : SPECIAL CONDITION : ATTACHED SEPARATELY.**

**SCHEDULE -I Cost of bid documents, Processing Fees & Bid Security Deposit.**

Date of submission of Bid Cost, Bid Processing fees & EMD upto 06/07/2018 upto 6.00 PM through online payment after registering with JDA on [www.jda.urban.rajasthan.gov.in](http://www.jda.urban.rajasthan.gov.in) portal. There should be a gap 3 working days between End date for Bid applying, Online payment & Bid submission and Bid Opening date. In the absence of such fees the bid of respective bidder will be considered as non-responsive and shall be rejected. If a bidder opt bid security to be deposited through bank guarantee, the bank guarantee should be valid for next 15 months after the bid opening date. A copy of the such bank guarantee will be required to be attached with the bid submission document uploaded on E-procurement portal of GOR. The bank guarantee will be physically handed over upto prescribed time to Nodal officer of on-line tendering system of JDA i.e. D.D.(E&B) in room No. MB-SF 226 main building, JLN Marg, JDA, Jaipur, as per specified in bid documents.


**Annexure A : Compliance with the code of Integrity and No Conflict of Interest**

**Annexure B : Declaration by the Bidder regarding Qualifications**

**Annexure C : Grievance Redressal during Procurement Process**

**Annexure D : Additional Conditions of Contract**

SIGNATURE OF CONTRACTOR  
with full address & Mobile No. :

  
EXECUTIVE ENGINEER -11  
Jaipur Development Authority,  
Jaipur 

## SPECIAL CONDITIONS

### SCHEDULE 'H'

01. Use of Bitumen mixture Tar mechanical lime grinder, cement concrete mixer & vibrator is essential for the work. Which shall have to be arranged by the contractor at his own level/cost?
02. If there is any typographical error or otherwise in the 'G' Schedule the rates given in the relevant BSR on which schedule 'G' has been prepared, shall prevail.
03. The contractor shall follow the contractor labour regulation and abolition Act 1970 & Rule 1971.
04. The JDA shall have right to cause on audit and technical examination of the work and the final bills of the contractor including all supporting vouchers, abstract etc. to be made within two years after payment of the final bills and if as a result such audit any amount is found to have been over paid/excess in respect of any work done by the contractor under the contract or any work claimed by him to have been done under this contract and found not to have been executed the contractor shall be liable to refund such amount and it shall be lawful ;for the JDA to recover such sum from him in ;the manner prescribed in special condition no. 8 or any other manner legally permissible and if it is found that the contractor was paid less then that was due to him under the contract in respect of any work executed by him under it, the amount of such under payment shall be paid bay the JDA to the contractor.
05. The contractor shall not work after the sunset and before sunrise without specific permission of the authority Engineer.
06. Whenever any claim against the contractor for the payment of a sum of money arises out or under the contracts, the JDA shall be entered to recover the sum by appropriating in part or whole of the security deposit of the contractor. In the event of the security being insufficient or if no security has been taken from the contractor then the balance of the total sum recoverable as the case may shall be deducted from any sum then due or which a any time there contract with the JDA should this sum be sufficient to recover the full amount recoverable, the contractor shall pay to JDA on demand the balance remaining due. The JDA shall further have the right to effect such recoveries under P.D.R. Act.
07. The rate quoted by the contractor shall remain valid for a period of 4(four) months from the date of opening of the tenders.
08. By submission of this tender the contractor agree to abide with all printed conditions provided in the PWD manual from 64 (Chapter 3-para 36) and subsequent modification.
09. No conditions are to be added by the contractor and conditional tender is liable to be rejected.
10. All transaction in the execution of this work and this tender will be liable to sale-tax vide section 2(B) read with sub clause (4) Sale-tax Rule, 1954.
11. If any tenderer withdraws his tender prior to expiry of said validity period given at S. No. 7 or mutually extended prior or makes modifications in the rates, terms and conditions of the tender within the said period which are not acceptable to the department or fails to commence the work in the specified period, fails to execute the agreement the department shall without prejudice to any, other right or remedy, be at liberty to forfeit the amount of earnest money given in any form absolutely. If any contractor, who having submitted a tender does not execute the agreement or start the work or dose not complete the work and the work has to be put to retendering, he shall stand debarred for six months from participating of tendering in JDA in addition to forfeiture of Earnest Money / Security Deposit and other action under agreement
12. The contractor shall arrange his own machinery required for the work such as Bitumen Mixer, Hot Mix plants and paver road roller, Tarboiler, sprayer etc.
13. The contractor shall arrange his own storage tanks upto 10 Tones capacity for storing bulk bitumen wherever supplied by the department.

14. Rules regarding enlistment of contractors provide that work upto five times limit for which they are qualified for tendering can be allotted to them Therefore, before tender the contractors will keep this in mind, and submit the details of work. Tenders with incomplete or incorrect information are liable to be rejected.
15. Any material not conforming to the specifications collected at site shall have to be removed by the contractor within a period of 3 days of the instructions, issued by the Engineer-Incharge in writing. Failing which, such material shall be removed by the Engineer-Incharge at risk and the contractor after expiry of 3 days period.
16. The material collected at site and paid provisionally shall remain under the watch and ward of the contractor till it is consumed, fully on the work.
17. The rates provided in tender documents are inclusive of all Taxes/GST, royalty. Bidder will be responsible for compliance of GST Act./Rule.
18. For paver work at least 3 road rollers shall be simultaneously deployed.
19. Bitumen for tack coat or any other purposes, shall be applied only by a bitumen sprayer of a mechanical pressure.
20. No extra lead of earth/material shall be paid over and above as specified in 'G' schedule. Source/borrow pit area for earth shall have to be arranged by the Contractor at his own cost.
21. Undersigned has full right to reject any or all tenders without given any reasons.
22. Mortar of Masonry work and lean concrete will be permitted mixer with hopper.
23. As per Supreme Court decision "All contracts with Governments shall require registration of workers under the building and other construction workers (Regulation of Employment and Conditions of Service) Act, 1996 and extension of benefits to such workers under the act."
24. **Special Conditions of Contract regarding Defect Liability Period (DLP) for Various works costing Rs. 25.00 lacs and more shall be applicable.**
25. The tenderer are required to submit copy of their enlistment as contractor.
26. Conditions of RPWA-100 will be mandatory & acceptable to the contractor.
27. Any tender received with unattested cutting/overwriting in rates shall be rejected and such bidder will be debarred from tendering for three months in JDA.
28. All the provisions of THE RAJASTHAN TRANSPARENCY IN PUBLIC PROCUREMENT ACT, 2012 and Rules, 2013 will be applicable. If there is any contradictions in existing special conditions and provisions of THE RAJASTHAN TRANSPARENCY IN PUBLIC PROCUREMENT ACT, 2012 and RULES, 2013, provisions of THE RAJASTHAN TRANSPARENCY IN PUBLIC PROCUREMENT ACT, 2012 and RULES 2013 shall be applicable.

Signature of Contractor  
with full address & Mobile No.

  
Executive Engineer -11  
JDA, Jaipur. 

# JAIPUR DEVELOPMENT AUTHORITY, JAIPUR

## Other Conditions

1. The Contractor will have to install display boards at site of work as directed by Engineer in charge. Failing which penalty of Rs. 5000.00 per day will be imposed.
2. DLP period of various nature of works amounting more than 25 Lacs has been revised. The time period as per order No.JDA/EX.En.(TA to DE-I)/2016/D-29 dated 11.03.2016
3. निविदा में निर्धारित राशि से अधिक/कम Bid Security राशि बिडर द्वारा Online नहीं जमा कराई जावें, सिस्टम द्वारा भी कम/अधिक राशि बिड स्वीकार नहीं की जावेंगी।
4. अलग-अलग समय में जमा कराई गई राशि सिस्टम द्वारा जोडकर एक बिड में स्वीकार नहीं की जावेगी।
5. एक यू.टी.आर. काम में लेने के पश्चात् पुनः उसी नम्बर का यू.टी.आर. सिस्टम द्वारा दूसरी बिड में प्रयुक्त नहीं किया जावें।

Signature of Contractor  
with full address & Mobile No.

  
Executive Engineer -11  
JDA, Jaipur. 

**Special Conditions of Contract regarding Defect Liability Period (DLP) for Various works costing Rs. 25.00 Lacs and more**

**1. ROAD WORKS**

- 1.1 The Defect Liability Period (DLP) for all Road works excluding patch repair work shall be as per table-1. Road works executed by the Contracting agency shall be maintained by them at their own cost for Schedule as per table-1 (DLP) from the actual date of completion of work as per the clause in the Contract Agreement and Special Condition of Contract.
- 1.2 No extra payment shall be made to the contracting agency on account of maintenance of Road works and removal of defect during Defect Liability Period.
- 1.3 The word "Road Works" means all new Road Works construction, strengthening and renewal works.
- 1.4 The word "Maintenance of Road Works during Defect Liability Period" means
- (i) Routine maintenance of Road Works,
- (ii) To remove the defect as & when appear in part and entire structure of Road Works, in specified time and keeping the Road Surface with good riding quality and
- (iii) Damages due to improper drainage / drains, local flooding, depressions on roads etc.
- 1.5 The contracting agency shall do the routine maintenance of Road works, including pavement, road side and cross drains including surface drains to the required standards and keep the entire road surface and structure in Defect free conditions during the entire period of routine maintenance, which begins at completion of the construction work and ends after Schedule as per table-1.
- 1.6 The routine maintenance shall consist of the routine maintenance operation defined in manual for maintenance of roads of MoRTH and shall be carried out accordingly.
- 1.7 **(a) The routine maintenance activities and their periodicity as per JDA Office order no: JDA/Ex.En.(TA to Dir Engg.-I)/2016/D-29 dated 11.03.2016**

**Table-I**

S.No.	Type of work	DLP Period
1	Bridge work	5 Years
2	CD work	5 Years
3	CC road, PQC work	5 Years
4	CC tiles/Kerb/ Medians	5 Years
5	Drains	3 Years
6	Roads	
	(i) Two Layer WBM/GSB	6 Months or one full rainy season whichever is later
	(ii) For Renewal/Strengthening	
	(a) BT upto 30 mm thickness	1 Year
	(b) BT above 30 mm to upto 40 mm	2 Years
	(c) BT above 40 mm to upto 90 mm	3 Years
	(d) BT above 90 mm	5 Years
	(iii) New roads	
	(a) BT upto 90 mm	3 Years
	(b) BT more than 90 mm	5 Years
7	Compound wall	3 Years
8	Building work	
	(i) Work pertaining to sanitary works electrical works, Joinery works and painting works.	2 Years
	(ii) Work pertaining to building structure and other civil works.	5 Years
9	Electric work except maintenance	3 Years
10	Sewer/water supply all including STP and water supply related work except maintenance works	3 Years

1.7 (b) The routine maintenance activities and their periodicity

S.No.	Name of Item/Activity	Frequency of operations in one year
1	Restoration of rain cuts and dressing of berms.	Once in a year, generally after rains.
2	Making up of shoulders.	As and when required.
3	Maintenance of Bituminous surface road and/or gravel road/WBM road including filling pot holes and patch repairs etc.	As and when required.
4	Insurance of proper functioning of drains including civil maintenance and desilting of drains. (If constructed by the same Road agency or not)	As and when required.
5	Maintenance of road signs. (If installed by the same Road agency)	Maintenance as and when required. Repainting <b><u>once in every one and half years.</u></b>
6	Road Marking, Kerb Stone/Dand. (If done by the same Road agency)	<b>Thermoplastic Paint</b> Maintenance as and when required. Repainting <b><u>once in every one and half years.</u></b> <b>Ordinary Paint</b> Maintenance as and when required. Repainting <b><u>thrice in every years.</u></b>
7	Damages beyond control of agency.	Road cuts made by various agencies for utility, duly permitted by JDA / JNN will have to be repaired by agency on the same rates of the contract agreement till DLP.

2. General

2.1 Inspection of works during Defect Liability Period

- 2.1.1 The contracting agency shall undertake joint detailed inspection along with Engineer-in-charge/A.En., at least once in three months in case of all Road works. The Engineer-in-charge can reduce this frequency in case of emergency. The Contracting agency shall forward to the Engineer-in-charge the record of inspection and rectification immediately after the joint inspection. The Contracting agency shall pay particular attention on those road sections, which are likely to be damaged during rainy season.
- 2.1.2 One register has to be maintained by every A.E.n for recording the inspection details of works in his jurisdiction under defect liability period.

2.2 Conditions regarding Security Deposit

2.2.1 Security for DLP-

The contracting agency shall have to furnish security deposit (SD) in the form of Bank Guarantee valid from the actual date of completion, which shall be assigned by the Engineer-in-charge.

2.2.2 Refund of SD -

The release of SD amount shall be as following table:-

S. No.	Released SD DLP period	1 <sup>st</sup> year	2 <sup>nd</sup> year	3 <sup>rd</sup> year	5 <sup>th</sup> year
1	Upto 1 year	100 %	40 %	20 %	10 %
2	Upto 2 Year		60 %	20 %	10 %
3	Upto 3 Year			60 %	10 %
4	Upto 4 Year				20 %
5	Upto 5 Year				50 %

Various conditions for managing DLP are as under:-

- (i) At the time of completion of work, final component shall be worked out for each individual item like BT/CC /tiles/drains etc ( as per different categories in Table I), DLP shall be operative based upon type of individual item ex:- CC-5 years, BT- 1/2/3/5 years, Drain- 3 years etc.
- (ii) Similarly for all new works, these components should be calculated at the time of TS itself, which should be made part of BID document.
- (iii) If any work, amount is less than Rs. 25 lakhs but later on due to extra/excess work, if amount of final work crosses more than Rs. 25 lakhs, DLP shall be operative as per rule for each individual item.
- (iv) Similarly if any work is more than Rs. 25 lakhs but later finalization amount of work is less than Rs. 25 lakhs, DLP should be operative for six months or rainy season whichever is late.
- (v) During DLP period if contractor fails to repair any work even after issue of 7 days written notice, same work shall be got executed by respective Executive Engineer at the contractor's risk and cost. This process shall be applicable throughout the DLP period. After completion of DLP period in such works contractor should be debarred and blacklisted from JDA for three years as per RTPP Rule 2012 and 2013 where he defaults twice in a single agreement or in two different works.
- (vi) Quarterly inspection as per rules shall be carried out and DLP registers shall be maintained by respective Executive Engineers to monitor the DLP repairs.
- (vii) Special and regular inspection shall also be carried out as per order no. JDA/Ex.En & TA to DE-I/2014-15/D-223 dated 12.03.2015 and order no. SE ( PMGSY) CIRCULAR 2006/D-115 dated 04.05.2006 point no. 3
- (viii) In case JDA feels to take up work on any existing DLP road due to any reason, following procedure should be adopted.
- (a) At the time of withdrawal total liability of repairs as per DLP conditions to be carried out and contractor shall be asked to complete the same. After completion of assessed repairs DLP period shall be released after deduction amt. as per table III.

% recovery on withdrawal of DLP of work order DLP period	1 Year	2 Year	3 Year	4 Year	5 Year
1 Year	1.12	-	-	-	-
2 Year	2.55	1.43	-	-	-
3 Year	4.38	3.26	1.83	-	-
5 Year	9.00	7.88	6.45	4.62	2.47

Note :- Calculation is to be done on quarterly basis.

- (b) In case Contractor fails to carry out these repairs, same shall be carried out at his risk and cost. If the total amt. of such repairs works out to be more than total retained amt. of SD, same shall be recovered from other works and as per PDR rules. The amount as per Table-III is also to be deducted in addition to this amount.
- (c) Based upon type of work, DLP conditions for works to be carried out during DLP period with their frequency of respective type of work shall be prepared by respective SE's after approval of these periods.

### 2.2.3 Force Majeure

The defect arises due to earthquake, cyclone, and natural calamities shall not be the responsibly of contracting agency.

Signature of Bidder  
with full address :

  
Executive Engineer-11  
JDA, Jaipur

## **Annexure A : Compliance with the code of Integrity and No Conflict of Interest**

Any person participating in a procurement process shall -

- (a) Not offer any bribe, reward or gift or any material benefit either directly or indirectly in exchange for an unfair advantage in procurement process or to otherwise influence the procurement process;
- (b) Not misrepresent or omit the misleads or attempts to mislead so as to obtain a financial or other benefit or avoid an obligation;
- (c) Not indulge in any collusion, Bid rigging or anti-competitive behavior to impair the transparency, fairness and progress of the procurement process;
- (d) Not misuse any information shared between the procuring Entity and the Bidders with an intent to gain unfair advantage in the procurement process;
- (e) Not indulge in any coercion including impairing or harming or threatening to do the same, directly or indirectly, to any party or to its property to influence the procurement process;
- (f) Not obstruct any investigation or audit of a procurement process;
- (g) Disclose conflict of interest, if any; and
- (h) Disclose any previous transgressions with any Entity in India or any other country during the last three years or any debarment by any other procuring entity.

### **Conflict of Interest :-**

The Bidder participating in a bidding process must not have a Conflict of interest.

A conflict of interest is considered to be a situation in which a party has interests that could improperly influence that party's performance of official duties or responsibilities, contractual obligations, or compliance with applicable laws and regulations.

- i. A Bidder may be considered to be in Conflict of Interest with one or more parties in a bidding process if, including but not limited to:
  - a. Have controlling partners/ shareholders in common ; or
  - b. Receive or have received any direct or indirect subsidy from any of them; or
  - c. Have the same legal representative for purposes of the Bid; or
  - d. Have a relationship with each other; directly or through common third parties, that puts them in a position to have access to information about or influence on the Bid of another Bidder, or influence the decisions of the Procuring Entity regarding the bidding process; or
  - e. The Bidder participates in more than one Bid in a bidding process. Participation by a Bidder in more than one Bid will result in the disqualification of all Bids in which the Bidder is involved. However, this does not limit the inclusion of the same subcontractor, not otherwise participating as a Bidder, in more than one Bid; or
  - f. The Bidder or any of its affiliates participated as a consultant in the preparation of the design or technical specifications of the Goods, Works or Services that are the subject of the Bid; or
  - g. Bidder or any of its affiliates has been hired (or is proposed to be hired) by the Procuring Entity as engineer-in-charge/ consultant for the contract.

## Annexure B : Declaration by the Bidder regarding Qualifications

### Declaration by the Bidder

In relation to my/our Bid submitted to ..... for procurement of ..... in response to their Notice inviting Bids No. ....Dated ..... I/We hereby declare under Section 7 of Rajasthan Transparency in Public Procurement Act, 2012, that :

1. I/We possess the necessary professional, technical, financial and managerial resources and competence required by the Bidding Document issued by the Procuring Entity;
2. I/We have fulfilled my/our obligation to pay such of the taxes payable to the Union and the State Government or any local authority as specified in the Bidding Document;
3. I/We are not insolvent, in receivership, bankrupt or being wound up, not have my/our affairs administered by a court or a judicial officer, not have my/our business activities suspended and not the subject of legal proceeding for any of the foregoing reasons;
4. I/We do not have, and our directors and officers not have, been convicted of any criminal offence related to my/our professional conduct or the making of false statements or misrepresentations as to my/our qualifications to enter into a procurement Contract within a period of three years preceding the commencement of this procurement process, or not have been otherwise disqualified pursuant to debarment proceedings;
5. I/We do not have a conflict of interest as specified in the Act, Rules and the Bidding Document, which materially affects fair competition;

Date :

Signature of bidder

Place :

Name :

Designation :

Address :

## **Annexure C : Grievance Redressal during Procurement Process**

The designation and address of the First Appellate Authority is JDC, JDA, Jaipur

The designation and address of the Second Appellate Authority is EC, JDA, Jaipur

### **Filing an appeal**

If any Bidder or prospective bidder is aggrieved that any decision, action or omission of the Procuring Entity is in contravention to the provisions of the Act or the Rules or the Guidelines issued there under, he may file an appeal to First Appellate Authority, as specified in the Bidding Document within a period of ten days from the date of such decision or action, omission, as the case may be, clearly giving the specific ground or grounds on which he feels aggrieved:

Provided that after the declaration of a Bidder as successful the appeal may be filed only by a Bidder who has participated in procurement proceedings:

Provided further that in case a Procuring Entity evaluates the Technical Bids before the opening of the Financial Bids, an appeal related to the matter of Financial Bids may be filed only by a Bidder whose Technical Bid is found to be acceptable.

- (1) The officer to whom an appeal is filed under para (1) shall deal with the appeal as expeditiously as possible and shall endeavour to dispose it of within thirty days from the date of the appeal.
- (2) If the officer designated under para (1) fails to dispose of the appeal filed within the period specified in para (2), or if the Bidder or prospective bidder or the Procuring Entity is aggrieved by the order passed by the First Appellate Authority, the Bidder or prospective bidder or the Procuring Entity, as the case may be, may file a second appeal to Second Appellate Authority specified in the Bidding Document in this behalf within fifteen days from the expiry of the period specified in para (2) or of the date of receipt of the order passed by the First Appellate Authority, as the case may be.

### **(3) Appeal not to lie in certain cases**

No appeal shall lie against any decision of the Procuring Entity relating to the following matters, namely :-

- (a) Determination of need of procurement;
- (b) Provisions limiting participation of Bidders in the Bid process;
- (c) The decision of whether or not to enter into negotiations;
- (d) Cancellation of a procurement process;
- (e) Applicability of the provisions of confidentiality.

### **(4) Form of Appeal**

- (a) An appeal under para (1) or (3) above shall be in the annexed form along with as many copies as there are respondents in the appeal.
- (b) Every appeal shall be accompanied by an order appealed against, if any, affidavit verifying the facts stated in the appeal and proof of payment of fee.
- (c) Every appeal may be presented to First Appellate Authority or Second Appellate Authority, as the case may be, in person or through registered post or authorized representative.

### **(5) Fee for filing appeal**

- (a) Fee for first appeal shall be rupees two thousand five hundred and for second appeal shall be rupees ten thousand, which shall be non-refundable.
- (b) The fee shall be paid in the form of bank demand draft or banker's cheque of a Scheduled Bank in India payable in the name of Appellate Authority concerned.

**(6) Procedure for disposal of appeal**

- (a) The First Appellate Authority or Second Appellate Authority, as the case may be, upon filing of appeal, shall issue notice accompanied by copy of appeal, affidavit and documents, if any, to the respondents and fix date of hearing.
- (b) On the date fixed for hearing, the First Appellate Authority or Second Appellate Authority, as the case may be, shall,-
  - (i) Hear all the parties to appeal present before him; and
  - (ii) Peruse or inspect documents, relevant records or copies thereof relating to the matter.
- (c) After hearing the parties, perusal or inspection of documents and relevant records or copies thereof relating to the matter, the Appellate Authority concerned shall pass an order in writing and provide the copy of order to the parties to appeal free of cost.
- (d) The order passed under sub-clause (c) above shall also be placed on the State Public Procurement Portal.

FORM No. 1

[See Rule 83]

**Memorandum of Appeal under the Rajasthan  
Transparency in Public Procurement Act, 2012**

Appeal No. .... of ..... Before the  
..... (First/Second Appellate Authority)

1. Particulars of appellant :

(i) Name of the appellant :

(ii) Official address, if any :

(iii) Residential address :

2. Name and address of the respondent (s) :

(i)

(ii)

(iii)

3. Number and date of the order appealed against and name and designation of the officer/authority who passed the order (enclose copy), or a statement of a decision, action or omission of the Procuring Entity in contravention to the provisions of the Act by which the appellant is aggrieved:

4. If the Appellant proposes to be represented by a representative, the name and postal address of the representative:

5. Number of affidavits and documents enclosed with the appeal :

6. Grounds of appeal : .....  
(Supported by an affidavit)

7. Prayer : .....

Place .....

Date .....

**Appellant's Signature**

## **Annexure D : Additional Conditions of Contract**

### **1. Correction of arithmetical errors**

Provided that a Financial Bid is substantially responsive, the Procuring Entity will correct arithmetical errors during evaluation of Financial Bids on the following basis:

- (i) If there is a discrepancy between the unit price and the total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail and the total price shall be corrected, unless in the opinion of the Procuring Entity there is an obvious misplacement of the decimal point in the unit price, in which case the total price as quoted shall govern and the unit price shall be corrected;
- (ii) If there is an error in a total corresponding to the addition or subtraction of subtotals, the subtotals shall prevail and the total shall be corrected ; and
- (iii) If there is a discrepancy between words and figures, the amount in words shall prevail, unless the amount expressed in words is related to an arithmetic error, in which case the amount in figures shall prevail subject to (i) and (ii) above.

If the Bidder that submitted the lowest evaluated Bid does not accept the correction of errors, its Bid shall be disqualified and its Bid Security shall be forfeited or its Bid Securing Declaration shall be executed.

### **2. Procuring Entity's Right to Vary Quantities**

- (i) At the time of award of contract, the quantity of Goods, works or services originally specified in the Bidding Document may be increased or decreased by a specified percentage, but such increase or decrease shall not exceed twenty percent, of the quantity specified in the Bidding Document. It shall be without any change in the unit prices or other terms and conditions of the Bid and the conditions of contract.
- (ii) If the Procuring Entity does not procure any subject matter of procurement or procures less than the quantity specified in the Bidding Document due to change in circumstances, the Bidder shall not be entitled for any claim or compensation except otherwise provided in the Conditions of Contract.
- (iii) In case of procurement of Goods or services, additional quantity may be procured by placing a repeat order on the rates and conditions of the original order. However, the additional quantity shall not be more than 50% of the value of Goods of the original contract and shall be within one month from the date of expiry of last supply. If the supplier fails to do so, the Procuring Entity shall be free to arrange for the balance supply by limited Bidding or otherwise and the extra cost incurred shall be recovered from the supplier.

### **3. Dividing quantities among more than one Bidder at the time of award (In case of procurement of Goods)**

As a general rule all the quantities of the subject matter of procurement shall be procured from the Bidder, whose Bid is accepted. However, when it is considered that the quantity of the subject matter of procurement to be procured is very large and it may not be in the capacity of the Bidder, whose Bid is accepted, to deliver the entire quantity or when it is considered that the subject matter of procurement to be procured is of critical and vital nature, in such cases, the quantity may be divided between the Bidder, whose Bid is accepted and the second lowest Bidder or even more Bidders in that order, in a fair, transparent and equitable manner at the rates of the Bidder, whose Bid is accepted.

Tender Inviting Authority: JAIPUR DEVELOPMENT AUTHORITY, JAIPUR

Name of Work: Miscellaneous work for Annual Road maintenance in Zone 11, JDA Jaipur. (Annual Rate Contract)

Contract No: NIB No-EE-11\_03\_2018-19

PRICE SCHEDULE						
(This BOQ template must not be modified/replaced by the bidder and the same should be uploaded after filling the relevent columns, else the bidder is liable to be rejected for this tender. Bidders are allowed to enter the Bidder Name and Values only )						
NUMBER #	TEXT #	NUMBER #	TEXT #	NUMBER	NUMBER #	TEXT #
Sl. No.	Item Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT Without Taxes	TOTAL AMOUNT In Words
1	2	4	5	6	53	55
1.00	Clearing and Grubbing Road Land including uprooting wild vegetation, grass, bushes, shrubs, saplings and trees of girth upto 300 mm, removal of stumps of such trees cut earlier and disposal of unserviceable materials and stacking of serviceable material to be used or auctioned, upto a lead of 1000 m including removal and disposal of top organic soil not exceeding 150 mm in thickness as per MoRD Specification Clause 201. By Mechanical Means In area of non-thorny jungle	48.000	Hect.	8802.00	422496.00	INR Four Lakh Twenty Two Thousand Four Hundred & Ninety Six Only
2.00	Maintenance of Earthen shoulder (filling with fresh selected soil) Making up loss of material/irregularities on shoulders to the design level by adding fresh approved selected soil and compacting it with appropriate equipment at OMC upto a lead of 1000 m as per MoRD specification Clause 1903	10000.000	Sqm	16.20	162000.00	INR One Lakh Sixty Two Thousand Only
3.00	Maintenance of Earthen shoulder (stripping of excess soil) Stripping excess soil from the shoulder surface to achieve the approved level and compacting with plate compactor at OMC as per drawings and MoRD Specification Clause 1903	7200.000	Sqm	5.40	38880.00	INR Thirty Eight Thousand Eight Hundred & Eighty Only
4.00	Maintenance of gravel road including making up the loss of profile, rectifying corrugated surface, filling up of depressions, pot holes and erosion gullies by adding fresh material and compacting it with appropriate equipment or to strip excess of material from the road surface as per drawings and MoRD specification Clause 1905	2400.000	Sqm	90.00	216000.00	INR Two Lakh Sixteen Thousand Only
5.00	Cutting of branches of trees shrubs and trimming of grass and weeds Cutting of branches of trees and shrubs from the road way or with in R.O.W including disposal of wood and leaves to suitable location as per MoRD specification Clause 1914	100.000	One Tree	42.30	4230.00	INR Four Thousand Two Hundred & Thirty Only
6.00	Marking Centre Line and stop lines etc. on road as per IRC pattern with thermoplastic paint of approved quality and make with 8% glass beads laid on the road surface at temperature 160° C with a special applicator machine complete with a special applicator machine complete with labour material and traffic diversion arrangements.	975.000	Sqm	436.50	425587.50	INR Four Lakh Twenty Five Thousand Five Hundred & Eighty Seven and Paise Fifty Only
7.00	Painting lines, Dashes, Arrows, etc. on Road in Two Coats on New Work with ready mixed road marking paint conforming to IS-164 on bituminous/concrete surface, including cleaning the surface of all dirt, dust and other foreign matter, demarcation at site and traffic control as per drawing and MoRD Specification Clause 1702	120.000	Sqm	60.30	7236.00	INR Seven Thousand Two Hundred & Thirty Six Only
8.00	Providing and fixing PVC Bump Speed Breakers size 350 mm x 250 mm x 50 mm fitted with key hooks complete with labour material and traffic diversion arrangements	280.000	R.Mtr.	1926.00	539280.00	INR Five Lakh Thirty Nine Thousand Two Hundred & Eighty Only
9.00	Providing and laying rounded hump type speed breakers for crossing speed 25 km/h as per IRC design including providing and applying bitumen emulsion tack coat, making speed breaker in designed profile with bituminous macadam, providing seal coat type B for sealing the voids and marking chequered pattern with thermoplastic paint complete as per IRC : 99-1988 5.0 meter wide and 10 cm high for heavy truck and bus traffic	210.000	R.Mtr.	3145.50	660555.00	INR Six Lakh Sixty Thousand Five Hundred & Fifty Five Only
10.00	Dismantling of Cement Concrete Pavements as per MoRD Specification Clause 202. Dismantling of cement concrete pavements by mechanical means using pneumatic tools breaking to pieces not exceeding 0.02 cum in volume and stock piling at designated locations and disposal of dismantled materials upto a lead of 1000 m, stacking serviceable and unserviceable materials separately	275.000	Cum	481.50	132412.50	INR One Lakh Thirty Two Thousand Four Hundred & Twelve and Paise Fifty Only
11.00	Providing concrete for plain/reinforced concrete in open foundations complete as per drawings and MoRD specifications Clause 802, 803, 1202 & 1203 P.C.C grade M 10 Nominal mix 1:3:6	165.000	Cum	2646.00	436590.00	INR Four Lakh Thirty Six Thousand Five Hundred & Ninety Only
12.00	Interlocking Concrete Block Pavement with M-30 Grade 0.30 Mtr x 0.30 Mtr x 0.15 Mtr Edge Blocks (measurments shall be made inner to inner side of edge blocks) Providing and Laying of Interlocking M-30 grade Concrete Block Pavements having thickness 100 mm as per drawings and MoRD Specification Clause 1504 with M-30 Grade 0.30 Mtr x 0.30 Mtr x 0.15 Mtr Edge Blocks. Category 'B' : Dentated only two side like I,Z,T shape as per IRC.SP.63-2004	1875.000	Sqm	877.50	1645312.50	INR Sixteen Lakh Forty Five Thousand Three Hundred & Twelve and Paise Fifty Only

13.00	Supply of 'L' type Bollard made out of 1.25 mm thick M.S. sheet height 134 cm, welded in circular type ring section having upper dia 15 cm. and lower dia 21 cm with another attachment of 15x15 cm circular section with 15 cm. face plate and hold fast at bottom, whole body is processed in white stoving enamel and red reflective 3 hands, each of 7.5 cm end one reflective sheet of 15 cm. dia provided to it complete in all respect.	20 000	Each	1435.50	28710.00	INR Twenty Eight Thousand Seven Hundred & Ten Only
14.00	Supplying of Cat's Eye made of aluminium alloy size 75x100x22 mm having 21 biconvex lenses embedded in circular disk of ABS plastic on each side.	150 000	Each	180.00	27000.00	INR Twenty Seven Thousand Only
15.00	Supply of Swiss type of Hazard marker, made out of 2 mm thick M.S. sheet size of box is 15x15 cm with hold fast at bottom, the body is painted in orange stoving enamel paint with white/high intensity grade micro-prismatic type sheeting, on all four side.	60.000	Each	787.50	47250.00	INR Forty Seven Thousand Two Hundred & Fifty Only
16.00	Supply & fixing of M-20 grade precast cement concrete Kerb or Dand upto 60 cm length over 20 mm thick base of cement mortar 1:6 including jointing earth work, painting & jointing with cement mortar 1:4 of size (20 x 25) / 2 x 30 cm	180.000	R.Mtr.	315.00	56700.00	INR Fifty Six Thousand Seven Hundred Only
17.00	Providing and fixing of Reinforced Ferro cement Drain cover designed for class "AA" loading duly marked on cover with adequate steel reinforcement having thickness 75 mm to 150 mm anti-corrosive bitumen painted M.S. plate Rim and on M.S. lifting hooks admixture like plasticizer bond improving compound shrinkage resistance compound abrasion resistant complete as per approved design etc. for drain Opening Size 451 to 700 mm Standard Drain Cover Size 1000mm x 800mm x 100mm	4 800	Sqm	1579.50	7581.60	INR Seven Thousand Five Hundred & Eighty One and Paise Sixty Only
18.00	Supply of JCB (excavator cumloader) Type 3D on hire including POL & driver at different sites as Directed by Engineer in charge.	250.000	Per Hour	745.00	186250.00	INR One Lakh Eighty Six Thousand Two Hundred & Fifty Only
19.00	Supplying of 35 HP Diesel Tractor Trolley with hydraulic lift Trolley on hire with driver, cleaner and POL at different sites of JDA region as Directed by Engineer in charge.	45.000	Per Shift of 8 hrs	1290.00	58050.00	INR Fifty Eight Thousand & Fifty Only
20.00	Supplying of 35 HP Diesel Tractor with blade on hire with driver, cleaner and POL at different sites of JDA region as Directed by Engineer in charge.	40.000	Per Shift of 8 hrs	1050.00	42000.00	INR Forty Two Thousand Only
21.00	Survey of Proposed road including printout of Plan, L-Section & Cross section on A-3 size paper in three copies & one soft copy of approved media (For L-Section levels are to be taken at an interval of 25m on plain terrain and 10m on rolling & at CD works) including computation of quantities of earth work in cutting / filling as per L-Section & Cross section	10.000	P.Km	1890.00	18900.00	INR Eighteen Thousand Nine Hundred Only
22.00	Producing and supply of Kandhal redymade cold bituminous patching mix in 50-kg plastic lined, sturdy bage for repair of potholes in adverse climatic conditions including the bituminous mix with a minimum of 5.6% MC-800 cutback bitumen (containing a suitable anti-stripping agent) by weight of mix and in strict conformance to gradation and other requirements such as 6-month storage life as per the enclosed specification dated 1 February 2013; transfer with all leads and lift complete in all respects as per direction of engineer-in-charge.	500 000	P.Kg	11.00	5500.00	INR Five Thousand Five Hundred Only
23.00	Placing and compacting Kandhal readymade cold bituminous patching mix in potholes in adverse weather as per enclosed specification including cleaning of potholes ; placing and compacting the mix, sprinkling sand to prevent pick up by traffic; and documentation of patches, with all leads and lifts complete in all respects as per attached specifications and direction of engineer-in-charge.	500.000	P.Kg	2.00	1000.00	INR One Thousand Only
24.00	Providing and fixing reinforced concrete precast kerb stone ordand R.Mtr of M-20 grade cement concrete 120 cm long having 4 Nos. bars of 8 mm dia hysd and stirrups 6 Nos of 6 mm dia as per IS with in built provision of interlocking of jointing and lifting compaction of reinforced concrete by mechanical and table vibrators jointing at site with cement mortar 1:4 complete in all respect as directed by Engineer incharge on: 100 mm thick cement concrete 1:4:8 (1 Cement : 4 Coarse sand : 8 stone aggregate 20 mm thick nominal size) including excavation of earth and cutting of BT road cutting of WBM road etc. and disposal of surplus material with all lead and lift. The size of kerb shall be $(11.5+16.5)/2*30+(16.5*7.5)$	3600.000	P.Rmt	617.00	2221200.00	INR Twenty Two Lakh Twenty One Thousand Two Hundred Only
25.00	P/F precast RCC pole (bollard) 2.00 M height as per approved design and drawing by JDA for chain link in M-20 grade including handling carriage complete with synthetic paint of approved brand to give an even shade two or more coats with providing and fixing M.S flats for locking arrangement for M.S chain made of 2 Nos M.S Flats 25*8 mm and 15 cm length with 2 Nos holes in each flats and clamping with nut and bolts of size 50*6 m dia complete in all respect as per the approval of Engineer incharge.	5 000	Each	3652.00	18260.00	INR Eighteen Thousand Two Hundred & Sixty Only
26.00	Painting Two Coats on New Concrete Surfaces Painting two coats including primer coat after filling the surface with synthetic enamel paint in all shades on new, plastered / concrete surfaces as per drawing and MoRD Specification Clause 1701	1140.000	Sqm	52.20	59508.00	INR Fifty Nine Thousand Five Hundred & Eight Only
27.00	Granular Sub-base with Well Graded Material (Table 400.1) By Mix in Place Method Granular Sub-base with Well Graded Material (Table 400.1) Construction of granular sub-base by providing well graded material, spreading in uniform layers with Tractor Mount Grader on prepared surface, mixing by mix in place method with rotavator at OMC, and compacting with smooth wheel roller to achieve the desired density, complete as per MoRD Specification Clause 401					

27.1	For Grading II Material	90.000	Cum	378.00	<b>34020.00</b>	INR Thirty Four Thousand & Twenty Only
27.2	For Grading III Material	150.000	Cum	351.00	<b>52650.00</b>	INR Fifty Two Thousand Six Hundred & Fifty Only
28.00	Finishing wall with water proofing cement paint of approved brand and manufacture and or required shade to give an even shade including all scaffolding: shade including all scaffolding					
28.1	New work (Two or more coats applied @ 3.84 kg/10 sqm).	1800.000	Sqm	33.30	<b>59940.00</b>	INR Fifty Nine Thousand Nine Hundred & Thirty Nine and Paise One Hundred Only
28.2	Old work (One or more coats).	900.000	Sqm	13.50	<b>12150.00</b>	INR Twelve Thousand One Hundred & Fifty Only
29.00	Traffic Signs Semi Reflective Traffic Signs Providing and fixing of semi reflective cautionary, mandatory and informatory sign board as per IRC:67 made of 1.5 mm thick MS Sheet duly stove white colour in front and gray colour on back with red reflective border of 65 mm width and required letters and figures with reflective tape engineering grade as per Clause 1701.3.9 of MORD for Rural Roads of required shade and colour supported and welded on 47mm x 47 mm x 12 SWG sheet tube firmly fixed to the ground by mean of properly designed foundations with M-15 grade cement concrete 450x450x600 mm, 600 mm below ground level as per approved drawing Clause 1701.2.2				<b>0.00</b>	INR Zero Only
29.1	900 mm equilateral triangle	10.000	Each	1386.00	<b>13860.00</b>	INR Thirteen Thousand Eight Hundred & Sixty Only
29.2	600 mm Circular	10.000	Each	1332.00	<b>13320.00</b>	INR Thirteen Thousand Three Hundred & Twenty Only
30.00	Semi Reflective Traffic Signs Direction and Place Identification signs upto 0.9 sqm size board Semi-Reflective Traffic signs Direction and place identification signs up to 0.9 sqm size board Providing and erecting direction and place identifications of semi reflective sign boards as per IRC:67 made of 2 mm thick M.S. Sheet duly stove enameled paint in white colour in front and grey colour on back with red reflective border of 70 mm width and required message, letters, figures with reflective engineering grade tape as per MORD specifications of required shade and colour. Supported and welded on 47 mm x 47mm of 12 SWG Square tube of 3050 mm height duly strengthened by 25 mm x 5 mm M/s flat iron on edges on back firmly fixed to the ground by means of properly designed foundations with M-15 grade cement concrete 450 mm x 450 mm x 600 mm, 600 mm below ground level as per approved drawing and MoRD Specification Clause 1701	5.400	Sqm	2353.50	<b>12708.90</b>	INR Twelve Thousand Seven Hundred & Eight and Paise Ninety Only
<b>Total in Figures</b>					<b>7667138.00</b>	INR Seventy Six Lakh Sixty Seven Thousand One Hundred & Thirty Eight Only
<b>Quoted Rate in Figures</b>			Select		<b>0.00</b>	INR Zero Only
<b>Quoted Rate in Words</b>		INR Zero Only				

## Jaipur Development Authority, Jaipur

Name of work: Miscellaneous work for Annual Road maintenance in Zone 11, JDA Jaipur.  
(Annual Rate Contract)

### G- Schedule

Base on BSR 2016


S. No.	Particulars	Unit	Qty	Rate	Amount
1	Clearing and Grubbing Road Land including uprooting wild vegetation, grass, bushes, shrubs, saplings and trees of girth upto 300 mm, removal of stumps of such trees cut earlier and disposal of unserviceable materials and stacking of serviceable material to be used or auctioned, upto a lead of 1000 m including removal and disposal of top organic soil not exceeding 150 mm in thickness as per MoRD Specification Clause 201. By Mechanical Means In area of non-thorny jungle	Hect.	48.000	8802.00	422496.00
2	Maintenance of Earthen shoulder (filling with fresh selected soil) Making up loss of material/irregularities on shoulders to the design level by adding fresh approved selected soil and compacting it with appropriate equipment at OMC upto a lead of 1000 m as per MoRD specification Clause 1903	Sqm	10000.000	16.20	162000.00
3	Maintenance of Earthen shoulder (stripping of excess soil) Stripping excess soil from the shoulder surface to achieve the approved level and compacting with plate compactor at OMC as per drawings and MoRD Specification Clause 1903	Sqm	7200.000	5.40	38880.00
4	Maintenance of gravel road including making up the loss of profile, rectifying corrugated surface, filling up of depressions, pot holes and erosion gullies by adding fresh material and compacting it with appropriate equipment or to strip excess of material from the road surface as per drawings and MoRD specification Clause 1905	Sqm	2400.000	90.00	216000.00
5	Cutting of branches of trees shrubs and trimming of grass and weeds Cutting of branches of trees and shrubs from the road way or with in R.O.W including disposal of wood and leaves to suitable location as per MoRD specification Clause 1914	One Tree	100.000	42.30	4230.00
6	Marking Centre Line and stop lines etc. on road as per IRC pattern with thermoplastic paint of approved quality and make with 8% glass beads laid on the road surface at temperature 160° C with a special applicator machine complete with a special applicator machine complete with labour material and traffic diversion arrangements.	Sqm	975.000	436.50	425587.50

S. No.	Particulars	Unit	Qty	Rate	Amount
7	Painting lines, Dashes, Arrows, etc. on Road in Two Coats on New Work with ready mixed road marking paint conforming to IS:164 on bituminous/concrete surface, including cleaning the surface of all dirt, dust and other foreign matter, demarcation at site and traffic control as per drawing and MoRD Specification Clause 1702	Sqm	120.000	60.30	7236.00
8	Providing and fixing PVC Bump Speed Breakers size 350 mm x 250 mm x 50 mm fitted with key hooks complete with labour material and traffic diversion arrangements.	R.Mtr.	280.000	1926.00	539280.00
9	Providing and laying rounded hump type speed breakers for crossing speed 25 km/h as per IRC design including providing and applying bitumen emulsion tack coat, making speed breaker in designed profile with bituminous macadam, providing seal coat type B for sealing the voids and marking chequered pattern with thermoplastic paint complete as per IRC : 99-1988 5.0 meter wide and 10 cm high for heavy truck and bus traffic	R.Mtr.	210.000	3145.50	660555.00
10	Dismantling of Cement Concrete Pavements as per MoRD Specification Clause 202. Dismantling of cement concrete pavements by mechanical means using pneumatic tools breaking to pieces not exceeding 0.02 cum in volume and stock piling at designated locations and disposal of dismantled materials upto a lead of 1000 m, stacking serviceable and unserviceable materials separately	Cum	275.000	481.50	132412.50
11	Providing concrete for plain/reinforced concrete in open foundations complete as per drawings and MoRD specifications Clause 802, 803, 1202 & 1203 P.C.C grade M 10 Nominal mix 1:3:6	Cum	165.000	2646.00	436590.00
12	Interlocking Concrete Block Pavement with M-30 Grade 0.30 Mtr x 0.30 Mtr x 0.15 Mtr Edge Blocks (measurements shall be made inner to inner side of edge blocks) Providing and Laying of Interlocking M-30 grade Concrete Block Pavements having thickness 100 mm as per drawings and MoRD Specification Clause 1504 with M-30 Grade 0.30 Mtr x 0.30 Mtr x 0.15 Mtr Edge Blocks. Category 'B' : Dentated only two side like I,Z,T shape as per IRC:SP:63-2004	Sqm	1875.000	877.50	1645312.50
13	Supply of 'L' type Bollard made out of 1.25 mm thick M.S. sheet height 134 cm, welded in circular type ring section having upper dia 15 cm. and lower dia 21 cm with another attachment of 15x15 cm circular section with 15 cm. face plate and hold fast at bottom, whole body is processed in white stoving enamel and red reflective 3 hands, each of 7.5 cm end one reflective sheet of 15 cm. dia provided to it complete in all respect.	Each	20.000	1435.50	28710.00
14	Supplying of Cat's Eye made of aluminium alloy size 75x100x22 mm having 21 biconvex lenses embedded in circular disk of ABS plastic on each side.	Each	150.000	180.00	27000.00

S. No.	Particulars	Unit	Qty	Rate	Amount
15	Supply of Swiss type of Hazard marker, made out of 2 mm thick M.S. sheet size of box is 15x15 cm with hold fast at bottom, the body is painted in orange stoving enamel paint with white/high intensity grade micro-prismatic type sheeting, on all four side.	Each	60.000	787.50	47250.00
16	Supply & fixing of M-20 grade precast cement concrete Kerb or Dand upto 60 cm length over 20 mm thick base of cement mortar 1:6 including jointing earth work, painting & jointing with cement mortar 1:4 of size (20 x 25) / 2 x 30 cm	R.Mtr.	180.000	315.00	56700.00
17	Providing and fixing of Reinforced Ferro cement Drain cover designed for class "AA" loading duly marked on cover with adequate steel reinforcement having thickness 75 mm to 150 mm anti- corrosive bitumen painted M.S. plate Rim and on M.S. lifting hooks admixture like plasticizer bond improving compound shrinkage resistance compound abrasion resistant complete as per approved design etc. for drain Opeining Size 451 to 700 mm Standard Drain Cover Size 1000mm x 800mm x 100mm	Sqm	4.800	1579.50	7581.60
18	Supply of JCB (excavator cumloader) Type 3D on hire including POL & driver at different sites as Directed by Engineer in charge.	Per Hour	250.000	745.00	186250.00
19	Supplying of 35 HP Diesel Tractor Trolley with hydraulic lift Trolley on hire with driver, cleaner and POL at different sites of JDA region as Directed by Engineer in charge.	Per Shift of 8 hrs.	45.000	1290.00	58050.00
20	Supplying of 35 HP Diesel Tractor with blade on hire with driver, cleaner and POL at different sites of JDA region as Directed by Engineer in charge.	Per Shift of 8 hrs.	40.000	1050.00	42000.00
21	Survey of Proposed road including printout of Plan, L-Section & Cross section on A-3 size paper in three copies & one soft copy of approved media (For L-Section levels are to be taken at an interval of 25m on plain terrain and 10m on rolling & at CD works) including computation of quantities of earth work in cutting / filling as per L-Section & Cross section	P.Km	10.000	1890.00	18900.00
22	Producing and supply of Kandhal redymade cold bituminous patching mix in 50-kg plastic lined, sturdy bage for repair of potholes in adverse climatic conditions including the bituminous mix with a minimum of 5.6% MC-800 cutback bitumen (containing a suitable anti-stripping agent) by weight of mix and in strict conformance to gradation and other requirements such as 6-month storage life as per the enclosed specification dated 1 February 2013; transfer with all leads and lift complete in all respects as per direction of engineer-in-charge	P.Kg	500.000	11.00	5500.00
23	Placing and compacting Kandhal readymade cold bituminous patching mix in potholes in adverse weather as per enclosed specification including cleaning of potholes ; placing and compacting the mix; sprinkling sand to prevent pick up by traffic; and documentation of patches, with all leads and lifts complete in all respects as per attached specifications and direction of engineer-in-charge.	P.Kg	500.000	2.00	1000.00

S. No.	Particulars	Unit	Qty	Rate	Amount
24	Providing and fixing reinforced concrete precast kerb stone ordand R.Mtr of M-20 grade cement concrete 120 cm long having 4 Nos. bars of 8 mm dia hysd and stirrups 6 Nos of 6 mm dia as per IS with in built provision of interlocking of jointing and lifting compaction of reinforced concrete by mechanical and table vibrators jointing at site with cement mortar 1:4 complete in all respect as directed by Engineer incharge on: 100 mm thick cement concrete 1:4:8 (1 Cement : 4 Coarse sand : 8 stone aggregate 20 mm thick nominal size) including excavation of earth and cutting of BT road cutting of WBM road etc. and disposal of surplus material with all lead and lift. The size of kerb shall be (11.5+16.5)/2*30+(16.5*7.5)	P.Rmt	3600.000	617.00	2221200.00
25	P/F precast RCC pole (bollard) 2.00 M height as per approved design and drawing by JDA for chain link in M-20 grade including handling carriage complete with synthetic paint of approved brand to give an even shade two or more coats with providing and fixing M.S flats for locking arrangement for M.S chain made of 2 Nos M.S Flats 25×8 mm and 15 cm length with 2 Nos holes in each flats and clamping with nut and bolts of size 50×6 m dia complete in all respect as per the approval of Engineer incharge	Each	5.000	3652.00	18260.00
26	Painting Two Coats on New Concrete Surfaces Painting two coats including primer coat after filling the surface with synthetic enamel paint in all shades on new, plastered / concrete surfaces as per drawing and MoRD Specification Clause 1701	Sqm	1140.000	52.20	59508.00
27	Granular Sub-base with Well Graded Material (Table 400.1) By Mix in Place Method Granular Sub-base with Well Graded Material (Table 400.1)Construction of granular sub-base by providing well graded material, spreading in uniform layers with Tractor Mount Grader on prepared surface, mixing by mix in place method with rotavator at OMC, and compacting with smooth wheel roller to achieve the desired density, complete as per MoRD Specification Clause 401				
27.1	For Grading II Material	Cum	90.000	378.00	34020
27.2	For Grading III Material	Cum	150.000	351.00	52650.00
28	Finishing wall with water proofing cement paint of approved brand and manufacture and or required shade to give an even shade including all scaffolding; shade including all scaffolding				
28.1	New work (Two or more coats applied @ 3.84 kg/10 sqm).	Sqm	1800.000	33.30	59940.00
28.2	Old work (One or more coats).	Sqm	900.000	13.50	12150.00

S. No.	Particulars	Unit	Qty	Rate	Amount
29	Traffic Signs Semi Reflective Traffic Signs Providing and fixing of semi reflective cautionary, mandatory and inforatory sign board as per IRC:67 made of 1.5 mm thick MS Sheet duly stove white colour in front and gray colour on back with red reflective border of 65 mm width and required letters and figures with reflective tape engineering grade as per Clause 1701.3.9 of MORD for Rural Roads of required shade and colour supported and welded on 47mm x 47 mm x 12 SWG sheet tube firmly fixed to the ground by mean of properly designed foundations with M-15 grade cement concrete 450x450x600 mm, 600 mm below ground level as per approved drawing Clause 1701.2.2				
29.1	900 mm equilateral triangle	Each	10.000	1386.00	13860.00
29.2	600 mm Circular	Each	10.000	1332.00	13320.00
30	Semi Reflective Traffic Signs Direction and Place Identification signs upto 0.9 sqm size board Semi-Reflective Traffic signs Direction and place indentification signs up to 0.9 sqm size boa Providing and erecting direction and place identifications of semi reflective sign boards as per IRC:67 made of 2 mm thick M.S. Sheet duly stove enameled paint in white colour in front and grey colour on back with red reflective border of 70 mm width and required message, letters, figures with reflective engineering grade tape as per MORD specifications of required shade and colour. Supported and welded on 47 mm x 47mm of 12 SWG Square tube of 3050 mm height duly strengthened by 25 mm x 5 mm M/s flat iron on edges on back firmly fixed to the ground by means of properly designed foundations with M-15 grade cement concrete 450 mm x 450 mm x 600 mm, 600 mm below ground level as per approved drawing and MoRD Specification Clause 1701	Sqm	5.400	2353.50	12708.90
<b>Total</b>					<b>7667138.00</b>

  
Executive Engineer-11  
JDA, Jaipur

I/We here by agree to execute the above work in .....% (in Figures).....% (in words) Above/below G-Schedule.

  
AECUJ

**Signature of Contractor**  
With full address  
Phone No.