

जयपुर विकास प्राधिकरण, जयपुर।

इन्दिरा सर्किल, जवाहर लाल नेहरू मार्ग, जयपुर।

क्रमांक:-जविप्रा/अधि.अभि.-1/2020-21/डी-520

दिनांक:-10.03.2021

पूर्णकालीन बिड सूचना संख्या-अधि.अभि.-1/17/2020-21

जयपुर विकास प्राधिकरण जोन -1 क्षेत्र मे " **Misc. Civil repair work in Zone-1 area JDA Jaipur (ARC).**" के लिये स्वीकृत राशि रू0 145.00 लाख की निविदा दिनांक 25.03.2021 सांय 6.00 बजे तक ऑन लाईन निविदा आमंत्रित की जाती है। विस्तृत विवरण जो कि निविदा प्रपत्र में उपलब्ध है, अधोहस्ताक्षकर्ता के कार्यालय में अथवा राजस्थान सरकार के उपापन पोर्टल www.sppp.rajasthan.gov.in or www.eproc.rajasthan.gov.in एवं जयपुर विकास प्राधिकरण की वेबसाईट www.jda.urban.rajasthan.gov.in. पर देखी जा सकती है।

निविदा दाताओं को निविदा में भाग लेने हेतु आवश्यक है कि :-

1. निविदादाता जयपुर विकास प्राधिकरण की वेबसाईट www.jda.urban.rajasthan.gov.in पर पंजीकृत हो एवं निविदा मे भाग लेने के लिये बोलीदाता को कार्य के लिये आवेदन करने पर दस्तावेज शुल्क, अमानत राशि, आर.आई.एस.एल, प्रोसेसिंग शुल्क ऑनलाईन प्रस्तुत करनी होगी।
2. ऑनलाईन निविदा प्रस्तुत करने के लिये निविदा दाताओं का राजस्थान सरकार के ई-प्रोक्यूरमेंट पोर्टल www.eproc.rajasthan.gov.in पर पंजीकृत हो।

अधिशायी अभियन्ता-1
जविप्रा, जयपुर।

JAIPUR DEVELOPMENT AUTHORITY

No:- JDA/EE-1/2020-21/D-520

Dated: 10.03.2021

NOTICE INVITING NIB No. : JDA/EE-1/17/2020-21

Online Bids are invited for " **Misc. Civil repair work in Zone-1 area JDA Jaipur (ARC)**"
Estimated cost of 145.00 Lacs upto 25.03.2021 Details may be seen in the Bidding Document at our office or the website of State Public Procurement Portal website www.sppp.rajasthan.gov.in, www.eproc.rajasthan.gov.in and www.Jda.urban.rajasthan.gov.in.

To participate in the bid, bidder has to be:

- 1- Registered on JDA website www.jda.urban.rajasthan.gov.in for participating in the Bid, the Bidder has to apply for the Bid and pay the Bidding Document Fee, RISL Processing Fee and Bid Security Deposit, online only.
- 2- Registered on e-Procurement Portal of Government of Rajasthan www.eproc.rajasthan.gov.in for online e-Bid submission.

Executive Engineer-1

JAIPUR DEVELOPMENT AUTHORITY, JAIPUR
SCHEDULE AND SPECIFICATIONS

Name of work :- Misc. Civil repair work in Zone-1 area JDA Jaipur (ARC).

NOTICE INVITING NIB No. : EE-1/17/2020-21

Name & Address of the Procuring Entity	<ul style="list-style-type: none"> ➤ Name: Executive Engineer-1, Jaipur Development Authority Address: (MB-FF--110, Main Building) Ram Kishore Vyas Bhavan, Indira Circle, Jawahar Lal Nehru Marg, Jaipur – 302004 (Rajasthan)
Subject Matter of Procurement	<ul style="list-style-type: none"> ➤ Misc. Civil repair work in Zone-1 area JDA Jaipur (ARC) ➤ Job No : 209/ 2020-21
Bid Procedure	<ul style="list-style-type: none"> ➤ Single stage tender (eg. Single-stage Two part (envelope) open competitive) eBid procedure at http://eproc.rajasthan.gov.in
Bid Evaluation Criteria (Selection Method)	<ul style="list-style-type: none"> ➤ L1 (eg.Least Cost Based Selection (LCBS)-L1)
Websites for downloading Bidding Document, Corrigendum's, Addendums, etc.	<ul style="list-style-type: none"> ➤ Websites: www.sppp.rajasthan.gov.in, www.eproc.rajasthan.gov.in, www.jda.urban.rajasthan.gov.in
Website for online Bid application and payment *	<ul style="list-style-type: none"> ➤ Website: www.jda.urban.rajasthan.gov.in ➤ For participating in the Bid, the Bidder has to apply for this Bid and pay the Bidding Document Fee, RISL Processing Fee and Bid Security Deposit, online only. <ul style="list-style-type: none"> ○ Bidding document fee: Rs. 1000 /- (Rupees One Thousand only) ○ RISL Processing Fee: Rs. 1000 /- (Rupees One Thousand only) ➤ Requisite Bid Security Deposit
Estimated Procurement Cost	<ul style="list-style-type: none"> ➤ INR 145.00 Lacs (Rupees One Hundred Forty Five Lacs only)
Bid Security	<ul style="list-style-type: none"> ➤ All the eligible contractors should be submit bid security declaration on non-judicial stamp of Rs. 50/- as per order issued by finance department (GF&AR) GoR dated 23.12.2020 (Declaration attached with tender document). Is is mandatory to submit bid security declaration in prescribed format along with the bid. ➤ Eligibility: Bidder who is A and AA class contractor registered in other Government Department and Bidder registered as contractor AA, A & B in JDA.
Date/Time/place of Pre-Bid	<ul style="list-style-type: none"> ➤ N/A ➤ <i>Last date of submitting of clarifications requests by the bidder <Date and Time> Addressed to the procurement Entity at <Address of Procurement entity></i>
Applying Bid and making Online Payment on JDA Portal (www.jda.urban.rajasthan.gov.in)	<ul style="list-style-type: none"> ➤ Start Date: 15.03.2021 at 9.30 AM onwards ➤ End Date: 25.03.2021 up to 6.00 PM
Bid Submission on e-procurement Portal of GOR (www.eproc.rajasthan.gov.in)	<ul style="list-style-type: none"> ➤ Start Date: 15.03.2021 at 9.30 AM onwards ➤ End Date: 25.03.2021 up to 6.00 PM
**Date/Time/ Place of technical Bid Opening	<ul style="list-style-type: none"> ➤ N/A
Date/ Time/ Place of Financial Bid Opening	<ul style="list-style-type: none"> ➤ 26.03.2021 at 1.00 PM ➤ Executive Engineer-1,(MB-FF--110, Main Building) Ram Kishore Vyas Bhavan, Indira Circle, Jawahar Lal Nehru Marg, Jaipur – 302004 (Rajasthan)
Bid Validity	<ul style="list-style-type: none"> ➤ 120 days from the bid submission deadline
Time period	<ul style="list-style-type: none"> ➤ 12 Months

JAIPUR DEVELOPMENT AUTHORITY, JAIPUR
SCHEDULE AND SPECIFICATIONS

Name of Work: - Misc. Civil repair work in Zone-1 area JDA Jaipur (ARC)

1.	NIB No.	:	EE -1/17 /2020-21
2.	Approximate cost	:	₹ 145.00 Lacs
3.	Cost of the Bid document	:	₹ 1000 .00, Through On Line Payment only.
4.	Bid Processing Fees	:	₹ 1000 .00 , Through On Line Payment only.
5.	Bid security	:	All the eligible contractors should be submit bid security declaration on non-judicial stamp of Rs. 50/- as per order issued by finance department (GF&AR) GoR dated 23.12.2020 (Declaration attached with tender document). Is is mandatory to submit bid security declaration in prescribed format along with the bid. Eligibility: Bidder who is A and AA class contractor registered in other Government Department and Bidder registered as contractor AA, A & B in JDA.
6.	Download of Bid document	:	From 15.03.2021, 9.30 AM to 25.03.2021 upto 6:00 PM
7.	Upload the Bid Document	:	From 15.03.2021, 9.30 AM to 25.03.2021 upto 6:00 PM
8.	Date of Pre Bid Meeting	:	N.A.
9.	Last Date of submission of Bid cost, Bid Process cost & Bid Security.	:	25.03.2021 up to 6.00 PM through online only.
10.	Date of opening of Bid	:	26.03.2021 at 1.00 PM Executive Engineer-1,(MB-FF--110, Main Building) Ram Kishore Vyas Bhavan, Indira Circle, Jawahar Lal Nehru Marg, Jaipur – 302004 (Rajasthan)
11.	Completion period of work	:	12 Months

SCHEDULE - A: INFORMATION USEFUL FOR THE BIDDERS:

The Bidder should see the site and fully understand the conditions of the site before bidding and include all leads, lift etc for the material in his item rate/percentage to be quoted on the rates give in the Schedule 'G'. The work shall be carried out in accordance with the Rajasthan PWD detailed specification and to the entire satisfaction of the Engineer-In-Charge of the work.

SCHEDULE - B: LIST OF THE DRAWING TO BE SUPPLIED BY THE BIDDER:

The drawing may be seen in office of the undersigned.

SCHEDULE - C: LIST OF THE DRAWING TO BE SUPPLIED BY THE BIDDER:

List of the drawing to be supplied by the bidder NIL. But the bidder shall have to arrange at his own cost drawings required for the work after deposition necessary cost with JDA.

SCHEDULE - D: TEST OF THE MATERIALS:

The test of the materials and workmanship shall be conducted by the JDA staff as necessary. The result of such tests should confirm to the standard laid down in the Indian standard & or the standards laid down in the detailed specification of the Public by the bidder qualified personnel as required under the bidder enlistment rules duly approved by the department shall have to be engaged at site by the Bidder. The department reserves the right to engage such staff and recover the expenses from the bidder on such account in case of his failure to do so.

SCHEDULE - E: SAMPLES OF THE MATERIALS:

The sample of the materials to be used by the bidder shall be deposited 15 days in advance with the Engineer In charge and be got approval by him before use.

SCHEDULE - F: TIME OF COMPLETION:

The work should start within _____ 7 _____ days of issue of work order and complete within time limit.

SCHEDULE - G: ATTACHED SEPARATELY BASED ON BSR PWD, JAIPUR.

SCHEDULE - H: SPECIAL CONDITION:

Attached Separately.

SCHEDULE - I: LIST OF MATERIAL TO BE SUPPLIED BY THE DEPARTMENT:

Cement if available in JDA store shall be issued @ the prevailing stores issue rate of JDA + 5% storage charges at the time of issue of cement.

Material if available in JDA store shall be issued @ the prevailing stores rate of JDA + 5% storage charges.

SCHEDULE - J: COST OF BID DOCUMENTS, PROCESSING FEES & EARNEST MONEY.

Date of submission of Bid Cost, Process Cost & EMD through online payment after registering with JDA on www.jda.urban.rajasthan.gov.in/e-services/e-tender portal. There should be a gap 3 working days between End date for Bid Applying, Online Payment & Bid Submission and Bid Opening date. In the absence of such fees the bid of respective bidder will be considered as non-responsive and shall be rejected.

Signature of the Bidder
With full Address

Executive Engineer-1
JDA, Jaipur.

SPECIAL CONDITIONS

SCHEDULE 'H'

01. Use of Bitumen mixture Tar mechanical lime grinder, cement concrete mixer & vibrator is essential for the work. Which shall have to be arranged by the bidder at his own level/cost?
02. If there is any typographical error or otherwise in the 'G' Schedule the rates given in the relevant BSR on which schedule 'G' has been prepared, shall prevail.
03. The bidder shall follow the bidder labour regulation and abolition Act 1970 & Rule 1971.
04. The JDA shall have right to cause on audit and technical examination of the work and the final bills of the bidder including all supporting vouchers, abstract etc. to be made within two years after payment of the final bills and if as a result such audit any amount is found to have been over paid/excess in respect of any work done by the bidder under the contract or any work claimed by him to have been done under this contract and found not to have been executed the bidder shall be liable to refund such amount and it shall be lawful ;for the JDA to recover such sum from him in ;the manner prescribed in special condition no. 8 or any other manner legally permissible and if it is found that the bidder was paid less then that was due to him under the contract in respect of any work executed by him under it, the amount of such under payment shall be paid bay the JDA to the bidder.
05. The bidder shall not work after the sunset and before sunrise without specific permission of the authority Engineer.
06. Whenever any claim against the bidder for the payment of a sum of money arises out or under the contracts, the JDA shall be entered to recover the sum by appropriating in part or whole of the security deposit of the bidder. In the event of the security being insufficient or if no security has been taken from the bidder then the balance of the total sum recoverable as the case may shall be deducted from any sum then due or which a any time there contract with the JDA should this sum be sufficient to recover the full amount recoverable, the bidder shall pay to JDA on demand the balance remaining due. The JDA shall further have the right to effect such recoveries under P.D.R. Act.
07. The rate quoted by the bidder shall remain valid for a period of 4(four) months from the date of opening of the bids.
08. By submission of this bid the bidder agree to abide with all printed conditions provided in the PWD manual from 64 (Chapter 3-para 36) and subsequent modification.
09. No conditions are to be added by the bidder and conditional bid is liable to be rejected.
10. All transaction in the execution of this work and this bid will be liable to sale-tax vide section 2(B) read with sub clause (4) Sale-tax Rule, 1954.
11. If any bidder withdraws his bid prior to expiry of said validity period given at S.No. 7 or mutually extended prior or makes modifications in the rates, terms and conditions of the bid within the said period which are not acceptable to the department or fails to commence the work in the specified period, fails to execute the agreement the department shall without prejudice to any, other right or remedy, be at liberty to forfeit the amount of earnest money given in any form absolutely. If any bidder, who having submitted a bid does not execute the agreement or start the work or dose not complete the work and the work has to be put to rebidding, he shall stand debarred for six months from participating of biding in JDA in addition to forfeiture of Earnest Money / Security Deposit and other action under agreement
12. The bidder shall arrange his own machinery required for the work such as Bitumen Mixer, Hot Mix plants and paver road roller, Tarboiler, sprayer etc.
13. The bidder shall arrange his own storage tanks upto 10 Tones capacity for storing bulk bitumen wherever supplied by the department.
14. Rules regarding enlistment of bidders provide that work; upto five times limit for which they are qualified for biding can be allotted to them Therefore, before bid the bidders will keep this in mind, and submit the details of work. Bids with incomplete or incorrect information are liable to be rejected.
15. Any material not conforming to the specifications collected at site shall have to be removed by the bidder within a period of 3 days of the instructions, issued by the Engineer-In-charge in writing. Failing which, such material shall be removed by the Engineer-In-charge at risk and the bidder after expiry of 3 days period.
16. The material collected at site and paid provisionally shall remain under the watch and ward of the bidder till it is consumed, fully on the work.
17. **The rates provided in bid documents are inclusive of all Taxes /royalty/GST.etc. Bidder will be responsible for compliance of GST Act/Rule 2017**
18. The whole cost of complying with the provisions od contract including any incidental item of execution shall be deemed to be included in the quoted price for the BOQ except any variation specifically ordered for execution under the contract.
19. Bitumen for tack coat or any other purposes, shall be applied only be a bitumen sprayer of a mechanical pressure.

20. No extra lead of earth/material shall be paid over and above as specified in 'G' schedule. Source/borrow pit area for earth shall have to be arranged by the Bidder at his own cost.
21. Undersigned has full right to reject any or all bids without given any reasons.
22. Mortar of Masonry work and lean concrete will be permitted mixer with hopper.
23. As per Supreme Court decision "All contracts with Governments shall require registration of workers under the building and other construction workers (Regulation of Employment and Conditions of Service) Act, 1996 and extension of benefits to such workers under the act."
24. **Special Conditions of Contract regarding Defect Liability Period (DLP) for Roads works costing Rs. 25.00 lacs and more shall be applicable.**
25. The bidders are required to submit copy of their enlistment as bidder.
26. Conditions of RPWA-100 will be mandatory & acceptable to the bidder.
27. Any bid received with unattested cutting/overwriting in rates shall be rejected and such bidder will be debarred from bidding for three months in JDA.
28. All the provisions of THE RAJASTHAN TRANSPARENCY IN PUBLIC PROCUREMENT ACT, 2012 and Rules, 2013 will be applicable. If there is any contradiction in existing special conditions and provisions of THE RAJASTHAN TRANSPARENCY IN PUBLIC PROCUREMENT ACT, 2012 and Rules, 2013 provisions of THE RAJASTHAN TRANSPARENCY IN PUBLIC PROCUREMENT ACT, 2012 and Rules, 2013 shall be applicable.
29. निविदा में निर्धारित राशि से अधिक/कम Bid Security राशि बिडर द्वारा Online नहीं जमा कराई जावे, सिस्टम द्वारा भी कम/अधिक राशि बिड स्वीकार नहीं की जावेगी।
30. अलग-अलग समय में जमा कराई गई राशि सिस्टम द्वारा जोडकर एक बिड में स्वीकार नहीं की जावेगी।
31. एक यू.टी.आर. काम में लेने के पश्चात् पुनः उसी नम्बर का यू.टी.आर. सिस्टम द्वारा दूसरी बिड में प्रयुक्त नहीं किया जावे।

Signature of Bidder
with full address & Mobile No.

Executive Engineer-1
JDA, Jaipur

Annexure A: Compliance with the Code of Integrity and No Conflict of Interest

Any person participating in a procurement process shall-

- (a) Not offer any bribe, reward or gift or any material benefit either directly or indirectly in exchange for an unfair advantage in procurement process or to otherwise influence the procurement process;
- (b) Not misrepresent or omit that misleads or attempts to mislead so as to obtain a financial or other benefit or avoid an obligation;
- (c) Not indulge in any collusion, Bid rigging or anticompetitive behavior to impair the transparency, fairness and progress of the procurement process;
- (d) Not misuse any information shared between the procuring entity and the bidders with an intent to gain unfair advantage in the procurement process;
- (e) Not indulge in any coercion including impairing or harming or threatening to do the same, directly or indirectly, to any party or to its property to influence the procurement process;
- (f) Not obstruct any investigation or audit of a procurement process;
- (g) Disclose conflict of interest, if any; and
- (h) Disclose any previous transgressions with any entity in India or any other country during the last three years or any debarment by any other procuring entity.

Conflict of interest.-

The Bidder participating in a bidding process must not have a Conflict of Interest.

A Conflict of interest is considered to be a situation in which a party has interests that could improperly influence that party's performance of official duties or responsibilities, contractual obligations, or compliance with applicable laws and regulations.

- (i) A bidder may be considered to be in conflict of interest with one or more parties in the bidding process if, including but not limited to:
 - (a) Have controlling partners/shareholders in common; or
 - (b) Receive or have received any direct or indirect subsidy from any of them; or
 - (c) Have the same legal representative for purposes of the bid; or
 - (d) have a relationship with each other, directly or through common third parties, that puts them in a position to have access to information about or influence on the bid of another bidder, or influence the decisions of the procuring Entity regarding the bidding process; or
 - (e) The bidder participates in more than one bid in a bidding process. Participation by a bidder in more than one bid will result in the disqualification of all bids in which the bidder is involved. However, this does not limit the inclusion of the same sub bidder, not otherwise participating as a bidder, in more than one bid; or
 - (f) the bidder or any of its affiliates participated as a consultant in the preparation of the design or technical specifications of the goods, works or services that are the subject of the Bid; or
 - (g) Bidder or any of its affiliates has been hired (or proposed to be hired) by the procuring entity as engineer-in-charge/consultant for the contract.

Annexure B: Declaration by the Bidder regarding Qualifications

Declaration by the Bidder

In relation to my/our Bid submitted tofor procurement ofin response to their Notice inviting Bids No.....Dated..... I/wehereby declare under Section 7 of Rajasthan Transparency in Public Procurement Act, 2012 that :

1. I/we possess the necessary professional, technical, financial and managerial resources and competence required by the Bidding Document issued by the Procuring Entry;
2. I/we have fulfilled my/our obligation to pay such of the taxes payable to the union and the state government or any local authority as specified in the Bidding Document.
3. I/we are not insolvent, in receivership, bankrupt or being wound up, not have my/our affairs administered by a court or a judicial officer, not have my/our business activities suspended and not the subject of legal proceedings for any of the foregoing reasons;
4. I/we do not have, and our directors and officers not have, been convicted of any criminal offence related to my/our professional conduct or the making of false statements or misrepresentations as to my/our qualifications to enter into a procurement contract within a period of three years preceding the commencement of this procurement process, or not have been otherwise disqualified pursuant to debarment proceedings;
5. I/we do not have a conflict of interest as specified in the Act, Rules and the Bidding Document, which materially affects fair competition;

Date :

Signature of bidder

Place :

Name:-.....

Designation:-.....

Address:-

Annexure C: Grievance Redressal during Procurement Process

The designation and address of the First Appellate Authority is **JDC**

The designation and address of the Second Appellate Authority is **EC**

(1) Filing an appeal:-

If any bidder or prospective bidder is aggrieved that any decision, action or omission of the procuring entity is in contravention to the provisions of the Act or the rules or the guidelines issued there under, he may file an appeal to First Appellate authority, as specified in the Bidding document within a period of ten days from the date of such decision or action, omission, as the case may be, clearly giving the specific ground or grounds on which he feels aggrieved:

Provided that after the declaration of a bidder as successful the appeal may be filed only by a bidder who has participated in procurement proceedings:

Provided further that in case a procuring entity evaluates the technical bids before the opening of the financial bids, an appeal related to the matter of financial bids may be filed only by a bidder whose technical bid is found to be acceptable.

(2) The officer to whom an appeal is filed under Para (1) shall deal with the appeal as expeditiously as possible and shall endeavour to dispose it of within thirty days from the date of the appeal.

(3) If the officer designated under Para (1) fails to dispose of the appeal filed within the period specified in Para (2), or if the bidder or prospective bidder or the procuring entity is aggrieved by the order passed by the first appellate authority, the bidder or prospective bidder or the procuring entity, as the case may be, may file a second appeal to second appellate authority specified in the bidding document in this behalf within fifteen days from the expiry of the period specified in Para (2) or of the date of receipt of the order passed by the first appellate authority, as the case may be.

(4) Appeals not to lie in certain cases:-

No appeal shall lie against any decision of the procuring entity relating to the following matters, namely:-

- (a) Determination of need of procurement
- (b) Provisions limiting participation of bidders in the bid process
- (c) The decision of whether or not to enter into negotiations
- (d) Cancellation of a procurement process
- (e) Applicability of the provisions of confidentiality

(5) From of Appeals:-

- (a) An appeal under Para (1) or (3) above shall be in the annexed form along with as many copies as there are respondents in the appeal.
- (b) Every appeal shall be accompanied by an order appealed against, if any, affidavit verifying the facts stated in the appeal and proof of payment of fee.
- (c) Every appeal may be presented to first appellate authority or second appellate authority, as the case may be, in person or through registered post or authorized representative.

(6) Fee for filing Appeal:-

- (a) Fee for first appeal shall be rupees two thousand five hundred and for second appeal shall be rupees ten thousand, which shall be non-refundable.
- (b) The fee shall be paid in the form of bank demand draft or banker's cheque of a scheduled bank in India payable in the name of appellate authority concerned.

(7) Procedure for disposal of Appeal:-

- (a) The first appellate authority or second appellate authority as the case may be, upon filing of appeal, shall issue notice accompanied by copy of appeal, affidavit and documents, if any, to the respondents and fix date of hearing
- (b) On the date fixed for hearing, the first appellate authority or second appellate authority, as the case may be shall-
 - (i) Hear all the parties to appeal present before him; and
 - (ii) Peruse or inspect documents, relevant records or copies thereof relating to the matter.
- (c) After hearing the parties, perusal or inspection of documents and relevant records or copies thereof relating to the matter, the appellate authority concerned shall pass an order in writing and provide the copy of order to the parties to appeal free of cost.
- (d) The order passed under sub-clause (c) above shall also be placed on the state public procurement portal.

FORM No. 1
[see rule 83]

**Memorandum of Appeal under the Rajasthan
Transparency in Public procurement Act, 2012**

Appeal No..... of Before the
..... (First/Second Appellate authority)

- 1- Particulars of appellant :
 - (i) Name of the appellant :
 - (ii) Official address, if any:
 - (iii) Residential address:
- 2- Name and address of the respondent(s):
 - (i)
 - (ii)
 - (iii)
- 3- Number and date of the order appealed against and name and designation of the office/ authority who passed the order (enclose copy), or a statement of a decision, action or omission of the procuring Entity in contravention to the provisions of the Act by which the appellant is aggrieved:
- 4- If the Appellant propose to be represented by a representative the name and postal address of the representative:
- 5- Number of affidavits and documents enclosed with the appeal:
- 6 Grounds of appeal:
(Supported by an affidavit)
- 7- Prayer :

Place :.....

Date :

Appellant's Signature

Annexure D: Additional Conditions of Contract

1. Correction of arithmetical errors

Provided that a financial bid is substantially responsive, the procuring entity will correct arithmetical errors during evaluation of financial Bids on the following basis:

- (i) if there is a discrepancy between the unit price and the total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail and the total price shall be corrected, unless in the opinion of the procuring entity there is an obvious misplacement of the decimal point in the unit price, in which case the total price as quoted shall govern and the unit price shall be corrected;
- (ii) if there is an error in a total corresponding to the addition or subtraction of subtotals, the subtotals shall prevail and the total shall be corrected; and
- (iii) if there is a discrepancy between words and figures, the amount in words shall prevail, unless the amount expressed in words is related to an arithmetic error, in which case the amount in figures shall prevail subject to (i) and (ii) above.

If the Bidder that submitted the lowest evaluated bid does not accept the correction of errors, its bid shall be disqualified and its bid security shall be forfeited or its bid securing declaration shall be executed.

2. Procuring Entity's Right to Vary quantities.

- (i) At the time of award of contract, the quantity of goods, works or services originally specified in the bidding documents may be increased or decreased, by a specified percentage, but such increase or decrease shall not exceed twenty percent, of the quantity specified in the bidding documents. It shall be without any change in the unit prices or other terms and conditions of the bid and the conditions of contract.
- (ii) If the Procuring entity does not procure any subject matter of procurement or procures less than the quantity specified in the bidding document due to change circumstances, the bidder shall not be entitled to any claim or compensation except otherwise provide in the conditions of contract.
- (iii) In case of procurement of goods or services, additional quantity may be procured by placing a repeat order on the rates and conditions of the original order. However, the additional quantity shall not be more than 25% of the value of goods of the original contract and shall be within one month from the date of expiry of last supply. If the supplier fails to do so, the procuring entity shall be free to arrange for the balance supply by limited bidding or otherwise and the extra cost incurred shall be recovered from the supplier.

3. Dividing quantities among more than one bidder at the time of award (In case of procurement of Goods):-

As a general rule all the quantities of the subject matter of procurement shall be procured from the Bidder, whose Bid is accepted. However, when it is considered that the quantity of the subject matter of procurement to be procured is very large and it may not be in the capacity of the Bidder, whose Bid is accepted, to deliver the entire quantity or when it is considered that the subject matter of procurement to be procured is of critical and vital nature, then in such cases, the quantity may be divided between the Bidder, whose Bid is accepted and the second lowest Bidder or even more Bidder in that order, in a fair, transparent and equitable manner at the rates of the Bidder, whose Bid is accepted.

क्रमांक : एफ.2(1)वित्त/जीएण्डटी-एसपीएफसी/2017


जयपुर, दिनांक : 23.12.2020

परिपत्र

वित्त विभाग की अधिसूचना क्रमांक एफ. 2(1)वित्त/जीएण्डटी - एसपीएफसी/2017 दिनांक 18.12.2020 द्वारा आरटीपीपी नियम, 2013 के नियम 42(2) में संशोधन करते हुए आमंत्रित की जाने वाली आगामी बोलियों के संदर्भ में दिनांक 31.12.2021 तक बिड सिक्यूरिटी राशि प्राप्त नहीं करने एवं इसके स्थान पर बिड सिक्यूरिटी के संबंध में घोषणा पत्र (Declaration) प्राप्त करने का प्रावधान किया गया है।


चूंकि उक्त नियमों में बिड सिक्यूरिटी राशि के स्थान पर बिड सिक्यूरिटी के संबंध में घोषणा पत्र (Declaration) प्राप्त करने का नवीन प्रावधान किया गया है। अतः समस्त उपापन संस्थाओं के उपयोगार्थ बिड सिक्यूरिटी के संबंध में लिए जाने वाले घोषणा पत्र (Declaration) का मानक प्रारूप संलग्न प्रेषित है। राजस्थान स्टाम्प अधिनियम, 1998 की धारा 3 सपठित अनुसूची के अनुच्छेद 4 के अनुसार घोषणा पत्र (Declaration) पर 50/- रूपये स्टाम्प ड्यूटी देय है तथा इस स्टाम्प ड्यूटी की राशि पर नियमानुसार 30 प्रतिशत सरचार्ज देय है। अतः समस्त उपापन संस्थाओं को निर्देशित किया जाता है कि बिड सिक्यूरिटी के संबंध में प्रस्तुत किए जाने वाले घोषणा पत्र (Declaration) पर उक्तानुसार राजस्थान राज्य में स्टाम्प ड्यूटी एवं सरचार्ज का भुगतान सुनिश्चित करावें।

संलग्न- उपरोक्तानुसार


(विमल कुमार गुप्ता)
संयुक्त शासन सचिव

प्रतिलिपि निम्नांकित को सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित है:-

1. सचिव, राज्यपाल/प्रमुख सचिव, मुख्यमंत्री/विशिष्ट सहायक समस्त मंत्रीगण/राज्य मंत्रीगण ।
2. उप सचिव, मुख्य सचिव/निजी सचिव, समस्त अति. मुख्य सचिव/प्रमुख शासन सचिव/ शासन सचिव/विशिष्ट शासन सचिव ।
3. सचिव, राजस्थान विधानसभा, राजस्थान, जयपुर ।
4. सचिव, लोकायुक्त सचिवालय, राजस्थान, जयपुर ।
5. सचिव, राजस्थान लोक सेवा आयोग, अजमेर ।
6. रजिस्ट्रार, राजस्थान उच्च न्यायालय जोधपुर/जयपुर ।
7. प्रधान महालेखाकार ए एण्ड ई राजस्थान जयपुर ।
8. प्रधान महालेखाकार ऑडिट राजस्थान जयपुर ।
9. समस्त संयुक्त शासन सचिव/उप शासन सचिव/सचिवालय के समस्त अनुभाग/विभाग ।
10. समस्त विभागाध्यक्ष/जिला कलक्टर/संभागीय आयुक्त ।
11. रजिस्ट्रार, राजस्थान सिविल सेवा अपील अधिकरण, जयपुर ।
12. समस्त वित्तीय सलाहकार/मुख्य लेखाधिकारी ।
13. समस्त कोषाधिकारी ।
14. समस्त उपापन संस्थाएं ।
15. तकनीकी निदेशक वित्त विभाग को भेजकर लेख है परिपत्र को वित्त विभाग की वेबसाईट पर प्रकाशित करवाने की व्यवस्था करावें।
16. रक्षित पत्रावली ।


23/12/2020
संयुक्त शासन सचिव

Form of Bid-Securing Declaration

Date :
Bid No. :
Alternative No. :

To :

We, the undersigned, declare that:

We understand that, according to your conditions, bids must be supported by a Bid-Securing Declaration.

We accept that we are required to pay the bid security amount specified in the Term and Condition of Bid, in the following cases, namely :-

- (a) when we withdraw or modify our bid after opening of bids;
- (b) when we do not execute the agreement, if any, after placement of supply/work order within the specified period;
- (c) when we fail to commence the supply of the goods or service or execute work as per supply/work order within the time specified;
- (d) when we do not deposit the performance security within specified period after the supply/work order is placed;and
- (e) if we breach any provision of code of integrity prescribed for bidding specified in the Act and Chapter VI of these rules.

In addition to above, the State Government shall debar us from participating in any procurement process undertaken for a period not exceeding three years in case where the entire bid security or any part thereof is required to be forfeited by procuring entity.

We understand this Bid Securing Declaration shall expire if :-

- (i) we are not the successful Bidder;
- (ii) the execution of agreement for procurement and performance security is furnished by us in case we are successful bidder;
- (iii) thirty days after the expiration of our Bid.
- (iv) the cancellation of the procurement process; or
- (v) the withdrawal of bid prior to the deadline for presenting bids, unless the bidding documents stipulate that no such withdrawal is permitted.

Signed :-----


Name :-----

In the capacity of :-----

Duly authorized to sign the bid for and on behalf of :

Dated on day of
Corporate Seal -----

[Note: In case of a Joint Venture, the Bid Securing Declaration must be signed in name of all partners of the Joint Venture that is submitting the bid.]



Percentage BoQ

Tender Inviting Authority: Jaipur Development Authority, Jaipur

Name of work :-Misc. Civil repair work in Zone-1 area JDA Jaipur (ARC)

Contract No:- EE-1/17/2020-21

PRICE SCHEDULE						
(This BOQ template must not be modified/replaced by the bidder and the same should be uploaded after filling the relevent columns, else the bidder is liable to be rejected for this tender. Bidders are allowed to enter the Bidder Name and Values only)						
Sl. No.	Item Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT	TOTAL AMOUNT In Words
1	2	3	4	5	6	7
1.0	Earth work in excavation by mechanical means (Hydraulic excavator)/ manual means over areas (exceeding 30cm in depth. 1.5m in width as well as 10 sum on plan) including disposal of excavated earth, lead upto 50m and lift upto 1.5m , disposed earth to be levelled and neatly dressed: All kinds of soil	1500.000	Cum	109.80	164700.00	INR One Lakh Sixty Four Thousand Seven Hundred Only
2.0	Carriage of earth, Sand, Lime, Morrum manure or sludge. For 10 Km	3500.000	Cum	67.05	234675.00	INR Two Lakh Thirty Four Thousand Six Hundred &
3.0	Building Rubbish Stone metal (Grit and ballast etc.) For 10 Km	750.000	Cum	72.45	54337.50	INR Fifty Four Thousand Three Hundred & Thirty Seven and
4.0	Brick work with F.P.S. bricks of class designation 75 in superstructure above plinth level upto floor V level in all shapes and sizes in : Cement mortar 1 : 4 (1 cement : 4 coarse sand)	50.000	Cum	3112.20	155610.00	INR One Lakh Fifty Five Thousand Six Hundred & Ten Only
5.0	Random Rubble stone masonry for with hard stone in foundation and plinth in Cement Sand mortar above 30 CM thick wall in: Cement Mortar 1:4 (1-Cement : 4-Sand).	200.000	Cum	1984.50	396900.00	INR Three Lakh Ninety Six Thousand Nine Hundred Only
6.0	Random Rubble stone masonry with hard stone in superstructure above plinth level and upto five level above 30cm. thick walls in : Cement Mortar 1:4 (1-Cement : 4-Sand).	75.000	Cum	2384.10	178807.50	INR One Lakh Seventy Eight Thousand Eight Hundred & Seven and Paise Fifty Only
7.0	Plaster on new surface on walls in cement sand mortar 1:4 including racking of joints etc. complete fine finish : 20 mm thick	500.000	Sqm	107.10	53550.00	INR Fifty Three Thousand Five Hundred & Fifty Only
8.0	Repair to stone masonry in cement sand mortar 1:6 with old and new stone.	250.000	Sqm	165.60	41400.00	INR Forty One Thousand Four Hundred Only
9.0	Fine dressed & machine cut edges 30-35 mm thick sand stone flooring over 20 mm (average) thick base of cement mortar 1:4 (1 cement : 4 coarse sand) jointed grey cement slurry mixed with pigment to match the shade of stone complete as per design drawing and instruction of EI Red sand stone (Karauli stone)	200.000	Sqm	482.40	96480.00	INR Ninety Six Thousand Four Hundred & Eighty Only

Sl. No.	Item Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT	TOTAL AMOUNT In Words
1	2	3	4	5	6	7
10.0	Providing and fixing of precast concrete interlocking blocks of M 30 grade 60mm thick manufactured from fully computerised automatic stationery hydraulic vibropressed machine and fully computerised automatic batching plant of class A1/A2 as per BS 6717:2001. The CC interlocking paving blocks be laid on average 50mm. thick bed of coarse sand and the joint is to be filled with fine sand. Laying procedure on compacted sub-base as defined. Complete job is to be executed as per the instruction of Engineer incharge. The rates to be inclusive of all lead, Lifts and taxes. General specification of blocks: 1) Shape as defined by Engineer incharge 2) Tensile splitting strength and braking load as per BS 6717:2001 3) Color: Grey cement natural colour 4) Variation in dimension: Less than 1.6mm. 5) Variation in thickness: Less than 3.2mm 6) Abrasion: As per BS: 6717:2001	5000.000	Sqm	337.50	1687500.00	INR Sixteen Lakh Eighty Seven Thousand Five Hundred Only
11.0	Providing and fixing designer cement concrete polished tiles over 20mm average thick base of CM 1 :4 (1 Cement : 4 sand) jointing with cement mortar 1 :2 (1cement : 2 sand) with pigment to match the shade of the tiles complete with all respect.	300.000	Sqm	967.50	290250.00	INR Two Lakh Ninety Thousand Two Hundred & Fifty Only
12.0	Chequerred precast cement concrete tiles 22 mm thick in footpath & courtyard jointed with neat cement slurry mixed with pigment to match the shade of tiles including rubbing and cleaning etc. complete on 20 mm thick bed of cement mortar 1:4 (1 cement : 4 coarse sand) Light shade using shade cement.	150.000	Sqm	356.40	53460.00	INR Fifty Three Thousand Four Hundred & Sixty Only
13.0	Rough Chisel dressed Kota stone 35 mm thick flooring of approved shade set in pattern over 20mm thick base of cement mortar 1:6 (1 cement : 6 coarse sand) and pointing with cement sand mortar 1:3 with pigment to match the shade of stone with joint thickness up to 15 mm complete in all respects :	500.000	Sqm	391.50	195750.00	INR One Lakh Ninety Five Thousand Seven Hundred & Fifty Only
14.0	Filling available excavated earth (excluding rock) in trenches plinth side of foundation etc. in layers not exceeding 20 cm. in depth, consolidating each deposited layer by ramming and watering including lead up to 50 meter and with all lift.	2000.000	Cum	40.50	81000.00	INR Eighty One Thousand Only
15.0	Providing and laying in position cement concrete including curing, compaction etc. complete in specified grade excluding the cost of centering and shuttering - All work up to plinth level.					
15.1	M20 grade Nominal Mix 1: 1.5: 3 (1 cement : 1.5 coarse sand : 3 graded stone aggregate 20mm nominal size).	75.000	Cum	3246.30	243472.50	INR Two Lakh Forty Three Thousand Four Hundred & Seventy Two and Paise Fifty Only
15.2	M10 grade Nominal Mix 1: 3: 6 (1 cement : 3 coarse sand : 6 graded stone aggregate 20mm nominal size).	200.000	Cum	2398.50	479700.00	INR Four Lakh Seventy Nine Thousand Seven Hundred Only
16.0	Centering and Shuttering with plywood or steel sheets including strutting, propping bracing both ways and removal of formwork for foundation , footings, strap beam, raft , bases of columns etc.	75.000	Sqm	99.00	7425.00	INR Seven Thousand Four Hundred & Twenty Five Only

Sl. No.	Item Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT	TOTAL AMOUNT In Words
1	2	3	4	5	6	7
17.0	Providing and fabricating reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding (including cost of binding wire) all complete up to floor five level. Hot rolled deformed bars (IS : 1139).	800.000	Kg	61.20	48960.00	INR Forty Eight Thousand Nine Hundred & Sixty Only
18.0	Stone work (machine cut edges) for Wall cladding/ Veneering work up to 10m height with 20 to 30 mm thick Red Sand Stone (Karauli) and backing filled with a grout of 12mm thick cement mortar 1:3 (1 cement : 3 coarse sand) including pointing in white cement mortar 1:2 (1 white cement : 2 stone dust) with an admixture of pigment matching the stone shade : (To be secured to the backing by means of cramps which shall be paid separately) Exposed face machine cut	100.000	Sqm	1558.80	155880.00	INR One Lakh Fifty Five Thousand Eight Hundred & Eighty Only
19.0	Supplying and fixing machine cut fine dressed Red/Pink sand stone dasa or coping, with full moulding if required laid on cement mortar 1:4 including pointing with admixture of pigment matching with the stone shade. 25 mm thick	100.000	Sqm	775.80	77580.00	INR Seventy Seven Thousand Five Hundred & Eighty Only
20.0	Providing and fixing Stone jali 40mm thick Red/Pink sand stone throughout in cement mortar 1:3 (1 cement : 3 coarse sand) including pointing in white cement mortar 1:2 (1 white cement : 2 stone dust) with an admixture of pigment, matching the stone shade, jali patterns to be cut square to jali slab without any chamfers etc:	25.000	Sqm	4895.10	122377.50	INR One Lakh Twenty Two Thousand Three Hundred & Seventy Seven and Paise Fifty Only
21.0	Providing, hoisting and fixing up to floor five level precast cement concrete Jali 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 6mm nominal size) reinforced with 1.6 mm dia Mild steel wire including centring and shuttering, roughening cleaning, fixing and finishing in cement mortar 1 : 3 (1 cement : 3 fine sand) etc complete as per approved design excluding plastering of jambs, sills and soffits 50mm thick	50.000	Sqm	393.30	19665.00	INR Nineteen Thousand Six Hundred & Sixty Five Only
22.0	Providing and fixing steel gate, grating , and grills made of angles, tees, square bars, flats, or black pipe with holdfast and fittings complete as per design and drawing including cutting welding and fabrication with priming coat of red oxide	4000.000	Kg	66.60	266400.00	INR Two Lakh Sixty Six Thousand Four Hundred Only
23.0	Providing and fixing stone slab covering over drains Kota/Bijoliya Quarry) having thickness 75 mm to 150 mm including filling of joints in cement mortar 1:3 with 50 mm thick cement concrete flooring in 1:2:4 mix complete with good finish as per approved drawings and specifications. for drain Opening Size 601 to 1000 mm Stone Patty drain cover size 1500mm x 600mm x 150mm	50.000	Per Sqm.	927.00	46350.00	INR Forty Six Thousand Three Hundred & Fifty Only
24.0	Supply of 'L' type Bollard made out of 1.25 mm thick M.S. sheet height 134 cm, welded in circular type ring section having upper dia 15 cm. and lower dia 21 cm with another attachment of 15x15 cm circular section with 15 cm. face plate and hold fast at bottom, whole body is processed in white stoving enamel and red reflective 3 hands, each of 7.5 cm end one reflective sheet of 15 cm. dia provided to it complete in all respect.	50.000	Each	1435.50	71775.00	INR Seventy One Thousand Seven Hundred & Seventy Five Only

Sl. No.	Item Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT	TOTAL AMOUNT In Words
1	2	3	4	5	6	7
25.0	Supply of Swiss type of Hazard marker, made out of 2 mm thick M.S. sheet size of box is 15x15 cm with hold fast at bottom, the body is painted in orange stoving enamel paint with white/high intensity grade micro-prismatic type sheeting, on all four side.	200.000	Each	787.50	157500.00	INR One Lakh Fifty Seven Thousand Five Hundred Only
26.0	Providing and fixing of Reinforced Ferro cement Drain cover designed for class "AA" loading duly marked on cover with adequate steel reinforcement having thickness 75 mm to 150 mm anti-corrosive bitumen painted M.S. plate Rim and on M.S. lifting hooks admixture like plasticizer bond improving compound shrinkage resistance compound abrasion resistant complete as per approved design etc.					
26.1	for drain Opening Size 451 to 700 mm Standard Drain Cover Size 1000mm x 800mm x 100mm	150.000	Sqm	1579.50	236925.00	INR Two Lakh Thirty Six Thousand Nine Hundred & Twenty Five Only
26.2	for drain Opening Size 701 to 1200 mm Standard Drain Cover Size 1500mm x 600mm x 125mm	150.000	Sqm	2011.50	301725.00	INR Three Lakh One Thousand Seven Hundred & Twenty Five Only
26.3	for drain Opening Size 1201 to 1500 mm Standard Drain Cover Size 2100mm x 500mm x 150mm	20.000	Sqm	2871.00	57420.00	INR Fifty Seven Thousand Four Hundred & Twenty Only
27.0	Providing and fixing reinforced concrete precast kerb stone or dand R.Mtr of M-20 grade cement concrete 120 cm long having 4 Nos. bars of 8 mm dia hysd and stirrups 6 Nos of 6 mm dia as per IS with in built provision of interlocking of jointing and lifting compaction of reinforced concrete by mechanical and table vibrators jointing at site with cement mortar 1:4 complete in all respect as directed by Engineer incharge on: 100 mm thick cement concrete 1:4:8 (1 Cement : 4 Coarse sand : 8 stone aggregate 20 mm thick nominal size) including excavation of earth and cutting of BT road cutting of WBM road etc. and disposal of surplus material with all lead and lift. The size of kerb shall be $(11.5+16.5)/2*30+(16.5*7.5)$	50.000	P.Rmt	617.00	30850.00	INR Thirty Thousand Eight Hundred & Fifty Only
28.0	P/F precast RCC pole (bollard) 2.00 M height as per approved design and drawing by JDA for chain link in M-20 grade including handling carriage complete with synthetic paint of approved brand to give an even shade two or more coats with providing and fixing M.S flats for locking arrangement for M.S chain made of 2 Nos M.S Flats 25x8 mm and 15 cm length with 2 Nos holes in each flats and clamping with nut and bolts of size 50x6 m dia complete in all respect as per the approval of Engineer incharge.	30.000	Each	3652.00	109560.00	INR One Lakh Nine Thousand Five Hundred & Sixty Only

Sl. No.	Item Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT	TOTAL AMOUNT In Words
1	2	3	4	5	6	7
29.0	Fabricating, providing and fixing M.S chain consisting of CL square pyramids on both sides having central base of size 25×25mm duly engraved JDA-(year of fabrication) and having a groove on two sides in the middle portion. The overall height on the pyramid should be 100 mm (the total weight should not be less than 270 gms) and housed in M.S ring of 16 mm dia M.S round bars having cut length of 300 mm the weight of chain should not be less than 14.4 Kg per m length including priming with Zinc cromate of approved quality as per the direction of engineer in-charge and as per approved pattern.	1500.000	Kg	115.00	172500.00	INR One Lakh Seventy Two Thousand Five Hundred Only
30.0	Removing & Refixing of precast concrete interlocking paving blocks recovered item from site 60 mm to 100 mm thick laid on average 50 mm thick bed of coarse sand joint be filled with fine sand laying procedure on compacted sub base as define etc. complete as per direction of Engineer-in-charge with all lead and lift.	4000.000	Sqm	60.00	240000.00	INR Two Lakh Forty Thousand Only
31.0	Finishing wall with water proofing cement paint of approved brand and manufacture and or required shade to give an even shade including all scaffolding: New work (Two or more coats applied @ 3.84 kg/10 sqm).	1000.000	Sqm	33.30	33300.00	INR Thirty Three Thousand Three Hundred Only
31.1	Old work (One or more coats).	5000.000	Sqm	13.50	67500.00	INR Sixty Seven Thousand Five
32.0	Painting with synthetic enamel paint of approved brand andmanufacture to give an even shade : Two or more coats on new work	1000.000	Sqm	39.60	39600.00	INR Thirty Nine Thousand Six Hundred Only
32.1	One or more coats on old work.	5000.000	Sqm	18.00	90000.00	INR Ninety Thousand Only
33.0	Cement Concrete Pavement Construction of un-reinforced, dowel jointed at expansion and construction joint only, plain cement concrete pavement, thickness as per design, over a prepared sub base, with 43 grade cement or any other type as per Clause 1501.2.2 M30 (Grade), coarse and fine aggregates conforming to IS:383 , maximum size of coarse aggregate not exceeding 25 mm, mixed in a concrete mixer of not less than 0.2 cum capacity and appropriate weigh batcher using approved mix design, laid in approved fixed side formwork (steel channel, laying and fixing of 125 micron thick polythene film, wedges, steel plates including levelling the formwork as per drawing), spreading the concrete with shovels, rakes, compacted using needle, screed and plate vibrators and finished in continuous operation including provision of contraction and expansion, construction joints, applying debonding strips, primer, sealant, dowel bars, near approaches to bridge/culvert and construction joints, admixtures as approved, curing of concrete slabs for 14-days, using curing compound and water finishing to lines and grade as per drawing and MoRD Specification Clause 1501 including vaccum dewatering process with all required	50.000	Cum	5188.50	259425.00	INR Two Lakh Fifty Nine Thousand Four Hundred & Twenty Five Only

Sl. No.	Item Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT	TOTAL AMOUNT In Words
1	2	3	4	5	6	7
34.0	Providing and fixing of retro-reflectorised cautionary, mandatory and inforatory sign as per IRC:67 made of encapsulated lens type reflective sheeting vide Clause 1701.2.3, fixed over aluminium sheeting, 1.5 mm thick supported on GI pipe 50 mm dia firmly fixed to the ground by means of properly designed foundation with M-15 grade cement concrete 450 mm x 450 mm x 600 mm, 600 mm below ground level as per drawings and MoRD Specification Clause 1701					
34.1	600 mm equilateral triangle	20.000	Each	2430.00	48600.00	INR Forty Eight Thousand Six
34.2	600 mm circular	20.000	Each	3330.00	66600.00	INR Sixty Six Thousand Six
34.3	800 mm x 600 mm rectangular	20.000	Each	4770.00	95400.00	INR Ninety Five Thousand Four
35.0	Providing and erecting direction and place identification retro-reflectorised sign as per IRC:67 made of encapsulated lens type reflective sheeting vide Clause 1701.2.3, fixed over aluminium sheeting, 2 mm thick with area not exceeding 0.9 sqm supported on 2 inch dia GI Pipe firmly fixed to the ground by means of properly designed foundation with M-15 grade cement concrete 450 x 450 x 600 mm, 600 mm below ground level as per approved drawing and Tehnical Specification Clause 1701	50.000	Sqm	8235.00	411750.00	INR Four Lakh Eleven Thousand Seven Hundred & Fifty Only
36.0	Marking Centre Line and stop lines etc. on road as per IRC pattern with thermoplastic paint of approved quality and make with 8% glass beads laid on the road surface at temperature 160° C with a special applicator machine complete with a special applicator machine complete with labour material and traffic diversion arrangements	500.000	Sqm	436.50	218250.00	INR Two Lakh Eighteen Thousand Two Hundred & Fifty Only
37.0	Providing and fixing PVC Bump Speed Breakers size 350 mm x 250 mm x 50 mm fitted with key hooks complete with labour material and traffic diversion arrangements.	200.000	R.Mtr.	1926.00	385200.00	INR Three Lakh Eighty Five Thousand Two Hundred Only
38.0	Removing and Refixing of Pre cast Kerb stone obtained from site and fixing at as per direction of engineer-in-charge over 100 mm thick C.C. 1:4:8 and jointing of kerbs with cement mortar 1:4 including cost of loading unloading transporting and curing complete in all respect as per direction of Engineer-in-charge.	2000.000	Rmtr	40.00	80000.00	INR Eighty Thousand Only
39.0	P & F of cement concrete precast kerb or dand of M-20 grade upto 60 cm length over 20 mm thick base of cement mortar 1:6 including earth work, cutting of B/T road, cutting of WBM road etc. & jointing with cement mortar 1:4 grouted 125 mm in ground of hape as approved by Engineer-in-charge. The rates are inclusive of providing, laying and compacting base concrete 1:4:8 (1 cement : 4 coarse sand : 8 graded stone aggregate of 20 mm thick nominal size) 100 mm thick below dand/kerb complete in all respect. The size of kerb be 15 cm x 32.5 cm with round at top.	3000.000	Rmt	106.00	318000.00	INR Three Lakh Eighteen Thousand Only

Sl. No.	Item Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT	TOTAL AMOUNT In Words
1	2	3	4	5	6	7
40.0	Providing and laying Precast reinforced cement concrete Box culvert section of M-40 grade designed for 'AA' class loading as per IRC specifications including to effect of impact, EQ etc. complete on form base of 200mm thick lean concrete of M-10 grade with aggregate of size 40mm nominal of following internal size the work includes required safety measures construction of drain for diversion of flowing water cost of design of RCC Precast Box and its proof checking from IIT/MNIT Jaipur complete in all respect as per specifications					
41.0	Size 1.00 M x 1.00 M	50.000	Rmtr	15457.00	772850.00	INR Seven Lakh Seventy Two Thousand Eight Hundred & Fifty
42.0	Supply of JCB (excavator cum loader) Type 3D on hire including POL & driver at different sites as Directed by Engineer in charge.	300.000	Per Hour	745.00	223500.00	INR Two Lakh Twenty Three Thousand Five Hundred Only
43.0	Supplying of 35 HP Diesel Tractor Trolley with hydraulic lift Trolley on hire with driver, cleaner and POL at different sites of JDA region as Directed by Engineer in charge.	300.000	Per Shift of 8 hrs	1290.00	387000.00	INR Three Lakh Eighty Seven Thousand Only
44.0	Supply of Hydraulic Proclaim Bucket capacity above 0.75 cum for Flood control works in JDA region, JDA, Jaipur including all transportation loading, unloading charges completely.	80.000	hours	2500.00	200000.00	INR Two Lakh Only
45.0	Supplying of 35 HP Diesel Tractor with blade on hire with driver, cleaner and POL at different sites of JDA region at Directed by Engineer in charge.	50.000	Per Shift of 8 hrs	1050.00	52500.00	INR Fifty Two Thousand Five Hundred Only
46.0	Supply of Dumpers on hire charges with driver, cleaner and POL different sites of JDA region as Directed by Engineer in charge.	200.000	Per Shift of 8 hrs	2680.00	536000.00	INR Five Lakh Thirty Six Thousand Only
47.0	Beldar	2000.000	Per day	153.00	306000.00	INR Three Lakh Six Thousand
48.0	Raising/lowering of masonry manhole chamber of sewer system including lifting the R.C.C. roof slab dismantling/ increasing the height of masonry wall with cement mortar 1:4, replacing back the displaced R.C.C. roof slab in position, including repairing of joint to the entire satisfaction of Engineer-In-Charge. The work includes providing barricading during construction, putting sign board/caution board for safety purpose, providing material like cement, sand, required stone and all tuman masonry where ever required and all machinery like crane, tools and plants required for the Job in all respect. work also includes curing where ever required and site clearance. (Dir. Engg. /D-143 dt. 28.02.2011)	50.000	Nos.	1500.00	75000.00	INR Seventy Five Thousand Only
49.0	Refebrication work with existing steel work including cutting, welding & refebrication as per requirement with fixing at site complete as per direction of Engineer In charge	6000.000	Kg	21.60	129600.00	INR One Lakh Twenty Nine Thousand Six Hundred Only
50.0	Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of Engineer-in-charge. 1: 3: 6 or richer mix.	50.000	Cum	397.80	19890.00	INR Nineteen Thousand Eight Hundred & Ninety Only

Sl. No.	Item Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT	TOTAL AMOUNT In Words
1	2	3	4	5	6	7
51.0	Demolishing CC/R.C.C. work by mechanical power driven means and stockpiling at designated locations and disposal of dismantled material up to to lead of 50 m, stacking serviceable and unserviceable material seperately including cutting reinforcement bars	50.000	Cum	612.90	30645.00	INR Thirty Thousand Six Hundred & Forty Five Only
52.0	Providing and laying of boulder apron laid in wire crates with 4 mm dia GI wire conforming to IS:280 and IS:4826 in 100 mm x 100 mm mesh (woven diagonally) including 10 per cent extra for laps and joints laid with stone boulders weighing not less than 25 kg each as per drawing and MoRD specifications Clause 1301	600.000	Cum	1305.00	783000.00	INR Seven Lakh Eighty Three Thousand Only
53.0	120cm. high fencing with angle iron posts 50x50x6mm. placed at every 3 Mtr. apart 30cm. in ground embedded in cement concrete 1:3:6 (30x30x45cm) corner & every tenth posts to be struttred with 50x50x6mm angle iron provided with three horizontal lines and two diagonals of black barbed wire between two posts fitted and fixed with G.I. staple including earth work in excavation etc. complete.	400.000	mtr	349.20	139680.00	INR One Lakh Thirty Nine Thousand Six Hundred & Eighty Only
54.0	Providing and laying in position specified grade of cement concrete for all RCC structural elements upto plinth level including curing, compaction, finishing with rendering in cement sand mortar 1:3 (1 cement: 3 coarse sand) and making good the joints and cost of plastizers(if required) excluding the cost of centering, shuttering and reinforcement. M20 grade Nominal Mix / Design Mix	50.000	Cum	2961.00	148050.00	INR One Lakh Forty Eight Thousand & Fifty Only
Total in Figures					12447825.00	INR One Crore Twenty Four Lakh Forty Seven Thousand Eight
Quoted Rate in Figures			Select		0.00	INR Zero Only
Quoted Rate in Words		INR Zero Only				

Validate

Print

Help

Item Rate BoQ

Tender Inviting Authority: Jaipur Development Authority, Jaipur

Name of work :-Misc. Civil repair work in Zone-1 area JDA Jaipur (ARC)

Contract No:- EE-1/17/2020-21

Bidder Name :						
PRICE SCHEDULE						
(This BOQ template must not be modified/replaced by the bidder and the same should be uploaded after filling the relevent columns, else the bidder is liable to be rejected for this tender. Bidders are allowed to enter the Bidder Name and Values only)						
Sl. No.	Item Description	Quantity	Units	BASIC RATE In Figures To be entered by the Bidder Rs. P	TOTAL AMOUNT	TOTAL AMOUNT In Words
1	2	3	4	5	6	7
1.00	Providing and fixing of pink sand stone slab of size 1800 x600 mm of thickness 50 mm including cutting and finishing of all sides as per drawing and including all charge like loading unloading and transporting complete with placing in position carefully with crane and complete in all respect as per direction of Engineer in Charge.	1	Each		0.00	INR Zero Only
2.00	Providing and fixing of pink sand stone block of size 1200 x550x750 mm including cutting and finishing of all sides as per drawing and including all charge like loading unloading and transporting complete with placing in position carefully with crane and complete in all respect as per direction of Engineer in Charge.	1	Each		0.00	INR Zero Only
3.00	Providing and fixing of pink sand stone 225 mm circular pillar of bansi paharpur and height of pillar shall be 3 mt including carving as per drawing and all charge like labor charges for fixing and material required for fixing like earldite, white cement, pigment and all scaffolding required etc complete in all respect as per direction of Engineer in Charge.	2	Each		0.00	INR Zero Only
4.00	Providing and fixing of pink sand stone block of size 750 x750x750 mm including cutting and finishing of all sides as per drawing and including all charge like loading unloading and transporting complete with placing in position carefully with crane and complete in all respect as per direction of Engineer in Charge.	2	Each		0.00	INR Zero Only
5.00	Providing and laying coarse textured rumble strips made of mastic asphalt 200-300 mm wide and 20-30 mm height, at 1000 mm apart (one set of 6 strips) in the full width of carriage way with paving grade bitumen meeting the requirement and laid after cleaning the surface as per direction of engineer incharge	1000	Rmt.		0.00	INR Zero Only
6.00	Painting one or more coats on new work with cement based water proofing paint of approved brand (make: Asian, Dr. fixit or equivalent) on concrete surface after through cleaning of surface as per drawing and direction of engineer in charge.	8000	Sqm		0.00	INR Zero Only

Sl. No.	Item Description	Quantity	Units	BASIC RATE In Figures To be entered by the Bidder Rs. P	TOTAL AMOUNT	TOTAL AMOUNT In Words
1	2	3	4	5	6	7
7.00	Providing and fixing red granite cobbles of sizes 100 mm x 100 mm x 50 mm approved quality and shade as per design with cement mortar 1:4 (1 cement : 4 course sand) jointed with white cement slurry mixed with pigment to match the shade of cobbles including cleaning the cobbles complete	25	Sqm		0.00	INR Zero Only
8.00	S/F of 750 mm high (above ground level) Bansi Paharpur. decorative tapered ballustrade (bollard) of single stone piece as per approved design and drawing complete including making hole in RCC/CC with air compressor machanism & making good the existing flooring in all respect as per direction of Engineer in Charge.	20	Each		0.00	INR Zero Only
9.00	Hiring charges of Lokhanda including diesel , operational staff, Mobil oil spares and lubricants etc. as per direction of Engineer-in-charge.	250	Hr.		0.00	INR Zero Only
10.00	Providing and fixing in the carriageway 100 mm thick interlocking concrete of shape as directed by engineer incharge pavers (monolithic single layer precast concrete blocks) of grey cement colour having average crushing strength 50N/sq mm as per technical specifications placed on average compacted thickness of 40 mm uniformly graded river sand cushioning with proper compacting with mechanical compactor with the proper level grade and camber etc. complete as specified and as directed by the engineer	400	Sqm.		0.00	INR Zero Only
Total in Figures					0.00	INR Zero Only
Quoted Rate in Words		INR Zero Only				