

# JAIPUR DEVELOPMENT AUTHORITY, JAIPUR

No. JDA/ E.E-4/2022/D-

Dated :-

## SCHEDULE AND SPECIFICATIONS

### **NIB No. JDA/EE-4/05/2022-23**

<b>Name &amp; Address of the Procuring Entity</b>	Executive Engineer-4, Jaipur Development Authority Address: Room No. 301-CCC Building, Ram Kishore Vyas Bhavan, Indira Circle, JawaharLal Nehru Marg, Jaipur 302004 (Rajasthan)
<b>Subject Matter of Procurement</b>	“Development works (civil)in multipurpose scheme at B-2 bypass , Durgapura, (Phase-II) zone 4 , JDA, jaipur..” <b>Job No. 110/2020-21</b>
<b>Bid Procedure</b>	_____ Single-stage _____ (eg. Single-stage open competitive) eBid procedure at <a href="http://eproc.rajasthan.gov.in">http://eproc.rajasthan.gov.in</a>
<b>Bid Evaluation Criteria (Selection Method)</b>	.....LCBS-L1..... (eg.Least Cost Based Selection (LCBS)-L1)
<b>Websites for downloading Bidding Document, Corrigendum's, Addendums, etc.</b>	Websites: <a href="http://www.sppp.rajasthan.gov.in">www.sppp.rajasthan.gov.in</a> , <a href="http://www.jda.urban.rajasthan.gov.in">www.jda.urban.rajasthan.gov.in</a>
<b>Estimated Procurement Cost</b>	INR Rs. 271.42 (Rupees Two Crore Seventy One Lacs Forte Two Thousand only)
<b>Bid Security Deposit</b>	➤ Amount (INR) : 2% (Rs 542840.00) of Estimated Procurement Cost, 0.5% (Rs. 135710.00) of S.S.I. of Rajasthan, 1% for Sick Industries, other than S.S.I., whose cases are pending with Board of Industrial & Financial Reconstruction ➤ (* 2% for bidder who is A and AA class contractor registered in other Govt. Department) / 0.5% for bidder registered as contractor AA, A in JDA In case of Departments of the state govt. and undertaking, corporations, Autonomous bodies, Registered societies, cooperative Societies which are owned or controlled or managed by the state Govt. and Govt. undertaking of the central Govt. shall submit a bid securing declaration in lieu of bid security.
<b>Bid Processing fee</b>	➤ Rs. 1000 in faour of MD RISL, Jaipur.
<b>Cost of Bid Document</b>	➤ Rs. 1000
<b>Start/End Date of documents sale/ download on JDA portal</b>	➤ Start Date: 18.07.2022 at 9.30 AM onwards ➤ End Date: 01.08.2022 at 6.00 PM
<b>Start/End date of Bid Submission</b>	➤ Start Date: 18.07.2022 at 9.30 AM onwards ➤ End Date: 01.08.2022 at 6.00 PM
<b>Date/ Time/ Place of Bid Opening</b>	04-08-2022 at 3.30 PM Room No. 301-CCC Building, Ram Kishore Vyas Bhavan, Indira Circle, Jawahar Lal Nehru Marg, Jaipur 302004 (Rajasthan)
<b>Bid Validity</b>	120 days from the bid submission deadline
<b>Completion period of work</b>	6 Months
<b>Job No.</b>	110/2020-21

**SCHEDULE 'A' INFORMATION USEFUL FOR THE CONTRACTORS :**

The tenderer should see the site and fully understand the condition of the site before tendering and include all lead, lifts etc. for the material in his item rate/percentage to be quoted on the rates as given in the schedule 'G' Then work shall be carried out in accordance with the Rajasthan PWD detailed specification and to the entire satisfaction of the Engineer-Incharge of the work.

**SCHEDULE 'B' LIST OF THE DRAWING TO BE SUPPLIED BY THE DEPARTMENT :**

The drawing may be seen in office of the undersigned.

**SCHEDULE 'C' LIST OF THE DRAWING TO BE SUPPLIED BY THE CONTRACTOR :**

List of the drawing to be supplied by the contractor NIL. But the contractor shall have to arrange at his own cost drawings required for the work after depositing necessary cost within JDA.

**SCHEDULE 'D' TEST OF THE MATERIALS :**

The test of the material and workmanship shall be conducted by the JDA staff as necessary. The result of such tests should confirm to the standard laid down in the Indian standards and or the standards laid down in the detailed specification of the Public works Deptt. Proper quality control is required to be maintained by the contractor qualified personal as required under the contractor enlistment's rules duly approved by the Deptt. Shall have to be engaged at site by the contractor. The deptt. reserves the right to engage such staff and recover the expenses from the contractor on such account in case of his failure to do so.

**SCHEDULE 'E' SAMPLES OF THE MATERIALS :**

The samples of the material to be used by the contractor shall be deposited 15 days in advance with the Engineer Incharge and be got approved by him before use.

**SCHEDULE 'F' TIME OF COMPLETION :**

The work should start within Ten days of issue of work order and complete times limits.

The bidders are required to sign enclosed annexure A, AA in case of appeal under article 38 of RTTP Act. 2012, ACE-IV/Dir.Engg.-II, is first appellate authority and JDC is IInd appellate authority.

**SCHEDULE 'G' : ATTACH SEPARATELY BASED ON 2016 JDA BSR Item.****SCHEDULE 'H' : SPECIAL CONDITION & Term Condition: ATTACHED SEPARATELY****SCHEDULE 'I' : List of material to be supplied by THE Department:**

Cement if available in JDA store shall be issued @ the prevailing stores issue rate of JDA + 5% storage charges at the time of issue of cement.

Material if available time JDA store shall be issued @ the prevailing stores rate of JDA + 5% storage charges.

**SCHEDULE 'J' : COST OF BID DOCUMENTS, PROCESSING FEES & EARNEST MONEY.**

Date of submission of Bid cost, Process Cost from 18.07.2022 to 01.08.2022 upto 6.00 PM through online payment after registering with JDA on [www.jda.urban.rajasthan.gov.in/e-services/e-tender](http://www.jda.urban.rajasthan.gov.in/e-services/e-tender) portal. There should be a gap 3 working days between End date for Bid applying, online payment & bid submission and Bid Opening date. In the absence of such fees the bid of respective bidder will be considered as non-responsive and shall be rejected.

Annexure-3 : Special Provision of the work plan- Qualification criteria and methodology of roads category - I&II.

Annexure '1' : As part of NIB Document

Annexure 'A' : Compliance with the Code of Integrity and No Conflict of Interest.

Annexure 'B' : Declaration by the Bidder regarding Qualifications.

Annexure 'C' : Grievance Redressal during Procurement Process.

Annexure 'D' : Additional Conditions of Contract.

Executive Engineer-4  
JDA, Jaipur

## SPECIAL CONDITIONS

### SCHEDULE 'H'

01. Use of Bitumen mixture tar mechanical lime grinder, cement concrete mixer & vibrator is essential for the work. Which shall have to be arranged by the bidder at his own level/cost.
02. If there is any typographical error or otherwise in the 'G' Schedule the rate given in the relevant BSR on which Schedule 'G' has been prepared, shall prevail.
03. The bidder shall follow the contractor labour regulation and abolition Act 1970 & Rule 1971.
04. The JDA shall have right to cause an audit technical examination of the work and the final bills of the bidder including all supporting vouchers, abstract etc. to be made within two years after payment of the final bills and if as a result such audit any amount is found to have been over paid / excess in respect of any work done by the bidder under the contract or any work claimed by him to have been done under this contract and found not to have been executed the bidder shall be liable to refund such amount and it shall be lawful for the JDA to recover such sum from him in the manner prescribed in special condition no. 8 or any other manner legally permissible and if it is found that the bidder was paid less than that was due to him under the contract in respect of any work executed by him under it, the amount of such under payment shall be paid by the JDA to the bidder.
05. The bidder shall not work after the sunset and before sunrise without specific permission of the authority Engineer.
06. Wherever any claim against the bidder for the payment of a sum of money arises out of under the contracts, the JDA shall be entitled to recover the sum by appropriating in part or whole of the security deposit of the bidder, In the event of the security being insufficient or if no security has been taken from the bidder then the balance of the total sum recoverable as the case may shall be deducted from any sum then due or which at any time there contract with the JDA should this sum be sufficient to recover the full amount recoverable. The bidder shall pay to JDA on demand the balance remaining due. The JDA shall further have the right to affect such recoveries under P.D.R. Act.
07. The rate quoted by the bidder shall remain valid for a period of 6 (Four) months from the date of opening of the bids.
08. By submission of this bid the bidder agree to abide with all printed conditions provided in the PWD manual from 64 (Chapter 3-para 36) and subsequent modification.
09. No conditions are to be added by the bidder and conditional bid is liable to be rejected.
10. All transaction in this execution of this work and this bid will be liable to Sale-Tax vide section. 2(B) read with sub-clause (4) Sale-tax Rule, 1954.
11. If any bidder withdraws his bid prior to expiry of said validity period given at S.No. 7 or mutually extended period or makes modifications in the rate, terms and conditions of the bid within the said period which are not acceptable to the department or fails to commence the work in the specified period, fails to execute the agreement and fails to furnish performance guarantee the department shall without prejudice to any, other right or remedy, be at liberty to forfeit the amount of earnest money given in any form absolutely. If any bidder, who having submitted a bid does not execute the agreement or start the work or does not complete the work and the work has to be put to re-bidding he will stand debarred for 6 Months from participating of bidding in JDA in addition to forfeiture of Earnest Money / Security Deposit and other action under agreement.
12. The bidder shall arrange his own machinery required for the work such as Bitumen Mixer, Hot Mix plants and paver, road roller, Tar boiler, sprayer etc.
13. The bidder shall arrange his own storage tanks upto 10 Tenes capacity for storing bulk bitumen wherever supplied by the department.
14. Rules regarding enlistment of bidder provide that work up to the times limit for which they are qualified for bidding can be allotted to them, Therefore, before bidding the bidder will keep this in mind, and submit the details of the work. Bids with incomplete or incorrect information are liable to be rejected.

15. Any material not conforming to the specifications collected at site have to be removed by the bidder within a period of 3 days of the instruction, issued by do Engineer -In charge in writing failing which, such material shall be removed by the Engineer-In charge at risk and cost of the bidder after expiry of 3 days period.
16. The material collected at site and paid provisionally shall remain under and ward of the bidder till it is consumed, fully on the work.
17. The rates provided in bid documents are inclusive of all Taxes and royalty.
18. For paver work at least 3 road rollers shall be simultaneously deployed.
19. Bitumen for tack coat or any other purposes shall be applied only by a bitumen sprayer of a mechanical pressure.
20. No extra lead of earth/material shall be paid over and above as specified in 'G' Schedule Source/borrow pit area for earth shall have to be arranged by the bidder at his own cost.
21. Undersigned has full right to reject any or all bids without given any reasons.
22. Mortar of Masonry work and lean concrete will be permitted by mixer with hopper.
23. As per Supreme Court decision "All contracts with Governments shall require registration of workers under the building and other construction workers (Regulation of Employment and Conditions of Service) Act, 1996 and extension of benefits to such workers under the act."
24. Special Conditions of contract regarding defect liability period (DLP) for roads works costing Rs. 25.00 Lacs and more shall be applicable.
25. The bidders are required to submit copy of their enlistment as bidder.
26. Conditions of RPWA-100 will be mandatory & acceptable to the bidder.
27. Any bid received with unattested cutting/ overwriting in rates shall be rejected and such bidder will be debarred from bidding for three months in JDA.
28. The contractor will have to install display boards at site of work as directed by Engineer in charge. Failing which penalty of Rs. 5000.00 per day will be imposed.
29. All the provision of THE RAJASTHAN TRANSPARENCY IN PUBLIC PROCUREMENT ACT 2012 and Rules, 2013 will be applicable. If there is any contradictions in existing special conditions and provisions of THE RAJASTHAN TRANSPARENCY IN PUBLIC PROCUREMENT ACT 2012 and Rules 2013 provision of THE RAJASTHAN TRANSPARENCY IN PUBLIC PROCUREMENT ACT 2012 and Rules 2013 shall be applicable.
30. If and bidder quotes a rate below than the schedule-G rates i.e. rates below than 'at par' then the bidder has to deposit the difference amount i.e. difference amount of the rates as per 'at par' and quoted "below" as "Work Performance Guarantee". This amount has to be deposited before the commencement of work and will be refunded after successful completion of work. Lowest bidder will be issued LOA (Letter of Acceptance) and within 14 days period he has to deposit difference amount in the form of B.G./FDR/NSC. The validity of these shall be for a period three months beyond the stipulated date for completion/actual date of completion and shall have to be extended time to time up to actual completion of work as per requirement. In case of non-deposition of the same in specified period, the Bid Security will be forfeited. In case work in not completed satisfactorily, the "Work Performance Guarantee" will be forfeited and other action will be taken as per Contract Agreement.

**SIGNATURE OF CONTRACTOR**  
WITH FULL ADDRESS:

**Executive Engineer-4**  
JDA JAIPUR

## JAIPUR DEVELOPMENT AUTHORITY, JAIPUR

### OTHER CONDITONS

1. The contractor will have to install display boards at site of work as directed by Engineer in charge. Failing which penalty will be imposed as per rules.
2. DLP period of various nature of works amounting more than 25 Lacs has been revised. The time period & Conditions as per order No. D-29 dated 11.03.2016.
3. अलग-अलग समय में जमा कराई गई राशि सिस्टम द्वारा जोडकर एक बिड में स्वीकार नहीं की जायेगी।
4. एक यू.टी.आर. काम में लेने के पश्चात पुनः उसी नम्बर का यू.टी.आर. सिस्टम द्वारा दूसरी बिड में प्रयुक्त नहीं किया जावे।

**Signature of Contractor**  
**With full Address**

**Executive Engineer-4**  
**JDA, Jaipur.**

## **Annexure A : Compliance with the code of Integrity and No Conflict of Interest**

Any person participating in a procurement process shall –

- (a) Not offer any bribe, reward or gift or any material benefit either directly or indirectly in exchange for an unfair advantage in procurement process or to otherwise influence the procurement process;
- (b) Not misrepresent or omit the misleads or attempts to mislead so as to obtain a financial or other benefit or avoid an obligation;
- (c) Not indulge in any collusion, Bid rigging or anti-competitive behavior to impair the transparency, fairness and progress of the procurement process;
- (d) Not misuse any information shared between the procuring Entity and the Bidders with an intent to gain unfair advantage in the procurement process;
- (e) Not indulge in any coercion including impairing or harming or threatening to do the same, directly or indirectly, to any party or to its property to influence the procurement process;
- (f) Not obstruct any investigation or audit of a procurement process;
- (g) Disclose conflict of interest, if any; and
- (h) Disclose any previous transgressions with any Entity in India or any other country during the last three years or any debarment by any other procuring entity.

### **Conflict of Interest :-**

The Bidder participating in a bidding process must not have a Conflict of interest.

A conflict of interest is considered to be a situation in which a party has interests that could improperly influence that party's performance of official duties or responsibilities, contractual obligations, or compliance with applicable laws and regulations.

i. A Bidder may be considered to be in Conflict of Interest with one or more parties in a bidding process if, including but not limited to:

- a. Have controlling partners/shareholders in common ; or
- b. Receive or have received any direct or indirect subsidy from any of them; or
- c. Have the same legal representative for purposes of the Bid; or
- d. Have a relationship with each other; directly or through common third parties, that puts them in a position to have access to information about or influence on the Bid of another Bidder, or influence the decisions of the Procuring Entity regarding the bidding process; or
- e. The Bidder participates in more than one Bid in a bidding process. Participation by a Bidder in more than one Bid will result in the disqualification of all Bids in which the Bidder is involved. However, this does not limit the inclusion of the same subcontractor, not otherwise participating as a Bidder, in more than one Bid; or
- f. The Bidder or any of its affiliates participated as a consultant in the preparation of the design or technical specifications of the Goods, Works or Services that are the subject of the Bid; or
- g. Bidder or any of its affiliates has been hired (or is proposed to be hired) by the Procuring Entity as engineer-in-charge/ consultant for the contract.

## **Annexure B : Declaration by the Bidder regarding Qualifications**

### **Declaration by the Bidder**

In relation to my/our Bid submitted to ..... for procurement of ..... in response to their Notice inviting Bids No. ....Dated ..... I/We hereby declare under Section 7 of Rajasthan Transparency in Public Procurement Act, 2012, that :

1. I/We possess the necessary professional, technical, financial and managerial resources and competence required by the Bidding Document issued by the Procuring Entity;
2. I/We have fulfilled my/our obligation to pay such of the taxes payable to the Union and the State Government or any local authority as specified in the Bidding Document;
3. I/We are not insolvent, in receivership, bankrupt or being wound up, not have my/our affairs administered by a court or a judicial officer, not have my/our business activities suspended and not the subject of legal proceeding for any of the foregoing reasons;
4. I/We do not have, and our directors and officers not have, been convicted of any criminal offence related to my/our professional conduct or the making of false statements or misrepresentations as to my/our qualifications to enter into a procurement Contract within a period of three years preceding the commencement of this procurement process, or not have been otherwise disqualified pursuant to debarment proceedings;
5. I/We do not have a conflict of interest as specified in the Act, Rules and the Bidding Document, which materially affects fair competition;

Date :  
Place :

Signature of bidder  
Name :  
Designation :  
Address :

## **Annexure C : Grievance Redressal during Procurement Process**

The designation and address of the First Appellate Authority is JDC

The designation and address of the Second Appellate Authority is EC

### **(1) Filing an appeal**

If any Bidder or prospective bidder is aggrieved that any decision, action or omission of the Procuring Entity is in contravention to the provisions of the Act or the Rules or the Guidelines issued there under, he may file an appeal to First Appellate Authority, as specified in the Bidding Document within a period of ten days from the date of such decision or action, omission, as the case may be, clearly giving the specific ground or grounds on which he feels aggrieved:

Provided that after the declaration of a Bidder as successful the appeal may be filed only by a Bidder who has participated in procurement proceedings: Provided further that in case a Procuring Entity evaluates the Technical Bids before the opening of the Financial Bids, an appeal related to the matter of Financial Bids may be filed only by a Bidder whose Technical Bid is found to be acceptable.

(2) The officer to whom an appeal is filed under para (1) shall deal with the appeal as expeditiously as possible and shall endeavour to dispose it of within thirty days from the date of the appeal.

(3) If the officer designated under para (1) fails to dispose of the appeal filed within the period specified in para (2), or if the Bidder or prospective bidder or the Procuring Entity is aggrieved by the order passed by the First Appellate Authority, the Bidder or prospective bidder or the Procuring Entity, as the case may be, may file a second appeal to Second Appellate Authority specified in the Bidding Document in this behalf within fifteen days from the expiry of the period specified in para (2) or of the date of receipt of the order passed by the First Appellate Authority, as the case may be.

### **(4) Appeal not to lie in certain cases**

No appeal shall lie against any decision of the Procuring Entity relating to the following matters, namely :-

- (a) Determination of need of procurement;
- (b) Provisions limiting participation of Bidders in the Bid process;
- (c) The decision of whether or not to enter into negotiations;
- (d) Cancellation of a procurement process;
- (e) Applicability of the provisions of confidentiality.

### **(5) Form of Appeal**

(a) An appeal under Para (1) or (3) above shall be in the annexed form along with as many copies as there are respondents in the appeal.

(b) Every appeal shall be accompanied by an order appealed against, if any, affidavit verifying the facts stated in the appeal and proof of payment of fee.

(c) Every appeal may be presented to First Appellate Authority or Second Appellate Authority, as the case may be, in person or through registered post or authorized representative.

**(6) Fee for filing appeal**

- (a) Fee for first appeal shall be rupees two thousand five hundred and for second appeal shall be rupees ten thousand, which shall be non-refundable.
- (b) The fee shall be paid in the form of bank demand draft or banker's cheque of a Scheduled Bank in India payable in the name of Appellate Authority concerned.

**(7) Procedure for disposal of appeal**

- (a) The First Appellate Authority or Second Appellate Authority, as the case may be, upon filing of appeal, shall issue notice accompanied by copy of appeal, affidavit and documents, if any, to the respondents and fix date of hearing.
- (b) On the date fixed for hearing, the First Appellate Authority or Second Appellate Authority, as the case may be, shall,-
  - (i) Hear all the parties to appeal present before him; and
  - (ii) Peruse or inspect documents, relevant records or copies thereof relating to the matter.
- (c) After hearing the parties, perusal or inspection of documents and relevant records or copies thereof relating to the matter, the Appellate Authority concerned shall pass an order in writing and provide the copy of order to the parties to appeal free of cost.
- (d) The order passed under sub-clause (c) above shall also be placed on the State Public Procurement Portal.

**FORM No. 1**

[See Rule 83]

**Memorandum of Appeal under the Rajasthan  
Transparency in Public Procurement Act, 2012**

Appeal No. .... of  
..... Before the .....  
(First/Second Appellate Authority)

1. Particulars of appellant :

(i) Name of the appellant :

(ii) Official address, if any :

(iii) Residential address :

2. Name and address of the respondent (s) :

(i)

(ii)

(iii)

3. Number and date of the order appealed against and name and designation of the officer/authority who passed the order (enclose copy), or a statement of a decision, action or omission of the Procuring Entity in contravention to the provisions of the Act by which the appellant is aggrieved:

4. If the Appellant proposes to be represented by a representative, the name and postal address of the representative:

5. Number of affidavits and documents enclosed with the appeal :

6. Grounds of appeal :

.....

(Supported by an affidavit)

7. Prayer :

.....

Place .....

Date .....

**Appellant's Signature**

## **Annexure D : Additional Conditions of Contract**

### **1. Correction of arithmetical errors**

Provided that a Financial Bid is substantially responsive, the Procuring Entity will correct arithmetical errors during evaluation of Financial Bids on the following basis:

- i. If there is a discrepancy between the unit price and the total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail and the total price shall be corrected, unless in the opinion of the Procuring Entity there is an obvious misplacement of the decimal point in the unit price, in which case the total price as quoted shall govern and the unit price shall be corrected;
- ii. If there is an error in a total corresponding to the addition or subtraction of subtotals, the subtotals shall prevail and the total shall be corrected ; and
- iii. If there is a discrepancy between words and figures, the amount in words shall prevail, unless the amount expressed in words is related to an arithmetic error, in which case the amount in figures shall prevail subject to (i) and (ii) above.

If the Bidder that submitted the lowest evaluated Bid does not accept the correction of errors, its Bid shall be disqualified and its Bid Security shall be forfeited or its Bid Securing Declaration shall be executed.

### **2. Procuring Entity's Right to Vary Quantities**

- (i) At the time of award of contract, the quantity of Goods, works or services originally specified in the Bidding Document may be increased or decreased by a specified percentage, but such increase or decrease shall not exceed fifty percent, of the quantity specified in the Bidding Document. It shall be without any change in the unit prices or other terms and conditions of the Bid and the conditions of contract.
- (ii) If the Procuring Entity does not procure any subject matter of procurement or procures less than the quantity specified in the Bidding Document due to change in circumstances, the Bidder shall not be entitled for any claim or compensation except otherwise provided in the Conditions of Contract.
- (iii) In case of procurement of Goods or services, additional quantity may be procured by placing a repeat order on the rates and conditions of the original order. However, the additional quantity shall not be more than 50% of the value of Goods of the original contract and shall be within one month from the date of expiry of last supply. If the supplier fails to do so, the Procuring Entity shall be free to arrange for the balance supply by limited Bidding or otherwise and the extra cost incurred shall be recovered from the supplier.

### **3. Dividing quantities among more than one Bidder at the time of award (In case of procurement of Goods)**

As a general rule all the quantities of the subject matter of procurement shall be procured from the Bidder, whose Bid is accepted. However, when it is considered that the quantity of the subject matter of procurement to be procured is very large and it may not be in the capacity of the Bidder, whose Bid is accepted, to deliver the entire quantity or when it is considered that the subject matter of procurement to be procured is of critical and vital nature, in such cases, the quantity may be divided between the Bidder, whose Bid is accepted and the second lowest Bidder or even more Bidders in that order, in a fair, transparent and equitable manner at the rates of the Bidder, whose Bid is accepted.

**Special Conditions of Contract regarding Defect Liability Period (DLP) for  
Various works costing Rs. 25.00 Lacs and more**

**1. ROAD WORKS**

- 1.1 The Defect Liability Period (DLP) for all Road works excluding patch repair work shall be as per table-1. Road works executed by the Contracting agency shall be maintained by them at their own cost for Schedule as per table-1 (DLP) from the actual date of completion of work as per the clause in the Contract Agreement and Special Condition of Contract.
- 1.2 No extra payment shall be made to the contracting agency on account of maintenance of Road works and removal of defect during Defect Liability Period.
- 1.3 The word "Road Works" means all new Road Works construction, strengthening and renewal works.
- 1.4 The word "Maintenance of Road Works during Defect Liability Period" means
- (i) Routine maintenance of Road Works,
  - (ii) To remove the defect as & when appear in part and entire structure of Road Works, in specified time and keeping the Road Surface with good riding quality and
  - (iii) Damages due to improper drainage / drains, local flooding, depressions on roads etc.
- 1.5 The contracting agency shall do the routine maintenance of Road works, including pavement, road side and cross drains including surface drains to the required standards and keep the entire road surface and structure in Defect free conditions during the entire period of routine maintenance, which begins at completion of the construction work and ends after Schedule as per table-1.
- 1.6 The routine maintenance shall consist of the routine maintenance operation defined in manual for maintenance of roads of MoRTH and shall be carried out accordingly.
- 1.7 **(a) The routine maintenance activities and their periodicity as per JDA Office order no: JDA/Ex.En.(TA to Dir Engg.-I)/2016/D-29 dated 11.03.2016**

**Table-I**

S.No.	Type of work	DLP Period
1	Bridge work	5 Years
2	CD work	5 Years
3	CC road, PQC work	5 Years
4	CC tiles/Kerb/ Medians	5 Years
5	Drains	3 Years
6	Roads	
	(i) Two Layer WBM/GSB	6 Months or one full rainy season whichever is later
	(ii) For Renewal/Strengthening	
	(a) BT upto 30 mm thickness	1 Year
	(b) BT above 30 mm to upto 40 mm	2 Years
	(c) BT above 40 mm to upto 90 mm	3 Years
	(d) BT above 90 mm	5 Years
	(iii) New roads	
	(a) BT upto 90 mm	3 Years
	(b) BT more than 90 mm	5 Years
7	Compound wall	3 Years
8	Building work	
	(i) Work pertaining to sanitary works electrical works, Joinery works and painting works.	2 Years
	(ii) Work pertaining to building structure and other civil works.	5 Years
9	Electric work except maintenance	3 Years
10	Sewer/water supply all including STP and water supply related work except maintenance works	3 Years

1.7 (b) The routine maintenance activities and their periodicity

S.No.	Name of Item/Activity	Frequency of operations in one year
1	Restoration of rain cuts and dressing of berms.	Once in a year, generally after rains.
2	Making up of shoulders.	As and when required.
3	Maintenance of Bituminous surface road and/or gravel road/WBM road including filling pot holes and patch repairs etc.	As and when required.
4	Insurance of proper functioning of drains including civil maintenance and desilting of drains. (If constructed by the same Road agency or not)	As and when required.
5	Maintenance of road signs. (If installed by the same Road agency)	Maintenance as and when required. Repainting <b><u>once in every one and half years.</u></b>
6	Road Marking, Kerb Stone/Dand. (If done by the same Road agency)	<b>Thermoplastic Paint</b> Maintenance as and when required. Repainting <b><u>once in every one and half years.</u></b> <b>Ordinary Paint</b> Maintenance as and when required. Repainting <b><u>thrice in every years.</u></b>
7	Damages beyond control of agency.	Road cuts made by various agencies for utility, duly permitted by JDA / JNN will have to be repaired by agency on the same rates of the contract agreement till DLP.

2. General

2.1 Inspection of works during Defect Liability Period

2.1.1 The contracting agency shall undertake joint detailed inspection along with Engineer-in-charge/A.En., at least once in three months in case of all Road works. The Engineer-in-charge can reduce this frequency in case of emergency. The Contracting agency shall forward to the Engineer-in-charge the record of inspection and rectification immediately after the joint inspection. The Contracting agency shall pay particular attention on those road sections, which are likely to be damaged during rainy season.

2.1.2 One register has to be maintained by every A.En for recording the inspection details of works in his jurisdiction under defect liability period.

2.2 Conditions regarding Security Deposit

2.2.1 Security for DLP-

The contracting agency shall have to furnish security deposit (SD) in the form of Bank Guarantee valid from the actual date of completion, which shall be assigned by the Engineer-in-charge.

2.2.2 Refund of SD -

The release of SD amount shall be as following table:-

S.No.	Released SD DLP period	1 <sup>st</sup> year	2 <sup>nd</sup> year	3 <sup>rd</sup> year	5 <sup>th</sup> year
1	Upto 1 year	100 %	40 %	20 %	10 %
2	Upto 2 Year		60 %	20 %	10 %
3	Upto 3 Year			60 %	10 %
4	Upto 4 Year				20 %
5	Upto 5 Year				50 %

Various conditions for managing DLP are as under:-

- (i) At the time of completion of work, final component shall be worked out for each individual item like BT/CC /tiles/drains etc ( as per different categories in Table I), DLP shall be operative based upon type of individual item ex:- CC-5 years, BT- 1/2/3/5 years, Drain- 3 years etc.

- (ii) Similarly for all new works, these components should be calculated at the time of TS itself, which should be made part of BID document.
- (iii) If any work, amount is less than Rs. 25 lakhs but later on due to extra/excess work, if amount of final work crosses more than Rs. 25 lakhs, DLP shall be operative as per rule for each individual item.
- (iv) Similarly if any work is more than Rs. 25 lakhs but later finalization amount of work is less than Rs. 25 lakhs, DLP should be operative for six months or rainy season whichever is late.
- (v) During DLP period if contractor fails to repair any work even after issue of 7 days written notice, same work shall be got executed by respective Executive Engineer at the contractor's risk and cost. This process shall be applicable throughout the DLP period. After completion of DLP period in such works contractor should be debarred and blacklisted from JDA for three years as per RTPP Rule 2012 and 2013 where he defaults twice in a single agreement or in two different works.
- (vi) Quarterly inspection as per rules shall be carried out and DLP registers shall be maintained by respective Executive Engineers to monitor the DLP repairs.
- (vii) Special and regular inspection shall also be carried out as per order no. JDA/Ex.En & TA to DE-I/ 2014-15/D-223 dated 12.03.2015 and order no. SE ( PMGSY) CIRCULAR 2006/D-115 dated 04.05.2006 point no. 3
- (viii) In case JDA feels to take up work on any existing DLP road due to any reason, following procedure should be adopted.
- (a) At the time of withdrawal total liability of repairs as per DLP conditions to be carried out and contractor shall be asked to complete the same. After completion of assessed repairs DLP period shall be released after deduction amt. as per table III.

<b>% recovery on withdrawal of DLP of work order</b>	<b>1 Year</b>	<b>2 Year</b>	<b>3 Year</b>	<b>4 Year</b>	<b>5 Year</b>
<b>DLP period</b>					
1 Year	1.12	-	-	-	-
2 Year	2.55	1.43	-	-	-
3 Year	4.38	3.26	1.83	-	-
5 Year	9.00	7.88	6.45	4.62	2.47

Note :- Calculation is to be done on quarterly basis.

- (b) In case Contractor fails to carry out these repairs, same shall be carried out at his risk and cost. If the total amt. of such repairs works out to be more than total retained amt. of SD, same shall be recovered from other works and as per PDR rules. The amount as per Table-III is also to be deducted in addition to this amount.
- (c) Based upon type of work, DLP conditions for works to be carried out during DLP period with their frequency of respective type of work shall be prepared by respective SE's after approval of these periods.

### **2.2.3 Force Majeure**

The defect arises due to earthquake, cyclone, and natural calamities shall not be the responsibly of contracting agency.

**Signature of Contractor**  
**With full Address**

**Executive Engineer-4**  
**JDA, Jaipur.**

## Bank Guarantee Performa for Bid security deposit

Form of (Bank Guarantee) -En cashable at branch of the bank in Jaipur City.

To  
Secretary,  
Jaipur Development Authority,  
Jaipur

Sub:

Bank Guarantee No. \_\_\_\_\_ dated \_\_\_\_\_ for [amount of Security in figures] [in words] on behalf of \_\_\_\_\_ [Name of the Bidder] against the Security Deposit for the work of "Development works (civil)in multipurpose scheme at B-2 bypass , Durgapura, (Phase-II) zone 4 , JDA, jaipur."

WHEREAS, \_\_\_\_\_ [name of Bidder with address] (**hereinafter called "the Bidder"**) has submitted his Bid dated ..... for the work of "Development works (civil)in multipurpose scheme at B-2 bypass , Durgapura, (Phase-II) zone 4 , JDA, jaipur."

**(Name of Work)** (Hereinafter called "the Bid").

KNOW ALL PEOPLE by these presents that we \_\_\_\_\_  
\_\_\_\_\_ (Name of Bank) of having our registered office at  
\_\_\_\_\_ [name of country] having our registered office at  
\_\_\_\_\_ (hereinafter called "the Bank") are bound unto Secretary, Jaipur Development Authority. (Hereinafter called "the Employer") in the sum of Rupees \_\_\_\_\_ **[Amount of Security in figures]** \_\_\_\_\_ (in words) only for which payment will and truly to be made to the said Employer, the Bank binds itself, its successors, and assigns by these presents.

That on demand of JDA , this Bank Guarantee is encashable at following branch in Jaipur City.

1. Name of Bank:
2. Name of the branch with branch code:
3. Address:
4. E-Mail Id:
5. Telephone No.
6. Fax No.:

SEALED with the Common Seal of the said Bank this \_\_\_\_\_ day of \_\_\_\_\_ of 20\_\_\_\_.

THE CONDITIONS of this obligation are:

- (1) if the Bidder withdraws his Bid during the period of Bid validity specified in the Form of Bid;
- (2) if the Bidder refuses to accept the correction of errors in his bid;
- (3) If the Bidder, having been notified of the acceptance of his Bid by the Employer during the period of Bid validity;
  - (a) fails or refuses to execute the Form of Agreement in accordance with the Instructions to Bidders, or
  - (b) fails or refuses to furnish the Performance Security, in accordance with the Instructions to Bidders;

We undertake to pay to the Employer up to the above amount upon receipt of his first written demand, without the Employer having to substantiate his demand, provided that in his demand the Employer will note that the amount claimed by him is due to him owing to the occurrence of one or more of the above conditions, specifying the occurred condition or conditions.

This Guarantee will remain in force up to and including the date 7 months after the date of expiration of the Bid Validity, as stated in the Instructions to Bidders, or any such extension thereto as may be agreed by the Bidder, notice of which extension(s) to the Bank is hereby waived. Any demand in respect of this Guarantee should reach the Bank not later than the above date.

The amount covered under the above Bank Guarantee shall be automatically be credited in the accounts of JDA in ICICI Bank, JDA Campus, Jaipur through **IFSC code No ICICI 006754. Bank Account No. 675401700518** on the date of expiry or its validity, unless the agencies get it re-validated well before its expiry date or produce NOC from JDA in written for its release.

Date \_\_\_\_\_ Signature of the Bank \_\_\_\_\_

Witness \_\_\_\_\_ Seal \_\_\_\_\_

[Signature, Name and Address]

[Note: To be furnished on appropriate non-judicial stamps.]



# जयपुर विकास प्राधिकरण, जयपुर

www.jda.urban.rajasthan.gov.in

क्रमांक जविप्रा/अधि. अभि./त.स.नि.अ.-1/2021/डी-65

दिनांक :- 22/7/2021

## कार्यालय आदेश

विषय :- जविप्रा में निविदाओं में BSR Rates से कम दर डालने पर अन्तर राशि जमा कराने बाबत।


जयपुर विकास प्राधिकरण, जयपुर में आमंत्रित की जाने वाली निविदाओं के सम्बन्ध में यह आदेश जारी किए जाते हैं कि जविप्रा में Prevalent BSRs या जिस भी BSR पर निविदाएं आमंत्रित की गयी हैं उस में जी-शिडयूल पर BSR Rate से कम दर डालने वाले संवेदकों से अन्तर राशि (at Par की दर से जितनी कम है) "Work Performance Guarantee" के रूप में कार्य प्रारम्भ करने से पूर्व ली जायेगी तथा इसे कार्य के सन्तोषजनक रूप से पूर्ण होने के पश्चात् वापस लौटा दिया जायेगा। न्यूनतम दर वाले बोलीदाता की बोली स्वीकृत कर Letter of acceptance जारी किया जायेगा एवं बी.एस.आर. दर से कम दर की अन्तर राशि की BG/FDR/NSC प्रस्तुत करने हेतु 14 दिवस का समय दिया जायेगा। जमा नहीं कराने पर BID Security की राशि नियमानुसार जब्त होगी। यदि संवेदक "Work Performance Guarantee" जमा कराने के पश्चात् कार्य संतोषजनक रूप से पूर्ण नहीं करता है तो उसकी "Work Performance Guarantee" की राशि जविप्रा द्वारा जब्त कर ली जायेगी व अनुबन्ध के तहत अन्य कार्यवाही भी संपादित की जावेंगी।

The following condition be made part of the tender document-

"If any bidder quotes a rate below than the schedule "G" rates, i.e rates below than "at par", then the bidder has to deposit the difference amount i.e difference amount of the rates as per "at par" and quoted "below", as "Work Performance Guarantee". This amount has to be deposited before the commencement of work and will be refunded after successful completion of work. Lowest bidder will be issued LOA (Letter of Acceptance) and within 14 days period he has to deposit difference amount in the form of B.G/FDR/NSC. The validity of these shall be for a period three months beyond the stipulated date for completion/ actual date of completion and shall have to be extended time to time up to actual completion of work as per requirement. In case of non deposition of the same in specified period, the Bid Security will be forfeited. In case work is not completed satisfactorily, the "Work Performance Guarantee" will be forfeited and other action will be taken as per Contract Agreement."

उपरोक्त आदेश तुरन्त प्रभाव से लागू किया जाता है। यह आदेश उन सभी निविदाओं पर प्रभावी होगा जो कि भविष्य में जारी होंगी तथा वो निविदाएँ जो इस आदेश के जारी होने की दिनांक तक अप्राप्त हैं। इस सम्बन्ध में निविदा दस्तावेजों में आवश्यक संशोधन तुरन्त अधिशाषी अभियन्ताओं द्वारा किया जावेगा व नवीन सभी निविदाओं में भी उक्त शर्तों का समावेश किया जाना सुनिश्चित किया जावे।

उक्त आदेश सक्षम स्तर से पुष्ट है।

  
निदेशक (अभियांत्रिकी-प्रथम)  
जविप्रा, जयपुर

## JAIPUR DEVELOPMENT AUTHORITY, JAIPUR

**Name of Work :- Development works (civil)in multipurpose scheme at B-2 bypass , Durgapura,  
(Phase - II)zone 4 , JDA, jaipur**

### G-SCHEDULE

Based on PWD BSR 2016

S. No.	Item	Qty	Unit	Rate	Amount
1	Excavation in Cutting in Soil Excavation in Soil using Hydraulic Excavator and Tippers with disposal upto 1000 m Excavation for roadwork in soil with hydraulic excavator of 0.9 cum bucket capacity including cutting and loading in tippers, trimming bottom and side slopes, in accordance with requirements of lines, grades and cross-sections, and transporting to the embankment location with a lift upto 1.5 m and lead upto 1000 m as per MoRD Specification Clause 302.3	1845.62	cum	26.10	48170.68
2	Gravel/Soil-Aggregate Base/Sub-base Gravel/Soil Aggregate Base/Sub-base Nominal Maximum size Grading 80 mm (Table 2.3 of IRC SP 77-2008) Construction of Gravel / Soil Aggregate Sub-base/Base by providing well graded material of nominal maximum size grading 80 mm as per Table 2.3 of IRC SP 77-2008, spreading in uniform layers with tractor mount appropriate grading arrangements on prepared surface, mixing by mix in place method at OMC with tractor mount appropriate rotavator attachment and compaction with three wheel 80-100 KN Static Roller capacity to achieve the desired density complete as per specifications contained in Para 2.2, 3.6 and 3.7 of IRC SP 77-2008	2520.00	cum	531.00	1338120.00
3	Wet Mix Macadam Providing, laying, spreading and compacting graded stone aggregate to wet mix macadam specification including premixing the material with water at OMC in mechanical mixer (Pug Mill), carriage of mixed material by tipper to site, laying in uniform layers in sub-base/base course on a well prepared sub-base and compacting with smooth wheel roller of 80 to 100kN weight to achieve the desired density including lighting, barricading and maintenance of diversion, etc as per Tables 400.11 & 400.12 and MoRD Specification Clause 406. By Mechanical Means with 1 km lead	3692.70	cum	1071.00	3954881.70
4	Tack Coat Providing and applying tack coat with Bitumen emulsion (RS-1) using emulsion distributor at the rate of 0.20 to 0.25 kg per sqm on the prepared bituminous surface cleaned with Hydraulic broom as per MoRD Specification Clause 503	12600.00	Sqm	9.00	113400.00
4.1	Providing and applying tack coat with Bitumen emulsion (RS-1) using emulsion distributor at the rate of 0.25 to 0.30 kg per sqm on the prepared granular surfaces treated with primer & cleaned with Hydraulic broom as per MoRD Specification Clause 503	12600.00	Sqm	10.80	136080.00
5	Retro-reflectorised Traffic Signs Providing and fixing of retro-reflectorised cautionary, mandatory and informatory sign as per IRC:67 made of encapsulated lens type reflective sheeting vide Clause 1701.2.3, fixed over aluminium sheeting, 1.5 mm thick supported on GI pipe 50 mm dia firmly fixed to the ground by means of properly designed foundation with M-15 grade cement concrete 450 mm x 450 mm x 600 mm, 600 mm below ground level as per drawings and MoRD Specification Clause 1701 900 mm equilateral triangle	3.00	Each	3825.00	11475.00

S. No.	Item	Qty	Unit	Rate	Amount
6	Retro-reflectorised Traffic Signs Providing and erecting direction and place identification retro-reflectorised sign as per IRC:67 made of encapsulated lens type reflective sheeting vide Clause 1701.2.3, fixed over aluminium sheeting, 2 mm thick with area not exceeding 0.9 sqm supported on 2 inch dia GI Pipe firmly fixed to the ground by means of properly designed foundation with M-15 grade cement concrete 450 x 450 x 600 mm, 600 mm below ground level as per approved drawing and Tehnical Specification Clause 1701.	3.24	Sqm	8235.00	26681.40
7	Marking Centre Line and stop lines etc. on road as per IRC pattern with thermoplastic paint of approved quality and make with 8% glass beads laid on the road surface at temperature 160" C with a special applicator machine complete with a special applicator machine complete with labour material and traffic diversion arrangements	489.00	Sqm	436.50	213448.50
8	Supplying of Cat's Eye made of aluminium alloy size 75x100x22 mm having 21 biconvex lenses embedded in circular disk of ABS plastic on each side.	198.00	Each	180.00	35640.00
9	Providing and Laying of Interlocking M-30 grade Concrete Block Pavements having thickness 60 mm as per drawings and MoRD Specification Clause 1504with M-30 Grade 0.30 Mtr x 0.30 Mtr x 0.15 Mtr Edge Blocks.Category 'A' : Dentated units to key into each other on all four faces Zigzag shape as per IRC:SP:63-2004	1650.00	Sqm	625.50	1032075.00
9.1	Providing and Laying of Interlocking M-30 grade Concrete Block Pavements having thickness 100 mm as per drawings and MoRD Specification Clause 1504with M-30 Grade 0.30 Mtr x 0.30 Mtr x 0.15 Mtr Edge Blocks.Category 'B' : Dentated only two sided like I,Z,T shape as per as per IRC:SP:63-2004	3215.00	Sqm	877.50	2821162.50
10	Construction of Embankment with Material Obtained from Borrow Pits Construction of embankment with approved material obtained from borrow pits with a lift upto 1.5 m, transporting to site spreading, grading to required slope and compacting to meet requirement of Tables 300.1 and 300.2 with a lead upto 1000 m as per MoRD Specification Clause 301.5	25154.59	cum	94.50	2377108.76
11	CEMENT CONCRETE (CAST-IN-SITU) Providing and laying in position cement concrete including curing, compaction etc. complete in specified grade excluding the cost of centering and shuttering - All work up to plinth level. M10 grade Nominal Mix 1: 3: 6 (1 cement : 3 coarse sand : 6 graded stone aggregate 20mm nominal size).	226.23	cum	2398.50	542622.25
12.1	M15 grade Nominal Mix 1: 2: 4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20mm nominal size).	13.993	cum	2882.70	40337.62
12	Random Rubble stone masonry for with hard stone in foundation and plinth in Cement Sand mortar above 30 CM thick wall in: Cement Mortar 1:6 ( 1-Cement : 6-Sand)	347.977	cum	1770.30	616023.68
13	Random Rubble stone masonry with hard stone in superstructure above plinth level and upto five level above 30cm. thick walls in : Cement Mortar 1:6 ( 1-Cement : 6-Sand)	279.86	cum	2169.90	607257.36

S. No.	Item	Qty	Unit	Rate	Amount
14	Bituminous Macadam Providing and laying bituminous macadam with hot mix plant using crushed aggregates of grading as per Table 500.4 premixed with bituminous binder, transported to site with all leads laid over a previously prepared surface with paver finisher to the required grade, level and alignment and rolled to achieve the desired compaction as per MoRD Specification Clause 504.	1323.00	MT	2421.00	3202983.00
15	20mm thick Open-Graded Premix Carpet using Bituminous (penetration grade/modified bitumen) Binder Providing, laying and rolling of open-graded premix carpet of 20 mm thickness composed of 13.2 mm to 5.6 mm aggregates either using penetration grade bitumen or emulsion to required line, grade and level to serve as wearing course on a previously prepared base, including mixing in a suitable plant, laying and rolling with a three wheel 80-100 kN static roller capacity, finished to required level and grades to be followed by seal coat of either Type A or Type B or Type C as per MoRD Specification Clause 508. By Mechanical Means Bitumen (VG-30)	529.20	MT	2722.50	1440747.00
16	Seal Coat Providing and laying seal coat sealing the voids in a bituminous surface laid to the specified levels, grade and cross fall using Type A, Type B and Type C as per MoRD Specification Clause 510 By Mechanical Means Type B Bitumen (VG-30)	12600.00	Sqm	38.70	487620.00
17	FORMK WORK Centering and Shuttering with plywood or steel sheets including strutting, propping bracing both ways and removal of formwork for foundation , footings, strap beam, raft , bases of columns etc	141.00	Sqm	99.00	13959.00
18	Centering & shuttering with plywood or steel sheets including strutting, propping bracing both ways with steel props and removal of formwork for upto floor five level for : Walls (any thickness) including attached pilasters, buttresses plinth and string course	1657.20	Sqm	180.90	299787.48
19	Providing and fabricating reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding (including cost of binding wire) all complete up to floor five level. Thermo-mechanically Treated bars (Conforming of relevent IS code)	20677.62	Kg	62.10	1284080.20
20	CAST-IN-SITU CONCRETE Providing and laying in position Ready mix concrete manufactured in fully automatic Batching Plant and transported to site in transit mixer for having continous agitated mixer, manufactured as per approved mix design of specified grade of RCC work including pumping of R.M.C. from transit mixer to site of laying , exculding the cost of centering, shuttering and reinforcement with all lead and lift including cost of admixtures in recommended portion as per IS 9103 to accelerate/ retard setting of concrete, improve workability without impairing strength and durability as per direction of Engineer in charge . All works upto floor V floor M20 grade Design Mix by using min 400 Kg of cement per cum of concrete	573.681	cum	3902.40	2238732.73
21	Earth work in excavation by mechanical means (Hydraulic excavator )/ manual means over areas (exceeding 30cm in depth. 1.5m in width as well as 10 sum on plan) including disposal of excavated earth, lead upto 50m and lift upto 1.5 m , disposed earth to be levelled and neatly dressed: All kinds of soil	1204.923	cum	109.80	132300.55

S. No.	Item	Qty	Unit	Rate	Amount
22	Dismantling of Structures Dismantling of existing structures like culverts, bridges, retaining walls and other structure comprising of masonry, cement concrete, wood work, steel work, including T&P and scaffolding wherever necessary, sorting the dismantled material, disposal of unserviceable material and stacking the serviceable material with all lifts and lead of 1000 m as per MoRD Specification Clause 202. By Mechanical Means Reinforced Cement Concrete	216.00	cum	360.00	77760.00
23	Construction of un-reinforced, dowel jointed at expansion and construction joint only, plain cement concrete pavement, thickness as per design, over a prepared sub base, with 43 grade cement as per Clause 1501.2.2 M35 (Grade), coarse and fine aggregates conforming to IS:383, maximum size of coarse aggregate not exceeding 25 mm, mixed in a automatic concrete mixing plant, using approved mix design, transported in transit mixture from plant to work site, laid in approved fixed side formwork (steel channel, laying and fixing of 125 micron thick polythene film, wedges, steel plates including levelling the form work as per drawing), spreading the concrete with shovels, rakes, compacted using needle, screed and plate vibrators and finished in continuous operation including provision of contraction and expansion, construction joints, applying bonding strips, primer, sealant, dowel bars, near approaches to bridge/culvert and construction joints, admixtures as approved, curing of concrete slabs for 14-days, using curing compound and water finishing to lines and grade as per drawing and Technical Specification Clause 1501 Including vacuum dewatering process with all required equipments	168.00	cum	5310.00	892080.00
24	Low porosity Providing and applying primer coat with bitumen emulsion (SS-1) on prepared surface of granular base including cleaning of road surface and spraying primer at the rate of 0.70-1.0 kg/sqm using mechanical means as per MoRD Specification Clause 502	12600.00	Sqm	31.50	396900.00
25	Dismantling of Cement Concrete Pavements as per MoRD Specification Clause 202. Dismantling of cement concrete pavements by mechanical means using pneumatic tools breaking to pieces not exceeding 0.02 cum in volume and stock piling at designated locations and disposal of dismantled materials upto a lead of 1000 m, stacking serviceable and unserviceable materials separately	165.00	cum	481.50	79447.50
26	Filling available excavated earth (excluding rock) in trenches, plinth side of foundation etc. in layers not exceeding 20 cm. in depth, consolidating each deposited layer by ramming and watering including lead up to 50 meter and with all lift.	7369.452	cum	40.50	298462.81
27	POINTING Pointing on stone masonry in cement sand mortar 1:3 (1 cement : 3 sand) : Raised and cut pointing.	1472.920	Sqm	132.30	194867.32
28	Providing and fixing reinforced concrete precast kerb stone or dand R.Mtr of M-20 grade cement concrete 120 cm long having 4 Nos. bars of 8 mm dia hysd and stirrups 6 Nos of 6 mm dia as per IS with in built provision of interlocking of jointing and lifting compaction of reinforced concrete by mechanical and table vibrators jointing at site with cement mortar 1:4 complete in all respect as directed by Engineer incharge on: 100 mm thick cement concrete 1:4:8 (1 Cement : 4 Coarse sand : 8 stone aggregate 20 mm thick nominal size) including excavation of earth and cutting of BT road cutting of WBM road etc. and disposal of surplus material with all lead and lift. The size of kerb shall be $(11.5+16.5)/2*30+(16.5*7.5)$	200.00	P.Rmt.	617.00	123400.00

S. No.	Item	Qty	Unit	Rate	Amount
29	Providing and laying Precast reinforced cement concrete Box culvert section of M-40 grade designed for 'AA' class loading as per IRC specifications including to effect of impact, EQ etc. complete on form base of 200mm thick lean concrete of M-10 grade with aggregate of size 40mm nominal of following internal size the work includes required safety measures construction of drain for diversion of flowing water cost of design of RCC Precast Box and its proof checking from IIT/MNIT Jaipur complete in all respect as per specifications. Size 1.00 M x 1.00 M	102.00	R.Mtr.	15457.00	1576614.00
30	Granular Sub-base with Well Graded Material (Table 400.1) By Mix in Place Method Construction of granular sub-base by providing well graded material, spreading in uniform layers with Tractor Mount Grader on prepared surface, mixing by mix in place method with rotavator at OMC, and compacting with smooth wheel roller to achieve the desired density, complete as per MoRD Specification Clause 401 For Grading III Material	390.00	cum	351.00	136890.00
31	Earth, Sand, Lime, Morrum manure or sludge Add for each 1 Km beyond 1st Km(upto 5 Km.)	32524.04	cum	10.80	351259.63
	Total				27142375.67

**Executive Engineer-4  
JDA, Jaipur**

I/We hereby agree to execute the work

\_\_\_\_\_ % below/above (In words)

\_\_\_\_\_ % below/above (In figure)

Signature of Contractor

With full Address & Tel. No.