

जयपुर विकास प्राधिकरण, जयपुर

कमरा नं. 102, प्रथम तल, नागरिक सेवा केन्द्र, रामकिशोर व्यास भवन, इन्दिरा सर्किल जवाहर लाल नेहरू मार्ग, जयपुर-302004

दूरभाष : + 91-141-2569696, ई-मेल : nishant.str.mnit@gmail.com

क्रमांक/जविप्रा/अधि.अभि.-2ए/2023-24/डी-277

दिनांक: 26/08/23

निविदा सूचना

बिड सूचना: जविप्रा/अधि.अभि.-2ए/17/2023-24

जयपुर विकास प्राधिकरण द्वारा जोन 2ए क्षेत्र में "गोविन्द देव जी मन्दिर क्षेत्र में जन सुविधाओं का विस्तार, पुनरुद्धार एवं सौन्दर्यीकरण का कार्य" जिसकी अनुमानित लागत राशि रु. 14.81 करोड के लिए ऑनलाईन बिड्स दिनांक 11.09.2023 को सायं 6:00 बजे तक आमन्त्रित की जाती है। निविदा बोली का ऑनलाईन आवेदन व भुगतान जविप्रा पोर्टल पर करने की अन्तिम तिथि 11.09.2023 को सायं 6:00 बजे तक है। निविदा बोली के दस्तावेजों का विस्तृत विवरण www.sppp.rajasthan.gov.in, www.eproc.rajasthan.gov.in and www.jda.urban.rajasthan.gov.in पर देखा जा सकता है।

(UBN No.....)

निविदा में भाग लेने वालों को निम्न शर्तों की पूर्ति करनी होगी।

1. निविदादाता जयपुर विकास प्राधिकरण की वेबसाईट www.jda.urban.rajasthan.gov.in पर पंजीकृत हो एवं निविदा में भाग लेने के लिए बोलीदाता को आवेदन करने के लिए दस्तावेज शुल्क, अमानत राशि, आर.आई.एस. एल. प्रोसेसिंग शुल्क ऑनलाईन जमा करनी होगी।
2. ऑनलाईन निविदा प्रस्तुत करने के लिए निविदादाताओं का राजस्थान सरकार के ई-प्रोक्यूरमेंट पोर्टल www.eproc.rajasthan.gov.in पर पंजीकृत हो।

अधिशाषी अभियन्ता-2ए
जविप्रा, जयपुर।

JAIPUR DEVELOPMENT AUTHORITY

Room No. N-133 First Floor, CCC building, Ram Kishore Vyas Bhavan, Indira Circle, JawaharLal Nehru Marg, Jaipur - 302004
Telephone: +91-141-2569696 e.mail nishant.str.mnit@gmail.com

No:- JDA/EE-2A/2023/D-277

Dated:26/08/23

NOTICE INVITING BID NIB No. : EE-2A/17/2023-24

Online Bids are invited up-to 06:00 PM of 11/09/2023 for "**Renovation, Beautification & Expansion of public facilities at Govind dev ji Temple area, Zone 2A, JDA, Jaipur**". The last date for Applying Bid and making online payment on JDA portal is up-to 06:00 PM of 11/09/2023. The estimated cost of NIB is Rs. 14.81 CRORE. Details may be seen in the Bidding Document at our office or the State Public Procurement Portal website www.sppp.rajasthan.gov.in, www.eproc.rajasthan.gov.in and www.jda.urban.rajasthan.gov.in/jda

To participate in the bid, bidder must:

- A. Participate in Tender & Deposit Payment on 'Online Tender Participation' Portal of JDA at <https://jda.urban.rajasthan.gov.in/jda> or by Single-Sign-On at <http://service.jaipurjda.org>.
- B. Submit e-Bid on 'e-Procurement Portal' of GOR at www.eproc.rajasthan.gov.in

**Executive Engineer-2A,
JDA, Jaipur**

OFFICE OF THE JAIPUR DEVELOPMENT AUTHORITY, JAIPUR

NIB No.- EE-2A/17/2023-24	
Name & Address of the Procuring Entity	<ul style="list-style-type: none"> ➤ Name: Executive Engineer-2A ➤ Address: Room No. N-133 First Floor, CCC building, Ram Kishore Vyas Bhavan, Indira Circle, JawaharLal Nehru Marg, Jaipur – 302004 ➤ Email: nishant.str.mnit@gmail.com
Name of work	➤ Renovation, Beautification & Expansion of public facilities at Govind dev ji Temple area, Zone 2A, JDA, Jaipur
Bid Procedure	➤ [Like Single-stage Two part open competitive eBid procedure at http://eproc.rajasthan.gov.in]
Bid Evaluation Criteria (Selection Method)	➤ [Like Least Cost Based Selection (LCBS)-L1]
Websites for downloading Bidding Document, Corrigendum's, Addendums, etc.	➤ Websites: www.sppp.rajasthan.gov.in , www.eproc.rajasthan.gov.in , www.jda.urban.rajasthan.gov.in
Estimated Procurement Cost	➤ INR 14.81 CRORE (FORTEEN CRORE EIGHTY ONE LACS)
Website for online Bid application and payment *	<ul style="list-style-type: none"> ➤ Website: www.jda.urban.rajasthan.gov.in ➤ For participating in the Bid, the Bidder has to apply for this Bid and pay the Bidding Document Fee, RISL Processing Fee and Bid Security Deposit, online only. <ul style="list-style-type: none"> ○ Bidding document fee: Rs. 1000/- ○ RISL Processing Fee: Rs. 2500/- ○ Requisite Bid Security Deposit. ○ The Bidders are required to submit Bid security, cost of Bidding documents, and Bid processing fees through online payment after registering with JDA on www.jaipurjda.org/e-services/e-tender portal. There should be a gap of 3 working days between the End date for Bid Applying, Online Payment & Bid Submission and Bid Opening date. In the absence of the requisite fee, the bid of the concerned bidder will be considered as non-responsive and shall be liable for rejection
Bid Security Deposit (in favor of Secretary, JDA, Jaipur)	<ul style="list-style-type: none"> ➤ Amount (INR: 2% (Rs 29,62,000.00/-) For A & AA class contractors registered in the appropriate class with CPWD, Postal, Telegram, Railway, MES, Other State Government/Central Government undertakings/organizations of Estimated Procurement Cost. (The bidder must capable to bid in the bid as per their enlistment) ➤ 0.5 % (Rs 7,40,500.00/-) for Bidder registered as a contractor in the appropriate class in JDA. ➤ In case of Departments of the State Government and undertakings, Corporations, Autonomous bodies, Registered Societies, Cooperative Societies which are owned or controlled or managed by the State Government and Government undertakings of the Central Government shall submit a bid securing declaration in lieu of bid security.
Start/ End Date for Bid Applying Bid and making Online Payment on JDA portal*	<ul style="list-style-type: none"> ➤ Start Date: 26/08/2023 at 03:00 PM onwards ➤ End Date: 11/09/2023 at 06:00 PM ➤ In case EMD in form BG Original Bank Guarantee is to be submitted in Room No 215N Extension building, Jaipur Development Authority, JLN Marg, Jaipur by 26/08/2023 from 9.30 AM to 14/09/2023 up to 3.30 PM (within three working days from the last date of submission of bid.)
Bid Submission on e-Procurement Portal of GOR**	<ul style="list-style-type: none"> ➤ Start Date: 26/08/2023 at 03:00 PM onwards ➤ End Date: 11/09/2023 at 06:00 PM

Date/Time/Place of pre-Bid	➤ 29/08/2023 at 01:00 PM
Date/ Time/ Place of Technical Bid Opening	➤ 15/09/2023 11:00 AM ➤ Room No CCC-FF-133, Ram Kishore Vyas Bhavan, Indira Circle, Jawahar Lal Nehru Marg, Jaipur- 302004 (Rajasthan)
Date/ Time/ Place of Financial Bid Opening	➤ Will be intimated later to the Technically qualified bidders
Bid Validity	➤ 120 days from the bid submission deadline
Time Period	➤ 10 Months
A&F/Job No.	➤ 231/2023-24

Procedure for bidding:

Single part bid system:

Single part (Two-envelope) (2 docket) system would be adopted, Docket-1 being for Documents and Docket-2 being for Financial Bid.

Docket-1:- is for proof of deposition of Bid Security, cost of bidding document and bid processing fee along with copy of GST registration, signed Annexure "B" and copy of enlistment as contractor/ bidder in required category.

Docket-2:- is for financial bid.

The financial bid will be opened only for bidders whose proper Bid Security, copy of GST registration, proof for deposition of bidding document fee, RISL processing fee, copy of enlistment of contractor in the required category and signed Annexure "B" are found to be in order. Bid Security will be accepted only in the form of online deposition or in the form of Bank Guarantee.

1. **Two-part bid system:**

Two part (Two-envelope) (2 docket) system would be adopted, Docket-1 being for Technical Bid and Docket-2 being for Financial Bid.

Docket-1:- There will be three separate folders- Folder-1 is for proof of deposition of Bid Security, cost of bidding document and bid processing fee alongwith copy of GST registration, signed Annexure "B" and copy of enlistment as contractor/ bidder in required category. Folder-II is for bid document and folder-III is for technical bid.

Docket-2:- There will two separate folders-1 is for financial bid and 2 is for bill of quantities.

The technical bid will be opened only for bidders whose proper Bid Security, copy of GST registration, proof for deposition of bidding document fee, RISL processing fee, copy of enlistment of contractor in the required category and signed Annexure "B" are found to be in order. Bid Security will be accepted only in the form of online deposition or in the form of Bank Guarantee

SCHEDULE AND SPECIFICATIONS

SCHEDULE – A: INFORMATION USEFUL FOR THE CONTRACTORS:

The bidder should see the site and fully understand the conditions of the site before bidding and include all leads, lift etc for the material in his item rate/percentage to be quoted on the rates given in Schedule 'G'. The work shall be carried out in accordance with the Rajasthan PWD detailed specification and to the entire satisfaction of the Engineer – In – Charge of the work.

SCHEDULE – B: LIST OF THE DRAWING TO BE SUPPLIED BY THE DEPARTMENT

The drawing may be seen in the office of the undersigned.

SCHEDULE – C: LIST OF THE DRAWING TO BE SUPPLIED BY THE CONTRACTOR: List of the drawing to be supplied by the contractor NIL. But the contractor shall have to arrange at his own cost drawings required for the work after deposition necessary cost with JDA.

SCHEDULE - D: TEST OF THE MATERIALS:

The test of the materials and workmanship shall be conducted by the JDA staff as necessary. The result of such tests should confirm to the standards laid down in the Indian standard & or the standards laid down in the detailed specifications of the work by the contractor. Qualified personnel required as per the contractor enlistment rules shall have to be engaged at site by the Contractor. The authority reserves the right to engage such staff and recover the expenses from the contractor on such account in case of his failure to do so.

SCHEDULE – E: SAMPLES OF THE MATERIALS:

The sample of the materials to be used by the contractor shall be deposited 15 days in advance with the Engineer In charge and be got approved by him before use.

SCHEDULE - F: TIME OF COMPLETION:

The work should start within 10 days of the issue of the work order and complete within time limits.

SCHEDULE – G: ATTACHED SEPARATELY BASED ON APPLICABLE BSRs IN JDA.

SCHEDULE – H: SPECIAL CONDITION: Attached Separately.

SCHEDULE – I: COST OF TENDER DOCUMENTS, PROCESSING FEES & BID SECURITY.

The Bid Processing fee is payable in favor of M.D. RISL & Cost of bid document & Bid Security is payable in Favour of the Secretary, JDA, Jaipur. Bidders have to pay bid processing fees, cost of bidding documents, and Bid Security through Online. **If a bidder opts to deposit the bid security through bank guarantee, the bank guarantee should be valid for the next seven months after the bid opening date. A copy of the such bank guarantee will be required to be attached with the bid submission documents uploaded on the E-procurement portal of GOR. The bank guarantee will be physically handed over upto prescribed time to Nodal officer of the on-line tendering system of JDA i.e. D.D(E&B) in room No. 215N Extension building, JDA, JLN marg, Jaipur, as per specified in bidding documents,**

Annexure-1. Special Conditions of Contract regarding defect liability period.

Annexure-2A. Bank guarantee will be in specified Performa enclosed with this bidding document for Bid Security.

Annexure-2B. Bank guarantee will be in specified Performa enclosed with this bidding document for Performance Security.

Annexure-A. Compliance with the code of integrity and no conflict of interest (RTPP Act/Rules).

Annexure-B. Declaration by the bidder regarding qualifications (RTPP Act/Rules).

Annexure-C. Grievance Redressal during the procurement process (RTPP Act/Rules).

Annexure-D. Additional Conditions of Contract (RTPP Act/Rules).

Annexure-E. Process for Tender Participation & Depositing Payment on 'Online Tender _ Participation' Portal of JDA & Bid Submission on 'e-Procurement Portal' of Government of Rajasthan.

**EXECUTIVE ENGINEER (2A)
JDA, Jaipur**

SPECIAL CONDITIONS

SCHEDULE 'H'

01. If there is any typographical error or otherwise in the 'G' Schedule, the rates given in the relevant BSR on which Schedule 'G' has been prepared, shall prevail.
02. The bidder shall follow the provisions of the builder labour regulation and abolition Act, 1970 & Rule, 1971.
03. The JDA shall have the right to cause an audit for technical examination of the work and the final bills of the bidder including all supporting vouchers, abstracts etc. to be made within two years after payment of the final bills and if as a result of such audit, any amount is found to have been overpaid / excess in respect of any work done by the bidder under the contract or any work claimed by him to have been done under this contract and found not to have been executed, the bidder shall be liable to refund such amount and it shall be lawful for the JDA to recover the such sum from him in the manner prescribed in special condition no. 8 or any other manner legally permissible and if it is found that the bidder was paid less than that was due to him under the contract in respect of work executed by him under it, the amount of such underpayment shall be paid by the JDA to the bidder.
4. Wherever any claim against the bidder for the payment of a sum of money arises out of under the contracts, the JDA shall be entitled to recover the sum by appropriating in part or whole of the performance security of the bidder, In the event of the security being insufficient or if no security has been taken from the bidder then the balance of the total sum recoverable as the case may be deducted from any sum then due or which at any time their contract with the JDA should this sum be sufficient to recover the full amount recoverable. The bidder shall pay to JDA on demand the balance remaining due. The JDA shall further have the right to affect such recoveries under P.D.R. Act.
5. The rate quoted by the bidder shall remain valid for a period of 120 days from the date of opening of the bids.
6. By submission of the Bid the bidder agrees to abide by all printed conditions provided in the PWD manual from 64 (Chapter 3-para 36) and subsequent modification.
7. No conditions are to be added by the bidder and the conditional Bid is liable to be rejected.
8. If any bidder withdraws his Bid prior to the expiry of said validity period given at S. No. 5 or mutually extended prior or makes modifications in the rate, terms and conditions of the Bid within the said period which are not acceptable to the authority or fails to commence the work in the specified period, fails to execute the agreement the authority shall without prejudice to any, other right or remedy, be at liberty to forfeit the amount of bid security given in any form absolutely. If any bidder, who has submitted a Bid does not execute the agreement or start the work or does not complete the work and the work has to be put to rebidding he will stand debarred for six months from participating of Bidding in JDA in addition to forfeiture of bid security/ Performance Security and other action under agreement
9. Any material not conforming to the specifications collected at the site have to be removed by the bidder within a period of 3 days of the instruction, issued by the Engineer -In charge in writing failing which, such material shall be removed by the Engineer-In charge at risk and cost of the bidder after the expiry of 3 days period.
10. The material collected at the site and paid provisionally shall remain under the watch and ward of the bidder till it is consumed fully on the work.
11. The rates provided in the Bidding documents are inclusive of all Taxes and royalties otherwise specified.
12. No extra lead of earth/material shall be paid over and above as specified in 'G' Schedule, Source/ borrow pit area for the earth shall have to be arranged by the Bidder at his own cost.
13. Undersigned has full right to reject any or all Bids without giving any reasons.
14. As per the Supreme Court decision "All contracts with Governments shall require registration of workers under the building and other construction workers (Regulation of Employment and Conditions of Service) Act, 1996 and extension of benefits to such workers under the etc."

15. Special Conditions of the Contract regarding the Defect Liability Period (DLP) for works costing Rs. 25.00 lacs and more shall be applicable (Annexure-I).
16. The Bidder is required to submit a copy of their enlistment as a contractor.
17. Conditions of RPWA-100 will be mandatory & acceptable to the bidder.
18. The bidder will have to install display boards at the site of work as directed by Engineer in charge.
19. All the provisions of THE RAJASTHAN TRANSPARENCY IN PUBLIC PROCUREMENT ACT, 2012 and Rules, 2013 and amendments issued from time to time by the Finance Department, GOR shall be applicable. If there are any contradictions in existing special conditions and provisions of THE RAJASTHAN TRANSPARENCY IN PUBLIC PROCUREMENT ACT, 2012 and Rules 2013 provisions of THE RAJASTHAN TRANSPARENCY IN PUBLIC PROCUREMENT ACT, 2012 and Rules 2013 shall prevail.
20. In case the rate received in the bid is below than BSR rate, additional Performance security shall be deposited by the bidder as per Rule 75 (A) of RTPP Rules.
21. The Annexure "B" (RTPP Act/Rules) is mandatory to be fulfilled & signed with seal by the bidder failing which the bid shall summarily be rejected without asking for any clarification.
22. Contractors enlisted in JDA, should be get reviewed periodically. The registered bidder who has not been reviewed within a period of 5 years 3 months, shall not be allowed for participate in the bid. Contractors enlisted in other departments shall be as per provision of PWF&AR

**Executive Engineer-2A
JDA, Jaipur**

SPECIAL CONDITIONS OF CONTRACT REGARDING DEFECT LIABILITY PERIOD (DLP) FOR WORKS COSTING RS.**25.00 LACS AND MORE****Table-1**

S.No.	Type of work	DLP Period
1.	Bridge Work	5 Years
2.	CD Work	5 Years
3.	CC Road. PQC Work	5 Years
4.	CC tiles/Krebs/medians	5 Years
5.	Drains	3 Years
6.	Roads	
	(i) Two-layer WBM/GSB	6 months or one full rainy season whichever is later
	(ii) For Renewal/Strengthening	
	(a) BT up to 30 mm thickness	1 Years
	(b) BT above 30 mm to up to 40 mm	2 Years
	(c) BT above 40 mm to up to 90 mm	3 Years
	(d) BT above 90 mm thickness	5 Years
	(iii) New Roads	
	(a) BT up to 90 mm	3 Years
	(b) BT more than 90 mm	5 Years
7.	Compound wall	3 Years
8.	Building Work	
	(i) Work pertaining to Sanitary work electrical works, Joinery works and painting work.	2 Years
	(ii) Work pertaining to the Building structure and other civil works	5 Years
9.	Electric work except for maintenance	3 years
10.	Sewer/Water supply including STP and water supply-related work except for maintenance works.	3 Years

1. ROAD-WORKS

- 1.1 The Defect Liability Period (DLP) for all Road works excluding patch repair work shall be as per the above table. Road works executed by the Contracting agency shall be maintained by them at their own cost for completion (DLP) from the actual date of completion of work as per the clause in the Contract Agreement and Special Condition of the Contract.
- 1.2 No extra payment shall be made to the contracting agency on account of maintenance of Road works and removal of defect during the Defect Liability Period.
- 1.3 The word "Road Works" means all new Road Works construction, widening, strengthening, up-gradation and renewal works
- 1.4 The word "Maintenance of Road Works during Defect Liability Period" means
 - (i) Routine maintenance of Road Works,
 - (ii) To remove the defect as & when appear in part and the entire structure of Road Works, in the specified time and keeping the Road Surface with good riding quality and
 - (iii) Damages due to improper drainage/drains, local flooding, depressions on roads etc.
- 1.5 The contracting agency shall do the routine maintenance of Road works, including pavement, road side and cross drains including surface drains to the required standards and keep the entire road surface and structure in Defect free conditions during the entire period of routine maintenance, which begins at the completion of the construction work and ends after complete (DLP).
- 1.6 The routine maintenance shall consist of the routine maintenance operation defined in the manual for the maintenance of roads of MoRTH and shall be carried out accordingly.
- 1.7 The routine maintenance activities and their periodicity.

S.No.	Name of Item/Activity	Frequency of operations in one year
1	Restoration of rain cuts and dressing of berms.	Once in a year, generally after rains.
2	Making up of shoulders.	As and when required.
3	Maintenance of Bituminous surface road and/or gravel road/WBM road including filling pot holes and patch repairs etc.	As and when required.
4	Insurance of proper functioning of drains including civil maintenance and desalting of drains. (If constructed by the same Road agency or not)	As and when required.
5	Maintenance of road signs. (If installed by the same Road agency)	Maintenance as and when required. Repainting once in every one and a half years.
6	Road Marking, Kerb Stone / Dand. (If done by the same Road agency)	Thermoplastic Paint Maintenance as and when required. Repainting once in everyone & a half year. Ordinary Paint Maintenance as and when required. Repainting thrice in every year.
7	Damages beyond the control of the agency.	Road cuts made by various agencies for utility, duly permitted by JDA / JNN will have to be repaired by the agency on the same rates of the contract agreement till DLP.

2. General

2.1 Inspection of works during the Defect Liability Period

2.1.1 The contracting agency shall undertake a joint detailed inspection along with Engineer-in-charge/A.En., at least once in three months in case of all Road works. The Engineer-in-charge can reduce this frequency in case of an emergency. The Contracting agency shall forward to the engineer in-charge the record of inspection and rectification immediately after the joint inspection. The Contracting agency shall pay particular attention to those road sections, which are likely to be damaged during rainy season.

2.1.2 One register has to be maintained by every AEN for recording the inspection details of works in his jurisdiction under defect liability period.

2.2 Conditions regarding Performance Security

2.2.1 Security for DLP-

The contracting agency shall have to furnish Performance Security in the form of Bank Guarantee valid from the actual date of completion, which shall be assigned by the Engineer-in-charge.

2.2.2 The release of PS amount shall be as per following table 2 :-

S.No.	Released PS	DLP Period	1 Year	2 Years	3 Years	5 Years
1.	After 1 year		100%	40%	20%	10%
2.	After 2 year			60%	20%	10%
3.	After 3 year				60%	10%
4.	After 4 year					20%
5.	After 5 year					50%

The Performance Security will be released as per the above table after a satisfactory performance certificate issued by Engineer-In-Charge:-

2.2.3 Forfeiture of Performance Security

In case the contracting agency fails to rectify the defects within the stipulated period notified to him by the Engineer-in-charge concerned under the contract agreement, the Engineer-in-charge shall serve a final notice for 5 days time reckoned from the date of issue of notice to rectify the defects. In case the contracting agency not responding to the notice and fails in the rectification of defects the Engineer-in-charge will get the defect removed at the risk and cost of the contracting agency. Action such as encashment of Bank Guarantee and action under enlistment rules etc. shall also be taken against the contracting agency by the competent authority.

1.2.4 Force Majeure

The defect that arises due to earthquakes, cyclones, and natural calamities shall not be the responsibility of contracting agency.

2.2.5 Various conditions for managing DLP are as under :-

- (i) At the time of completion of work, final component shall be worked out for each individual item like BT/CC/tiles/ drains etc. (as per different categories in Table-I), DLP shall be operative based upon type of individual item ex:- CC-5 years, BT-1/2/3/5 years, Drain-3 years etc.
- (ii) If any work, amount is less than Rs. 25 lacs but later on due to extra/excess work, if amount of final work crosses more than Rs. 25 lacs, DLP shall be operative as per rule for each individual item.
(iii) Similarly, if any work is more than Rs. 25 lacs but after finalization amount of work is less than Rs. 25 lacs, DLP should be operative for six months or rainy season whichever is later.
- (iv) During DLP period if contractor fails to repair any work even after the issue of 7 days written notice, the same work shall be got executed by the respective Executive Engineer at the contractor's risk and cost. This process shall be applicable throughout the DLP period. After completion of DLP period in such works contractor should be debarred and blacklisted, from JDA for three years as per RTPP rule 2012 and 2013 where his defaults twice in a single agreement or in two different works.
- (v) Quarterly Inspection as per rules shall be carried out and DLP registers shall be maintained by respective Executive Engineers to monitor the DLP repairs.
 - (vi) Special and regular inspection shall also be carried out as per order no. JDA/XEN & TA to DE-I/2014-15/D-223 dated 12.03.2015 and order no. SE (PMGSY) CIRCULAR 2006/D-115 dated 04.05.2006 Point no. 3.
 - (vii) In case JDA feels to take up work on any existing DLP road due to any reason, the following procedure should be adopted:
 - (a) At the time of withdrawal total liability of repairs as per DLP conditions to be carried out and the contractor shall be asked to complete the same. After completion of assessed repairs, DLP period shall be released after deduction amt. as per following table-III.

Table-3

% Recovery on withdrawal of DLP of work order	1 Year	2 Year	3 Year	4 Year	5 Year
DLP period					
1 Year	1.12	-	-	-	-
2 Year	2.55	1.43	-	-	-
3 Year	4.38	3.26	1.83	-	-
5 Year	9	7.88	6.45	4.62	2.47

Note:- Calculation is to be done on a quarterly basis.

- (b) In case the Contractor fails to carry out these repairs, same shall be carried out at his risk and cost. If the total amt. of such repairs works out to be more than the total retained amount of PS same shall be recovered from other works and as per PDR rules. The amount as per Table 3 is also to be deducted in addition to this amount.
 - (viii) Based upon the type of work, DLP conditions for works to be carried out during the DLP period with their frequency of the respective type of work shall be prepared by respective SE's after approval of these periods.
3. In case patch repairs/civil maintenance works costing more than Rs. 25.00Lakhs, defect liability period will as per clause 37(C) of Contract Agreement.

**Executive Engineer-2A
JDA, Jaipur**

Specified Bank Guarantee Performa for Bid Security

Section - 6

Form of (Bank Guarantee) -En cashable at the branch of the bank in Jaipur City.

To
Secretary,
Jaipur Development Authority,
Jaipur

Sub:

Bank Guarantee No. _____ dated _____ for [amount of Security in figures] [in words] on behalf of _____ [Name of the Bidder] against Bid Security for the.....J

DA Jaipur WHEREAS, _____ [name of Bidder with address] (**hereinafter called "the Bidder"**) has submitted his Bid dated for the work of(here in after called " the Bid ").

KNOW ALL PEOPLE by these presents that we _____
_____ (Name of Bank) of having our registered office at _____ [name of country] having our registered office at _____ (hereinafter called "the Bank") are bound unto Secretary, Jaipur Development Authority. (Hereinafter called "the Employer") in the sum of Rupees _____ **[Amount of Security in figures]** _____ (in words) only for which payment will and truly to be made to the said Employer, the Bank binds itself, its successors, and assigns by these presents. That on demand of JDA , this Bank Guarantee is cashable at the following branch in Jaipur City.

1. Name of Bank:
2. Name of the branch with branch code:
3. Address:
4. E-Mail Id:
5. Telephone No.
6. Fax No.:

SEALED with the Common Seal of the said Bank this _____ day of _____ of 20____.

THE CONDITIONS of this obligation are:

- (1) if the Bidder withdraws his Bid during the period of Bid validity specified in the Form of Bid;
- (2) if the Bidder refuses to accept the correction of errors in his bid;

(3) If the Bidder, having been notified of the acceptance of his Bid by the Employer during the period of Bid validity;

(a) fails or refuses to execute the Form of Agreement in accordance with the Instructions to Bidders, or

(b) fails or refuses to furnish the Performance Security, in accordance with the Instructions to Bidders;

We undertake to pay to the Employer up to the above amount upon receipt of his first written demand, without the Employer having to substantiate his demand, provided that in his demand the Employer will note that the amount claimed by him is due to him owing to the occurrence of one or more of the above conditions, specifying the occurred condition or conditions.

This Guarantee will remain in force up to and including the date 30 days after the date of expiration of the Bid Validity, as stated in the Instructions to Bidders, or any such extension thereto as may be agreed by the Bidder, a notice of which extension(s) to the Bank is hereby waived. Any demand in respect of this Guarantee should reach the Bank no later than the above date.

The amount covered under the above Bank Guarantee shall be automatically credited in the accounts of JDA in ICICI Bank, JDA Campus, Jaipur through **ISFC code No ICICI 006754. Bank Account No. 675401700518** on the date of expiry or its validity, unless the agencies get it re-validated well before its expiry date or produce NOC from JDA in writing for its release.

Date _____ Signature of the Bank _____

Witness _____ Seal _____

[Signature, Name, and Address]

[Note: To be furnished on appropriate non-judicial stamps & should be valid for the next 7 months from the bid opening date]

Specified Bank Guarantee Performa for Performance Security

Section - 6

Form of (Bank Guarantee) -En cashable at the branch of the bank in Jaipur City.

To

Secretary, Jaipur Development Authority, Jaipur

Sub:.....

Bank Guarantee No. _____ dated _____ for [amount of Security in figures] [in words] on behalf of _____ [Name of the Bidder] against Performance Security for the.....**JDA Jaipur**

WHEREAS, _____ [name of Bidder with address] (**hereinafter called "the Bidder"**) has submitted his Bid dated _____ for the work of _____.(herein after called " the Bid ").

KNOW ALL PEOPLE by these presents that we _____

_____ (Name of Bank) of having our registered office at _____[name of country] having our registered office at _____ (hereinafter called "the Bank") are bound unto Secretary, Jaipur Development Authority. (Hereinafter called "the Employer") in the sum of Rupees _____ [**Amount of Security in figures**] _____ (in words) only for which payment will and truly to be made to the said Employer, the Bank binds itself, its successors, and assigns by these presents.

That on demand of JDA, this Bank Guarantee is cashable at the following branch in Jaipur City.

1. Name of Bank:
2. Name of the branch with branch code:
3. Address:
4. E-Mail Id:
5. Telephone No.
6. Fax No.:

SEALED with the Common Seal of the said Bank this _____ day of _____ of 20 _____.

We undertake to pay to the Employer up to the above amount upon receipt of his first written demand within valid period of this guarantee.

This Guarantee will remain in force up to and including the date 30 days after the date of expiration of the Bid Validity, as stated in the Instructions to Bidders, or any such extension thereto as may be agreed by the Bidder, a notice of which extension(s) to the Bank is hereby waived. Any demand in respect of this Guarantee should reach the Bank no later than the above date.

The amount covered under the above Bank Guarantee shall be automatically credited to the accounts of JDA in ICICI Bank, JDA Campus, Jaipur through **ISFC code No ICICI 006754. Bank Account No. 675401700518** on the date of expiry or its validity, unless the agencies get it re-validated well before its expiry date or produce NOC from JDA in writing for its release.

Date _____ Signature of the Bank _____

Witness _____ Seal _____

[Signature, Name and Address]

[**Note: To be furnished on appropriate non-judicial stamps.**]

Compliance with the Code of Integrity and No Conflict of Interest

Any person participating in a procurement process shall-

- (a) Not offer any bribe, reward or gift or any material benefit either directly or indirectly in exchange for an unfair advantage in the procurement process or to otherwise influence the procurement process;
- (b) Not misrepresent or omit that misleads or attempts to mislead so as to obtain a financial or other benefit or avoid an obligation;
- (c) Not indulge in any collusion, Bid-rigging or anti-competitive behavior to impair the transparency, fairness and progress of the procurement process;
- (d) Not misuse any information shared between the procuring entity and the bidders with an intent to gain an unfair advantage in the procurement process;
- (e) Not indulge in any coercion including impairing or harming or threatening to do the same, directly or indirectly, to any party or to its property to influence the procurement process;
- (f) Not obstruct any investigation or audit of a procurement process;
- (g) Disclose conflict of interest, if any; and
- (h) Disclose any previous transgressions with any entity in India or any other country during the last three years or any debarment by any other procuring entity.

Conflict of interest:

The Bidder participating in a bidding process must not have a Conflict of Interest.

A Conflict of interest is considered to be a situation in which a party has interests that could improperly influence that party's performance of official duties or responsibilities, contractual obligations, or compliance with applicable laws and regulations.

A bidder may be considered to be in conflict of interest with one or more parties in the bidding process if, including but not limited to:

- (a) Have controlling partners/shareholders in common; or
- (b) Receive or have received any direct or indirect subsidy from any of them; or
- (c) Have the same legal representative for purposes of the bid; or
- (d) have a relationship with each other, directly or through common third parties, that puts them in a position to have access to information about or influence on the bid of another bidder, or influence the decisions of the procuring Entity regarding the bidding process; or
- (e) The bidder participates in more than one bid in a bidding process. Participation by a bidder in more than one bid will result in the disqualification of all bids in which the bidder is involved. However, this does not limit the inclusion of the same subcontractor, not otherwise participating as a bidder, in more than one bid; or
- (f) the bidder or any of its affiliates participated as a consultant in the preparation of the design or technical specifications of the goods, works or services that are the subject of the Bid; or
- (g) Bidder or any of its affiliates has been hired (or proposed to be hired) by the procuring entity as engineer-in-charge/consultant for the contract.

Declaration by the Bidder regarding Qualifications

Declaration by the Bidder

In relation to my/our Bid submitted tofor procurement ofin response to their Notice inviting Bids No.....Dated.....I/wehereby declare under Section 7 of Rajasthan Transparency in Public Procurement Act, 2012 that:

1. I/we possess the necessary professional, technical, financial and managerial resources and competence required by the Bidding Document issued by the Procuring Entry;
2. I/we have fulfilled my/our obligation to pay such of the taxes payable to the union and the state government or any local authority as specified in the Bidding Document.
3. I/we are not insolvent, in receivership, bankrupt or being wound up, not have my/our affairs administered by a court or a judicial officer, not have my/our business activities suspended and not the subject of legal proceedings for any of the foregoing reasons;
4. I/we do not have, and our directors and officers not have, been convicted of any criminal offense related to my/our professional conduct or the making of false statements or misrepresentations as to my/our qualifications to enter into a procurement contract within a period of three years preceding the commencement of this procurement process, or not have been otherwise disqualified pursuant to debarment proceedings;
5. I/we do not have a conflict of interest as specified in the Act, Rules and the Bidding Document, which materially affects fair competition;

Date:

Signature of the bidder

Place:

Name:

Designation:

Address:

Note:- Annexure "B" is mandatory to be fulfilled & signed with seal by the bidder failing which the bid shall summarily be rejected without asking any clarification.

Grievance Redressal during Procurement Process

The designation and address of the First Appellate Authority :

For works costing up to Rs. 300.00Lakhs - Jaipur Development Commissioner, JDA, Jaipur.

For works costing above Rs. 300.00Lakhs - Executive Committee, JDA, Jaipur.

The designation and address of the Second Appellate Authority:

For works costing up to Rs. 300.00Lakhs - Executive Committee, JDA, Jaipur.

For works costing above Rs. 300.00Lakhs - Principle Secretary/ACS, Urban Development & Housing Department, GOR, Jaipur.

(1) Filing an appeal: -

if any bidder or prospective bidder is aggrieved that any decision, action or omission of the procuring entity is in contravention to the provisions of the Act or the rules or the guidelines issued there under, he may file an appeal to First Appellate authority, as specified in the Bidding document within a period of ten days from the date of such decision or action, omission, as the case may be, clearly giving the specific ground or grounds on which, he feels aggrieved:

Provided that after the declaration of a bidder as successful the appeal may be filed only by a bidder who has participated in procurement proceedings:

Provided further that in case a procuring entity evaluates the technical bids before the opening of the financial bids, an appeal related to the matter of financial bids may be filed only by a bidder whose technical bid is found to be acceptable.

(2) The officer to whom an appeal is filed under Para (1) shall deal with the appeal as expeditiously as possible and shall Endeavour to dispose it of within thirty days from the date of the appeal.

(3) If the officer designated under Para (1) fails to dispose of the appeal filed within the period specified in Para (2), or if the bidder or prospective bidder or the procuring entity is aggrieved by the order passed by the first appellate authority, the bidder or prospective bidder or the procuring entity, as the case may be, may file a second appeal to the second appellate authority specified in the bidding document in this behalf within fifteen days from the expiry of the period specified in Para (2) or of the date of receipt of the order passed by the first appellate authority, as the case may be.

(4) Appeals not to lie in certain cases: -

No appeal shall lie against any decision of the procuring entity relating to the following matters, namely: -

- (a) Determination of the need of procurement
- (b) Provisions limiting the participation of bidders in the bid process
- (c) The decision of whether or not to enter into negotiations
- (d) Cancellation of a procurement process
- (e) Applicability of the provisions of confidentiality

(5) Form of Appeals: -

- (a) An appeal under Para (1) or (3) above shall be in the annexed form along with as many copies as there are respondents in the appeal.
- (b) Every appeal shall be accompanied by an order appealed against, if any, Affidavit verifying the facts stated in the appeal and proof of payment of fee,

- (c) Every appeal may be presented to the first appellate authority or second

The appellate authority, as the case may be, in person or through registered post or authorized representative.

(6) Fee for filing Appeal: -

- (a) Fee for the first appeal shall be rupees two thousand five hundred and for the second appeal shall be rupees ten thousand, which shall be non-refundable.
- (b) The fee shall be paid in the form of a bank demand draft or banker's cheque of a scheduled bank in India payable in the name of the appellate authority concerned.

(7) Procedure for disposal of Appeal: -

- (a) The first appellate authority or second appellate authority as the case may be, upon the filing of the appeal, shall issue notice accompanied by a copy of the appeal, affidavit and documents, if any, to the respondents and fix a date of hearing
- (b) On the date fixed for hearing, the first appellate authority of the second appellate authority, as the case may be shall-
 - (i) Hear all the parties appeal presenting before him; and
 - (ii) Peruse or inspect documents, relevant records or copies thereof relating to the matter.
- (c) After hearing the parties, perusal or inspection of documents and relevant records or copies thereof relating to the matter, the appellate authority concerned shall pass an order in writing and provide a copy of the order to the parties to appeal free of cost.
- (d) The order passed under sub-clause (c) above shall also be placed on the state public procurement portal.

Additional Conditions of Contract

1. Correction of arithmetical errors

Provided that a financial bid is substantially responsive, the procuring entity will correct arithmetical errors during the evaluation of financial Bids on the following basis:

- (i) if there is a discrepancy between the unit price and the total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail and the total price shall be corrected unless in the opinion of the procuring entity, there is an obvious misplacement of the decimal point in the unit price, in which case the total price as quoted shall govern and the unit price shall be corrected;
- (ii) if there is an error in a total corresponding to the addition or subtraction of subtotals, the subtotals shall prevail and the total shall be corrected; and
- (iii) if there is a discrepancy between words and figures, the amount in words shall prevail, unless the amount expressed in words is related to an arithmetic error, in which case the amount in figures shall prevail subject to (i) and (ii) above.

If the Bidder that submitted the lowest evaluated bid does not accept the correction of errors, its bid shall be disqualified and its bid security shall be forfeited or its bid securing declaration shall be executed.

2. Procuring Entity's Right to Vary quantities.

- (i) At the time of award of the contract, the quantity of goods, works or services originally specified in the bidding documents may be increased or decreased, by a specified percentage, but such increase or decrease shall not exceed fifty percent, of the quantity specified in the bidding documents. It shall be without any change in the unit prices or other terms and conditions of the bid and the conditions of the contract.
- (ii) If the Procuring entity does not procure any subject matter of procurement or procures less than the quantity specified in the bidding document due to change circumstances, the bidder shall not be entitled to any claim or compensation except otherwise provided in the conditions of the contract.
- (iii) In case of procurement of goods or services, additional quantity may be procured by placing a repeat order on the rates and conditions of the original order. However, the additional quantity shall not be more than 25% of the value of goods of the original contract and shall be within one month from the date of expiry of the last supply. If the supplier fails to do so, the procuring entity shall be free to arrange for the balance supply by limited bidding or otherwise and the extra cost incurred shall be recovered from the supplier.

3. Dividing quantities among more than one bidder at the time of award (In case of procurement of Goods):-

As a general rule, all the quantities of the subject matter of procurement shall be procured from the Bidder, whose Bid is accepted. However, when it is considered that the quantity of the subject matter of procurement to be procured is very large and it may not be in the capacity of the Bidder, whose Bid is accepted, to deliver the entire quantity or when it is considered that the subject matter of procurement to be procured is of critical and vital nature, then in such cases, the quantity may be divided between the Bidder, whose Bid is accepted and the second lowest Bidder or even more Bidder in that order, in a fair, transparent and equitable manner at the rates of the Bidder, whose Bid is accepted.

Process for Tender Participation & Depositing Payment on ‘Online Tender Participation’ Portal of JDA & Bid Submission on ‘e-Procurement Portal’ of Government of Rajasthan: -

<p>A*Process for Tender Participation & Depositing Payment on ‘Online Tender Participation’ Portal of JDA</p> <p>1-Participate in tender</p> <ol style="list-style-type: none"> Bidder can access ‘Online Tender Participation’ Portal of JDA at https://jda.urban.rajasthan.gov.in/jda or by Single-Sign-On at http://service.jaipurjda.org. Create user Login with a valid mobile number to register yourself for various Online Services of JDA. Select ‘Proceed as Citizen’ and then ‘Proceed for Subscription’ for ‘Tender Online Payment’. The prevailing plan for getting registered for tendering process of JDA is Rs. 500.00 with a validity period of 3 Years (renewable). After successful payment, re-login and upload required documents for KYC (Know Your Client) compliance as per the type of entity viz. Individuals/ Company/ Partnership Firms/ Trusts & foundations. Besides, Bank Passbook / Cancelled Cheque consisting of Bank Account, IFSC Code is mandatory to be uploaded, to refund the bid security of unsuccessful bidder. After receiving the payment successfully and approving KYC documents the bidder will be authenticated by JDA for taking part in Tender. <p>2-Deposit Tender Fee, RISL processing fee and Bid Security (EMD)</p> <ul style="list-style-type: none"> Option-1: Payment Gateway (Aggregator) The facility to make payment through Debit Card, Credit Card, Net banking etc., will be available. User can use this facility from anywhere any time till the closing date & time of bid participation. Option-2: Electronic Fund Transfer (EFT: NEFT/RTGS) If the bidder selects payment mode as EFT (NEFT/RTGS), “Paying Slip for EFT (NEFT/RTGS)” will be generated by the system for the complete amount. The payment can be made from any Bank any Branch using this Paying Slip through NEFT/RTGS (Claim against payment made through EFT in any other JDA bank account will not be acceptable and bidder stands disqualified from participation in the bid applied for). After successful transaction through NEFT/RTGS, as per the standard procedures it may take 4 to 24 hours in process of confirmation of EFT through Auto-Process depending on the time of EFT done. Therefore, option to make payment through EFT (NEFT/RTGS) will be available till 48 hours prior to closing date of bid participation. <p>3-Deposit Bid Security (EMD) The Bid Security (EMD) can be submitted through Bank Guarantee (BG). Bidder may opt Bank Guarantee (BG) against Bid Security (EMD), for which bidder requires to prepare BG before applying in the tender. The detail of BG requires to be fed on ‘Online Tender Participation’ Portal of JDA before paying balance amount (Tender Fee + RISL Processing Fee). This balance amount will be paid through Payment Gateway only, option to make balance payment through EFT (RTGS/NEFT) will not be available.</p> <p>4-Obtain Bid Participation Receipt After confirming payment, the bidder will get Bid Participation Receipt based on which user will get the payment details along with other details for bidding on e-Procurement portal of GOR.</p> <ul style="list-style-type: none"> In case of BG as the remaining payment will be done through Payment Gateway, on successful transaction the ‘Bid Participation Receipt’ will be generated on real time basis. In case complete payment is done through Payment Gateway, on successful transaction the ‘Bid Participation Receipt’ will be generated on real time basis. In case complete payment is done through EFT (NEFT/RTGS), on confirmation of payment from ICICI Bank (Auto Process) ‘Bid Participation Receipt’ will be available on Login of Bidder on JDA portal.
<p>B.**Bid Submission on ‘e-Procurement Portal’ of Government of Rajasthan</p> <ol style="list-style-type: none"> Online e-Bid can be submitted after registration at e-Procurement Portal of Government of Rajasthan www.eproc.rajasthan.gov.in

- 2- It is mandatory to upload Bid Participation Receipt with the bid submission.
- 3- Details of online payment available on Tender Participation Portal of JDA have to be filled in 'offline payment' section of e-Procurement portal.

Note

- 1- Bidder (authorized signatory) shall submit their offer on-line in electronic formats both for technical and financial proposal.
- 2- In case, any of the bidders fails to pay the Tender Fee, BSD, and RISL Processing Fee, online (subject to confirmation), its Bid shall not be accepted.
- 3- To participate in online bidding process, Bidders must procure a Digital Signature Certificate (Type III) as per Information Technology Act-2000 using which they can digitally sign their electronic bids. Bidders can procure the same from any CCA approved certifying agency, i.e., TCS, Safecrypt, nCode etc. Bidders who already have a valid Digital Signature Certificate (DSC) need not procure a new DSC. Also, bidders must register on <http://eproc.rajasthan.gov.in> (bidders already registered on <http://eproc.rajasthan.gov.in> before 30-09-2011 must register again).
- 4- JDA will not be responsible for delay in online submission due to any reason. For this, bidders are requested to upload the complete bid well advance in time so as to avoid 11th hour issues like slow speed; choking of web site due to heavy load or any other unforeseen problems.
- 5- Bidders are also advised to refer "Bidders Manual Kit" available at eProc website for further details about the e-Tendering process.
- 6- Training for the bidders on the usage of e-Tendering System (eProcurement) is also being arranged by DoIT&C, GoR on a regular basis. Bidders interested in training may contact e-Procurement Cell, DoIT&C for booking the training slot.

Contact No: 0141-4022688 (Help desk 10 am to 6 pm on all working days) e-mail: eproc@rajasthan.gov.in

Address: e-Procurement Cell, JDA, Yojana Bhawan, Tilak Marg, C-Scheme, Jaipur

- 7- The procuring entity reserves the complete right to cancel the bid process and reject any or all of the Bids.
- 8- No contractual obligation whatsoever shall arise from the bidding document/ bidding process unless and until a formal contract is signed and executed between the procuring entity and the successful bidder.
- 9- Procurement entity disclaims any factual/ or other errors in the bidding document (the onus is purely on the individual bidders to verify such information) and the information provided therein are intended only to help the bidders to prepare a logical bid-proposal.
- 10- The provisions of RTPPA Act 2012 and Rules thereto shall be applicable for this procurement. Furthermore, in case of any inconsistency in any of the provisions of this bidding document with the RTPPA Act 2012 and Rules thereto, the later shall prevail.

Jaipur Development Authority, Jaipur.	
Bid Participation Receipt	
	Date & Time:-
Bid Detail	
Bid ID:	Procurement Entity:-
Bid Title:	
Bid Value:	Bid Opening Place:
Bidder Detail	
Name of Entity:	Mobile No.:
Registration Type:	Instrument Amount:
Payment Mode:	Payment Channel:
Instrument No.:	Instrument Date:

Dates Detail		
Sr. No.	Event Name	Event Date
1	Publishing Date	
2	Bid Opening Date	

Specific Instrument for eProc Rajasthan			
Instrument Type			
Instrument Number	Head Name	Amount	Date
	Tender Fee		
	RISL Processing Fee		
	Bid Security Deposit		
Issuer Detail: Jaipur Development Authority		Challan Number:	

More details about Registration Process, Terms and Conditions and FAQ along with contact detail is available on JDA website www.jda.urban.rajasthan.gov.in.

JAIPUR DEVELOPMENT AUTHORITY, JAIPUR

SPECIAL CONDITION OF THE CONTRACT FOR POST QUALIFICATION OF CONTRACTORS

Name of work : Renovation, Beautification & Expansion of public facilities at Govind dev ji Temple area, Zone 2A, JDA, Jaipur

Special conditions of contract of POST QUALIFICATION as detailed here under, shall be applicable in addition to all other terms and condition already prescribed under standard agreement forms/rules and regulations to contract:

1. Procedure:

Procedure for POST QUALIFICATION would be as follow:

- (a) Two-envelope (docket) system would be adopted, for POST QUALIFICATION, Docket-1 being for Technical Bid and Docket-2 being for Financial Bid.
Docket-1:- There will be three separate folders- **Folder-1** is for proof of deposition of Bid Security, cost of bidding document and bid processing fee along with copy of GST registration, Annexure "B" (RTPP Act/Rules) is mandatory to be fulfilled & signed with seal and copy of enlistment as contractor/ bidder in required category. **Folder-II** is for bid document and **folder-III** is for technical bid.
Docket-2:- There will two separate **folders-1** is for financial bid and **folders-2** is for bill of quantities.
- (b) The technical bid will be opened only of those bidders those proper Bid Security, copy of GST registration, proof for deposition of bidding document fee, RISL processing fee, copy of enlistment of contractor in required category and signed Annexure "B" (RTPP Act/Rules) is mandatory to be fulfilled & signed with seal are found to be in order. The bid Security will be accepted only in from of online deposition or in form of Bank Guarantee.
- (c) The Technical Bid envelope would be opened on the **date 15.09.2023 at 11.00 AM** in the chamber of Superintending Engineer-III
- (d) The Financial Bid envelope would be opened only of those bidders who fulfill all the POST QUALIFICATION CRITERIA.

2. Criteria:

Criteria for POST QUALIFICATION would be as follows:-

- (a) The bidder should have executed following quantities of work in any one financial year of the last seven financial years. However the bidder may opt current year in the said financial assessment period.

S.No.	Items	Quantities
A	PCC -upto M20 grade	2058.00 cum
B	C.C. M25 grade and above	1950.00 cum
C	Reinforcement Steel	66876.00 Kg
D	Stone Cladding	5504.00 sqm
E	Mural -Art Work	477.70 sqm
F	MS work	14050.00 Kg
G	Gun metal - Sculpture	3000.00 Kg
H	Cobble stone/ Stone flooring	1960.00 sqm
I	Cement concrete Interlocking tiles – 60mm and above	2800 sqm

Note:-

- (i) **The Bidder should enclose the certificate having quantities Financial year wise otherwise the certificate will not be considered.**
 - (ii) **Quantities of all the items mentioned in criteria 2(a) should be executed in one financial year.**
 - (iii) **Certificate issued by the Government of India, State Governments, Union Territory, Government, Undertaking, Autonomous Bodies shall only be considered.**
- 2(b) The bidder should have completed at least one similar nature work in last seven Financial Year (including current year, if opted by the bidder) of value not less than 50% of the Estimated Cost of The work (bid cost) i.e. Rs. 7.40 crore updated to present price level.

Note:-

- (i) The starting & completion date of the work is to be in between above said financial year. If no then maximum work (70%) of work mentioned in certificate submitted is to be completed in above said financial years. The bidders should have to enclose the proper bifurcated certificate accordingly otherwise the certificate will not be considered.
 - (ii) In case; if single work selected by the bidder, is of mix in nature having different components; then a proper bifurcated completion certificate showing the required similar nature component, should be enclosed.
- 2(C) The bidder should have achieved an annual financial turnover of at least 60% of the estimated cost of work (bid cost) i.e Rs. 8.88 Crore in any one of the seven five financial years (including current year, if opted by the bidder)

Note:-

- (i) The bidder should enclose certificate of Turn Over from Chartered Accountant for last seven financial year & audited balance sheet of the year which is considered by the bidder in criteria 2(c).
 - (ii) If current year or last year has been opted by bidder whose balance sheet is not submitted till the submission of bid then certificate from Chartered Accountant should be enclosed.
- 2(d) The bidder should give self-declaration to deploy the machinery and equipment as specified in Schedule-III for the execution of this work.
- 2(e) Bid Capacity: Bidders who meet the minimum qualification criteria will be qualified only if available bid capacity is equal to or more than the total Bid Value.

The available bid capacity will be calculated as under:

$$\text{bid capacity} = (A \times N \times 3 - B)$$

Where A= Maximum value of civil engineering work executed in any one year during the last 7 financial years(updated to preset Price level) taking in to account the completed as well as works in progress. However, the bidder may opt current year in the five year assessment period (Annexure-IV).

N= Number of year prescribed for completion of the work of which bids are invited. In present case value of N shall be 0.83

B= Value, at present price level of existing commitments and ongoing works to be executed during "N" period (period prescribed for completion of the works for which the bids are invited)

Note:-

- (i) **Certificate from Chartered Accountant should be enclosed by bidder clearly indicated maximum value of Civil Engineering Work in one Financial Year.**
- 2(f) Litigation History:- Bidder should provide an accurate information on any litigation or arbitration resulting from contracts completed or under execution by him over the last seven years. The maximum value (updated at the present price level) of disputed amount claimed in the litigation/arbitration resulting from contracts executed in last seven years shall be deducted from the calculated Bid Capacity of the bidder. The details shall be furnished in Schedule VI.

Note:-

- (I) **The present price level for turnover, cost of completed work & disputed amount of similar nature, the previous years value shall be given weight age of 10% per years as follows:-**

Financial Year		Factors
(a)	For current year	1.00
(b)	For First last financial year	1.00
(c)	For second last financial year	1.10
(d)	For third last financial year	1.21
(e)	For fourth last financial year	1.33
(f)	For Fifth last financial year	1.46
(g)	For sixth last financial year	1.60
(h)	For seventh last financial year	1.76

3. The bidder should furnish the following documents along with the technical bid;
- Information regarding financial resources and capability in Schedule-I.
 - Information regarding works executed in the last Seven years in Schedules-II.
 - Certificates from the concerned Engineer-In-Charge in support and verification of the information furnished in Schedule-II.
 - Self declaration regarding machinery and equipment required for deployment, as detailed in Schedule-III.
 - Information regarding details of maximum value of civil engineering works executed in any one year during the last seven years taking into account the completed as well as works in progress in schedule-IV.
 - Information regarding existing commitments and ongoing works to be completed in schedule-V.
 - Information regarding details of litigation or arbitration contracts to be furnished in schedule-VI.
 - Calculation of Bid capacity in schedule-VII.
 - Self declaration as per Annexure I.
 - Details regarding evaluation criteria in schedule-VIII.

Note:- These schedules are mandatory to fill by the bidder, failing which the information be treated as NIL.

4. Important:

- The bidder must ensure that all the information required in the Document is furnished by him completed in all respects. He would not be allowed to withdraw any document, or to rectify any information furnished therein, after submitting the bid.
- The bidder should give self declaration that the information furnished in schedule I to VII is correct. If any information is found incorrect, the offer of the bidder shall be rejected and action be taken as per rules.
- Bidders must do paging of all enclosure of bid documents.

5. Rejection of bids:

The department reserves the rights to reject any bid or to disqualify any or all the bidders, without assigning any reasons at any stage.

- (I) If bid is not accompanied with the requisite documents mentioned in clauses 3(a) to 3(i) or is not in accordance with procedure specified in para 1, or is not accompanied with bid security, copy of GST registration, proof for deposition of bidding document fee, RISL processing fee, Annexure “B” (RTPP Act/Rules) is mandatory to be fulfilled & signed with seal by the bidder and registration of contractor in required category it would be liable for rejection.
- (II) Furnish of incorrect or concealment of any information required in the bid documents would render the bid liable for rejection.
- (III) he bidder shall prepare bid in the digital/ electronic mode for uploading on e-procurement portal in the format/type of file specified in evaluation qualification criteria” all the documents uploaded should be digitally signed with DSC of authorized signatory, deemed as all the pages of the uploaded documents are signed.”
- (IV) The self-declaration and annexure “B” enclosed by the bidder regarding qualifications of RTPP Act, 2012 and Rules, 2013 along with bid documents, should be signed by the participating bidders before uploading bid documents otherwise the bid will be rejected as per officer order No. 194 dated 06.09.2022.

**EXECUTIVE ENGINEER (ZONE-2A)
JAIPUR DEVELOPMENT AUTHORITY
JAIPUR**

SCHEDULE-I

FINANCIAL RESOURCES AND CAPABILITY

(Reference clause 3(a))

1. Name of Bidder:-

2. Total financial turnover achieved by the bidder in the last seven financial years;

S.No.	Year	Turnover
(i)		
(ii)		
(iii)		
(iv)		
(v)		
(vi)		
(vii)		

Note: Balance Sheets and Profit & Loss Accounts is to be enclosed by the bidder which is considered by him as per criteria 2(a).

3. Total financial Turnover projected in the current financial year.
4. Has the bidder ever been debarred from tendering for Central Government/State Government/any Government undertaking?
Yes/No, If yes give details.
5. Has bidder ever been declared insolvent?
Yes/No, If yes give details.
6. Name(s) and Address of Branch/(s) for bidder's Bankers.

I/We hereby certify that the above information is correct to the best of my/our knowledge and belief.

Date:

SCHEDULE-II
(Reference clause 3(b))

(Reference clause 3(d))

Self Declaration

I/We.....Proprietor/Partner/ Authorized signatory of
M/s.....under take the oath that I/We will deploy the machinery and
equipment listed below as and when required in the execution of this work.

S. No.	Name of Machinery	Minimum Requirement	Availability	
			Owned	Leased
1.	Excavator cum loader (JCB 3D model or equivalent)	1		
2.	DG set of minimum capacities of 62.5 KVA	1		
3.	Mini batching plant (6cum/hr)	1		
4.	Concrete pump	1		
5.	transit mixer	3		
6.	needle vibrator	2		
7.	Screed leveller	1		
8.	Plate vibrator	2		
9.	Dumper/tipper	3		
10.	Total station	1		
11.	Power driven earth rammer (soil compactor)	1		
12.	Water tanker (Minimum capacity of 5000 liters)	3		
13.	Steel shuttering with necessary probes	500 sqmtr		
14.	Software –AutoCAD latest version for site office	2 users		
15.	Laptop/Desktop computers with latest version of MS window \s & office & colour inkjet printer (A3) for JDA site office.	1 nos		

I/We hereby certify that the above information is correct to the best of my/our knowledge and belief.

Signature of Bidder

Note:- This self declaration is mandatory to be signed by the bidder failing which the bid shall summarily be rejected without asking any clarification.

SCHEDULE-IV

(Reference clause 3(e))

DETAILS OF MAXIMUM VALUE OF CIVIL WORKS EXECUTED IN ANY ONE YEAR DURING LAST SEVEN YEARS.

FINANCIAL YEAR IN LAST SEVEN YEARS	COST OF WORK EXECUTED IN FINANCIAL YEAR

SCHEDULE-V
(Reference clause 3(f))

DETAILS OF EXISTING COMMITMENTS & ON GOING WOERKS TO BE COMPLETED

S. No.	Name of Works (with agreement No. & Date)	Client	Cost of work as per Work Order	Stipulated date of commencement	Stipulated date of completion	Value of balance work on date of tender	Likely date of completion of balance work

**SCHEDULE-VI
(Reference clause 3(g))**

DETAILS OF LITIGATION OR ARBITRATION CONTRACTS

S. No.	Name of Works (with agreement No. & Date)	Client	Work Order	Disputed Amount claimed in Litigation/ Arbitration	Date of Raising Disputed Amount	Actual Award Amount, if the case is Decided	Cause of Litigation & matter in Dispute

SCHEDULE-VII

(Reference clause 3(h))

BID CAPACITY

1.	A= Maximum value of civil Engineering works Executed in any one year during the last Seven Years (Updated to present price level)Lacs	Certified details enclosed at Page No.....
2.	N= Number of years prescribed for completion of the work for which bids are invited	N= 0.83	
3.	B= Value, at the present price level of existing Commitments and on going works to be completed during the next N Period.Lacs	Certified details enclosed at Page No.....

Bid Capacity= A x N x 3-B

=Lacs

**Schedule- VIII
(Reference clause 3(J))**


Details Regarding Evaluation Criteria

Name of work :-

S. No.	Item	Minimum Requirement (As per Bid)	Remark			
				Year	Qty.	Page No.
1	Copy of GST Reg. Certificate					
2	Copy of Registration certificate					
3	1. Proof of Bid Security deposition 2. Proof of bidding document cost deposition 3. Proof of RISL fees deposition.	2500 1000				
4	The bidder should have executed following quantities of work in any one financial year of the last seven financial years. However the bidder may opt current year in the said financial assessment period. (Schedule-II).					
	PCC -upto M20 grade	2058.00 cum				
	C.C. M25 grade and above	1950.00 cum				
	Reinforcement Steel	66876.00 Kg				
	Stone Cladding	5504.00 sqm				
	Mural -Art Work	477.70 sqm				
	MS work	14050.00 Kg				
	Gun metal - Sculpture	3000.00 Kg				
	Cobble stone/ Stone flooring	1960.00 sqm				
	Cement concrete Interlocking tiles – 60mm and above	2800 sqm				
5	The bidder should have completed at least one similar nature work in last seven financial year (including current year, if opted by the bidder) of value not less than% of the estimated cost of the work (Bid cost) updated to present price level.	Rs. 7.40 Crore				
6	The bidder should have achieved an annual financial turnover of at least Rs.% Lacs of the work (Bid cost) in any one of last seven financial year (including current year)	Rs. 8.88 Crore				
7	The bidder should give declaration to deploy the machinery and equipment as psecified in schedule-III, for the execution of this work. Duly Self attested.					
8	Bid Capacity (A _x N _x 3-B) Here A is Maximum value of civil engineering work executed in any one of last 7 financial years. N is number of Years Prescribed for completion of the work. B is value at present price level of existing commitments and ongoing.	Rs. 14.81 Crore				
9	Declaration in support of information finished by bidder in Annexure-I					
10	Schedule-VI (Details of Litigation).					
11	Signed Annexure "B"(RTPP Act/Rules)					

Note:- This sheet must be prepared and submitted by the bidders.

Self Declaration



I/We.....Proprietor/Partner/Authorized signatory of
M/s.....under take the oath that the information furnished by me/us in
schedule I to VIII of the assessment Bid
for.....is correct to the
best of my/ our knowledge. If any information id found to be incorrect JDA has right to reject the Bid and to take
action against me/us as per rules.

.....
Proprietor/Partner/Authorized signatory
M/s.....
.....

Note:- This Self Declaration is mandatory to be signed by the bidder failing which the bid shall
summarily be rejected without asking any clarification.

Tender Inviting Authority: JAIPUR DEVELOPMENT AUTHORITY, JAIPUR

Name Of Work : Renovation, Beautification & Expansion of public facilities at Govind dev ji Temple area, Zone 2A, JDA, Jaipur

Contract No: EE-2A/17/2023-24

Bidder Name :						
<u>PRICE SCHEDULE</u>						
Sl. No.	Item Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT	TOTAL AMOUNT In Words
1.00	Earth work in excavation/ by mechanical means (Hydraulic Excavator)/ manual means over areas (exceeding 30 cm in depth, 1.5m in width as well as 10 sum on plan) including disposal of excavated earth, lead upto 50 m and lift upto 1.5 m , disposed earth to be levelled and neatly dressed: Ordinary rock	3719.210	cum	157.50	585775.58	INR Five Lakh Eighty Five Thousand Seven Hundred & Seventy Five and Paise Fifty Seven Only
2.00	Random rubble dry stone Kharanja under floor.	1192.070	cum	581.40	693069.50	INR Six Lakh Ninety Three Thousand & Sixty Nine and Paise Fifty Only
3.00	Providing and laying in position cement concrete including curing, compaction etc. complete in specified grade excluding the cost of centering and shuttering - All work up to plinth level. M20 grade Nominal Mix 1: 1.5: 3 (1 cement : 1.5 coarse sand : 3 graded stone aggregate 20mm nominal size).	998.145	cum	3246.30	3240278.11	INR Thirty Two Lakh Forty Thousand Two Hundred & Seventy Eight and Paise Eleven Only
4.00	Providing and laying in position specified grade of cement concrete for all RCC structural elements upto plinth level including curing, compaction, finishing with rendering in cement sand mortar 1:3 (1 cement: 3 coarse sand) and making good the joints and cost of plastizers(if required) excluding the cost of centering, shuttering and reinforcement. M20 grade Nominal Mix / Design Mix	802.980	cum	2961.00	2377623.78	INR Twenty Three Lakh Seventy Seven Thousand Six Hundred & Twenty Three and Paise Seventy Eight Only
5.00	Providing and laying in position Ready mix concrete manufactured in fully automatic Batching Plant and transported to site in transit mixer for having continous agitated mixer, manufactured as per approved mix design of specified grade of RCC work including pumping of R.M.C. from transit mixer to site of laying , excuding the cost of centering, shuttering and reinforcement with all lead and lift including cost of admixtures in recommended portion as per IS 9103 to accelerate/ retard setting of concrete, improve workability without impairing strength and durability as per direction of Engineer in charge . All works upto floor V floor M20 grade Design Mix by using min 400 Kg of cement per cum of concrete	754.980	cum	3902.40	2946233.95	INR Twenty Nine Lakh Forty Six Thousand Two Hundred & Thirty Three and Paise Ninety Five Only
6.00	Providing M- 40 grade concrete by using min. 435 kg of cement per cum instead of M-20 grade design mix.	389.350	cum	180.90	70433.42	INR Seventy Thousand Four Hundred & Thirty Three and Paise Forty Two Only
7.00	Centering and Shuttering with plywood or steel sheets including strutting, propping bracing both ways and removal of formwork for foundation , footings, strap beam, raft , bases of columns etc	5542.660	sqm	99.00	548723.34	INR Five Lakh Forty Eight Thousand Seven Hundred & Twenty Three and Paise Thirty Four Only

Tender Inviting Authority: JAIPUR DEVELOPMENT AUTHORITY, JAIPUR**Name Of Work : Renovation, Beautification & Expansion of public facilities at Govind dev ji****Temple area, Zone 2A, JDA, Jaipur****Contract No: EE-2A/17/2023-24**

Bidder Name :						
PRICE SCHEDULE						
Sl. No.	Item Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT	TOTAL AMOUNT In Words
8.00	Providing and fabricating reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding (including cost of binding wire) all complete up to floor five level. Thermo-mechanically Treated bars Conforming of relevent IS code)	133752.800	Kg	62.10	8306048.88	INR Eighty Three Lakh Six Thousand &Forty Eight and Paise Eighty Eight Only
9.00	Brick work with F.P.S. bricks of class designation 75 in superstructure above plinth level upto floor V level in all shapes and sizes in : Cement mortar 1 : 4 (1 cement : 4 coarse sand)	741.232	cum	3112.20	2306862.23	INR Twenty Three Lakh Six Thousand Eight Hundred & Sixty Two and Paise Twenty Three Only
10.00	Random Rubble stone masonry for with hard stone in foundation and plinth in Cement Sand mortar above 30 CM thick wall in: Cement Mortar 1:4 (1-Cement : 4-Sand). 1,984.50	197.980	cum	1984.50	392891.31	INR Three Lakh Ninety Two Thousand Eight Hundred & Ninety One and Paise Thirty One Only
11.00	Plaster on new surface on wall in cement sand mortar 1:3 including racking of joints etc. complete fine finish : 20mm thick	3728.800	Sqm	121.50	453049.20	INR Four Lakh Fifty Three Thousand &Forty Nine and Paise Twenty Only
12.00	Painting exterior surface of Wall with 100% acrylic exterior paint of approved brand and manufacture to give an even shade with two or more coats including preparation of base with sand papering, primer, putty, etc complete in all respect. New Work	3323.600	Sqm	77.40	257246.64	INR Two Lakh Fifty Seven Thousand Two Hundred & Forty Six and Paise Sixty Four Only
13.00	Making Mehrab's, Arches, pillars, highly decorative creepers, flower of small sizes etc.in lime Surkhi plaster (1:2) as per B248old traditional practices (Arches, Mehrab's) in three coats for base course and subsequent course and Loi tamping, beating till the shrinkage cracks are disappear than making ornamental flowering/design etc. The work is to done with all leads and lifts as per work of restoration nature as per Jaipur practice.	3351.200	Sqm	455.00	1524796.00	INR Fifteen Lakh Twenty Four Thousand Seven Hundred & Ninety Six Only
14.00	Providing and executing at site mural art work with traditional architecture by synthetic mix medium (Acrylic + Exterior Paint base) paint as per design and drawing. The item should be inclusive of finished wall with birla putty (interior/exterior). The cost is inclusive of all supplies, labour, civil work (if required), scaffolding , loading, unloading, and cost of molds whenever required.	955.400	Sqm	7378.08	7049017.63	INR Seventy Lakh Forty Nine Thousand &Seventeen and Paise Sixty Three Only
15.00	Stone work (machine cut edges) for Wall cladding/ Veneering work up to 10 m height with 20 to 30 mm thick Pink Sand stone (Bansi Paharpur) and backing filled with a grout of 12mm thick cement mortar 1:3 (1 cement : 3 coarse sand) including pointing in white cement mortar 1:2 (1 white cement : 2 stone dust) with an admixture of pigment matching the stone shade : (To be secured to the backing by means of cramps which shall be paid separately) Exposed face Machine cut	5503.000	Sqm	1581.30	8701893.90	INR Eighty Seven Lakh One Thousand Eight Hundred & Ninety Three and Paise Ninety Only

Tender Inviting Authority: JAIPUR DEVELOPMENT AUTHORITY, JAIPUR**Name Of Work : Renovation, Beautification & Expansion of public facilities at Govind dev ji****Temple area, Zone 2A, JDA, Jaipur****Contract No: EE-2A/17/2023-24**

Bidder Name :						
PRICE SCHEDULE						
Sl. No.	Item Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT	TOTAL AMOUNT In Words
16.00	Stone work (machine cut edges) for Wall cladding/ Veneering work up to 10m height with 20 to 30 mm thick Red Sand Stone (Karauli) and backing filled with a grout of 12mm thick cement mortar 1:3 (1 cement : 3 coarse sand) including pointing in white cement mortar 1:2 (1 white cement : 2 stone dust) with an admixture of pigment matching the stone shade :(To be secured to the backing by means of cramps which shall be paid separately) Exposed face machine cut	5504.000	Sqm	1558.80	8579635.20	INR Eighty Five Lakh Seventy Nine Thousand Six Hundred & Thirty Five and Paise Twenty Only
17.00	Wrought iron and mild steel welded work) (using angles, square bars, tees and channel grills, grating frames, gates and tree guards of any size and design etc. including cost of screens and welding rods or bolts and nuts complete fixed in position but without the cost of excavation and concrete for fixing which will be paid separately.	281.000	quintal	7820.00	2197420.00	INR Twenty One Lakh Ninety Seven Thousand Four Hundred & Twenty Only
18.00	Providing and Fixing Aluminium composite panel of approved make 3mm thick with 0.5mm thick skin & PVDF coated approved shade for wall panelling. Main framing work to be done using 50mmx25mmx1.6mm tubular section of approved make. Stainless steel screw to be used to fix the ACP panel to be fixed to the main frame with industrial adhesive tape and panel groove to be sealed with weather proof silicon sealant suitable for glass/aluminium etc. complete in all respect as approved by Engineer-in-charge.	99.750	sqm	3722.00	371269.50	INR Three Lakh Seventy One Thousand Two Hundred & Sixty Nine and Paise Fifty Only
19.00	Providing and fixing Glass mosaic tiles on finished plain wall surface of size 20 mm x 20 mm x 4 mm in all colour, design , fixing in customize design as per direction of Engineer-in- Charge. The glass mosaic tiles to be fixed on the wall surface with the help of approved adhesive applied at the rate of 2.5 kg per sqm and grouting of the same. The rate is inclusive of all operation, material and required pattern approved by Engineer-in-Charge:	500.000	sqm	3250.35	1625175.00	INR Sixteen Lakh Twenty Five Thousand One Hundred & Seventy Five Only
20.00	Providing & Laying water proofing treatment over the exposed surface by applying two coat cold liquid waterproofing memdrance consisting of:- a) Primer coat is applied on prepared surface. Diluted with water in ratio of 1:2 b) The first coating is applied straight by using standard roofing brushes with workable dilution with upto 20% is allowable. c)The second coating is applied straight by using standard roofing brushes with workable dilution with upto 10% is allowable. The rate includes preparation of surface treatment & sealing of all joints, corners, junction in all respect as directions given by EI	500.000	sqm	380.00	190000.00	INR One Lakh Ninety Thousand Only

Tender Inviting Authority: JAIPUR DEVELOPMENT AUTHORITY, JAIPUR**Name Of Work : Renovation, Beautification & Expansion of public facilities at Govind dev ji****Temple area, Zone 2A, JDA, Jaipur****Contract No: EE-2A/17/2023-24**

Bidder Name :						
PRICE SCHEDULE						
Sl. No.	Item Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT	TOTAL AMOUNT In Words
21.00	Providing & fixing stone cladding work over horizontal and vertical structural member, made out by carving work in first class (Superior class) BANSWARA-WHITE Marble stone free from cracks, flaws & stains etc. plane stone element including Planning, developing, making base, , polishing, all loading-unloading, transportation, scaffolding, hoisting, installation with all required T&P (including white cement, pigment, Chemical, SS clamps and fasteners of approved brand etc.), fixing over/on base/surface as per shape -size & placement of approved drawing , finishing, surface treatment etc. covering properly till the date of opening/inauguration of site etc. The stone should be pre/post -treated with suitable chemical polish for maintaining original colour and Ceramic surface treatment to be done to avoid surface staining & effect of external weather condition, pollution & dust etc. Proto type model of element/statue/sculpture (fiber glass or plaster of Paris) may also be required of same shape, size and detailing, for which nothing be paid extra. Preferably, the single piece stone block shall be used for the particular element/statue/sculpture but if not possible, material from the same block/lot of stone, shall only be used for similarity & fine n hair line pasting/jointing shall be done with suitable material in such a way so that joint(s) be not visible from front site.					
21.10	Complete job in all respect including in-lay work if required, as per approved design & drawing under approval of project consultant, appointed for the project & as per directions of Engineer-In-Charge. (Theme, concept plan, schematic arrangement, other relevant details and drawings of element/statue/sculpture are enclosed. The final drawing shall be provided after award of the work.) Up-to 25mm thick	150.000	Sqm	4800.00	720000.00	INR Seven Lakh Twenty Thousand Only
22.00	Providing and fixing Stone jali 50mm thick Red/Pink sand stone as sqm per ornamental design to fixed with white cement/epoxy mortar including pointing in white cement mortar 1:2 (1 white cement : 2 stone dust) with an admixture of pigment, matching the stone shade.	40.500	Sqm	5494.50	222527.25	INR Two Lakh Twenty Two Thousand Five Hundred & Twenty Seven and Paise Twenty Five Only
23.00	Providing and fixing Red/Pink sand stone post (Mataga) having size Each 100x100mm heights 600 to 750 mm as per ornamental design such as like flower octonogal head border etc. to fixed with white cement/epoxy mortar including pointing in white cement mortar 1:2 (1 white cement : 2 stone dust) with an admixture of pigment, matching the stone shade.	45.000	Each	498.60	22437.00	INR Twenty Two Thousand Four Hundred & Thirty Seven Only

Tender Inviting Authority: JAIPUR DEVELOPMENT AUTHORITY, JAIPUR**Name Of Work : Renovation, Beautification & Expansion of public facilities at Govind dev ji****Temple area, Zone 2A, JDA, Jaipur****Contract No: EE-2A/17/2023-24**

Bidder Name :						
PRICE SCHEDULE						
Sl. No.	Item Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT	TOTAL AMOUNT In Words
24.00	P & F Gun metal statue/sculpture of any type & size as per approved drawing and placement of statue/sculpture as per direction of engineer-in-charge (composition of Gun Metal, Copper 85%, Tin 5% Lead 5% Zinc 5%.)	6000.000	KG	2000.00	12000000.00	INR One Crore Twenty Lakh Only
25.00	Providing and Fixing 1st Class Rajasthani Marble of Super White Stone Sculpture, Column, Artifact, capital, pedestal, cornices,Pots, Kalash etc including all carving as per approved drawing and all charge like labour, charges for fixing and material required for fixing like araldite, white cement, pigment and all scaffolding required etc, Complete in all respect as direction of Engineer in charge. Stone sample to be approved by Engineer-in-charge and Architect before execution of Work.	7.754	cum	323000.00	2504542.00	INR Twenty Five Lakh Four Thousand Five Hundred & Forty Two Only
26.00	Providing & Fixing traditional glass thikri work on walls which involves creating intricate designs and patterns using glass,installation by Glue down/appropriate adhesive ,including of all lead & lift with required scaffolding. Design & shade as per Direction of Engineer in Charge.	88.000	Sqm	15155.71	1333702.66	INR Thirteen Lakh Thirty Three Thousand Seven Hundred & Two and Paise Sixty Six Only
27.00	To expose the original surface of stone art / Chiseling work / Fresco paintings /tempera painting carefully by removing upper coatings of whitewash /paint / distemper / plastering / wooden and metal frames etc. without any harm to the original hidden art work & further strengthen the original art work with a suitable coating of preservative and making it water tight as per direction of Engineer- In-charge.	80.000	sqm	511.00	40880.00	INR Forty Thousand Eight Hundred & Eighty Only
28.00	Conservation of fresco paintings in monuments by cleaning of the painted surface from all types of stains, dust, dirt, greasy & oily accretions etc. with the help of suitable chemicals, removal of cracks, consolidation of flaking paint layer and plaster, filling of the lacunae in the plaster, treatment of salt effect and altered paint layer retouching of the lost portions and providing a preservative coating.	80.000	sqm	4600.00	368000.00	INR Three Lakh Sixty Eight Thousand Only
29.00	Exposition of the original surface of fresco paintings/tempra paintings by careful removal of upper coating of whitewash/ paint/ distemper/ plaster, araisn etc. without any harm to the original hidden art work, conservation of the paintings & strengthen the original art work with the preservative coating and making it water proof as per direction of the Chemist-in-charge.	80.000	sqm	5640.00	451200.00	INR Four Lakh Fifty One Thousand Two Hundred Only

Tender Inviting Authority: JAIPUR DEVELOPMENT AUTHORITY, JAIPUR**Name Of Work : Renovation, Beautification & Expansion of public facilities at Govind dev ji****Temple area, Zone 2A, JDA, Jaipur****Contract No: EE-2A/17/2023-24**

Bidder Name :						
PRICE SCHEDULE						
Sl. No.	Item Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT	TOTAL AMOUNT In Words
30.00	Providing and fixing of superior quality Bansi Paharpur Stone Chattri including pillars, dasa, mehrab, thevi, barsot, glata, chajja, dabstone,coping, cladding, kalash, flooring , moulding of sizes as per approved drawing and design. Cost is inclusive of all material, stone and labour, charges for fixing and material required for fixing like araldite, white cement, pigment and all scaffolding required etc, Complete in all respect as direction of Engineer in charge.	15.000	Sqm	125000.00	1875000.00	INR Eighteen Lakh Seventy Five Thousand Only
31.00	Providing and fixing of superior quality Bansi Paharpur Stone Gazebo including pillars, dasa, mehrab, thevi, barsot, glata, chajja, dabstone,coping, cladding, flooring , moulding of sizes as per approved drawing and design. Cost is inclusive of all material, stone and labour, charges for fixing and material required for fixing like araldite, white cement, pigment and all scaffolding required etc, Complete in all respect as direction of Engineer in charge.	15.000	Sqm	50000.00	750000.00	INR Seven Lakh Fifty Thousand Only
32.00	Providing and Fixing Bansi Paharpur Stone Column, Artifact, capital, pedestial, cornices,Pots, Kalash etc including all carving as per approved drawing and all charge like labour, charges for fixing and material required for fixing like araldite, white cement, pigment and all scaffolding required etc, Complete in all respect as direction of Engineer in charge Stone sample to be approved by Engineer-in-charge and Architect before execution of Work.	150.000	CUM	30000.00	4500000.00	INR Forty Five Lakh Only
33.00	Providing and fixing frames in cast iron as per approved design and drawing and direction given by engineer in charge	4000.000	Kg	125.00	500000.00	INR Five Lakh Only
34.00	Providing & fixing Bansi Paharpur Stone CLADDING 30-50 MM thick over Structural base with cement Mortar, with hairline joint at transition including cutting, rubbing and finishing, complete as per drawing and direction of Enginner- In- Charge and Architect. The Stone measurement will be done of outer most dimension of finished stone in X, Y and Z directions. The Cost includes all charges like material, labour, fixing, scaffolding arrangement, wastage and Adhesive etc. complete in all respect as per direction of Engineer in charge.	1.200	cum	54720.00	65664.00	INR Sixty Five Thousand Six Hundred & Sixty Four Only

Tender Inviting Authority: JAIPUR DEVELOPMENT AUTHORITY, JAIPUR**Name Of Work : Renovation, Beautification & Expansion of public facilities at Govind dev ji****Temple area, Zone 2A, JDA, Jaipur****Contract No: EE-2A/17/2023-24**

Bidder Name :						
PRICE SCHEDULE						
Sl. No.	Item Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT	TOTAL AMOUNT In Words
35.00	Providing & fixing Bansi Paharpur Stone CLADDING 50-80 MM thick over Structural base with cement Mortar, with hairline joint at transition including cutting, rubbing and finishing, complete as per drawing and direction of Enginner- In- Charge and Architect. The Stone measurement will be done of outer most dimension of finished stone in X, Y and Z directions. The Cost includes all charges like material, labour, fixing, scaffolding arrangement, wastage and Adhesive etc. complete in all respect as per direction of Engineer in charge.	0.500	cum	140000.00	70000.00	INR Seventy Thousand Only
36.00	Kota stone slab flooring 25 mm thick over 20 mm (average) thick base laid over and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete with base of cement mortar 1 : 4 (1 cement : 4 coarse sand)For area of each slab from 2001 to 5000 Sq.Cm	250.000	sqm	638.10	159525.00	INR One Lakh Fifty Nine Thousand Five Hundred & Twenty Five Only
37.00	Random Rubble stone masonry with hard stone in superstructure above plinth level and upto five level above 30cm. thick walls in : Cement Mortar 1:4 (1-Cement : 4-Sand).	81.000	cum	2384.10	193112.10	INR One Lakh Ninety Three Thousand One Hundred & Twelve and Paise Ten Only
38.00	Providing And Fixing Of Smooth Clay Brick Cladding 2.5" Thick As Per Drawing Attached And Under The Direction Of Engineer Incharge And Approval From Architect.	206.100	sqm	1150.00	237015.00	INR Two Lakh Thirty Seven Thousand & Fifteen Only
39.00	Fine dressed & machine cut edges (4"x4"x3") thick Mandana flooring over 20 mm (average) thick base of cement mortar 1:4 (1 cement : 4 coarse sand) jointed grey cement slurry mixed with pigment to match the shade of stone complete as per design drawing and instruction of EI.	1985.430	sqm	3600.00	7147548.00	INR Seventy One Lakh Forty Seven Thousand Five Hundred & Forty Eight Only
40.00	Providing and fixing of Katni Stone Flooring of size 4"x4"x3" in position as per approved design and drawing in cement mortar 1:4 including making smooth surface dressed fixing and jointing / pointing with cement mortar 1:4 using pigment as per drawing and instruction of engineer incharge complete in all respect	1687.430	sqm	7534.80	12714447.56	INR One Crore Twenty Seven Lakh Fourteen Thousand Four Hundred & Forty Seven and Paise Fifty Six Only
41.00	Providing and Supply Of Other Cast Article Of Decorative Cast Iron+ MS Bracket. at Nathdwara Street facade Development project as per directed by architect/engineer in-charge. The cost Include intallation,transportation and GST etc. charges. Product finish will be as per approval.	145.000	each	7150.00	1036750.00	INR Ten Lakh Thirty Six Thousand Seven Hundred & Fifty Only

Tender Inviting Authority: JAIPUR DEVELOPMENT AUTHORITY, JAIPUR**Name Of Work : Renovation, Beautification & Expansion of public facilities at Govind dev ji****Temple area, Zone 2A, JDA, Jaipur****Contract No: EE-2A/17/2023-24**

Bidder Name :						
PRICE SCHEDULE						
Sl. No.	Item Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT	TOTAL AMOUNT In Words
42.00	Providing and fixing powder coated C.I. Railing Pillar of height 1.00 M and width 0.213 m at 1.20 m center to center spacing including C.I. chain along the outer periphery of the rotary/ Circle. Complete job in all respect, as per approved design & drawing under approval of project consultant, appointed for the project & as per directions of Engineer-In-Charge.	1000.000	Kg	96.00	96000.00	INR Ninety Six Thousand Only
43.00	Providing precast cement concrete Jali 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 6mm nominal size) reinforced with 1.6 mm dia mild steel wire including centring and shuttering, roughening cleaning, fixing and finishing in cement mortar 1:3 (1 cement: 3 fine sand) etc. complete excluding plastering of the jambs, sills and soffits. 50 mm thick	49.000	Sqm	676.00	33124.00	INR Thirty Three Thousand One Hundred & Twenty Four Only
44.00	Providing and applying Saint Gobain Certainteed Roofing Shingles Landmark PRO , as per approved shade . Application Includes Bitumen primer single coat. Providing and Applying Swift Start - starter strip at Eave end. The shingle should conform to the following standards:- 1.Construction - 3 piece laminated fiber glass construction 2.ASTM D3081 - Asphalt shingles combined with Glass felt and surfaced with Mineral granules 3.ASTM E108 - Class A fire resistance 4.ASTM C 3161 - For 110 Mph wind resistance 5.UL (Under Writers Lab) certification for all the above. The shingles installation to be done on absolute smooth fully cured cement plaster (1:5 ratio) of minimum 1 inch thickness .	120.000	Sqm	3729.60	447552.00	INR Four Lakh Forty Seven Thousand Five Hundred & Fifty Two Only
45.00	CEMENT SAND MORTAR Cement sand Mortar 1 : 4 (1cement : 4 sand)	80.000	cum	2449.80	195984.00	INR One Lakh Ninety Five Thousand Nine Hundred & Eighty Four Only
46.00	Lime plaster (up to 40 mm thick in 3 Coats) on new surface on walls with lime sand mortar 1:2 (1 lime putty : 2 sand) using admixture like Gur, Methi & Gugal @ 1.0 Kg./each for every 10 Sqm of area including racking of joints curing etc. complete	280.000	Sqm	220.50	61740.00	INR Sixty One Thousand Seven Hundred & Forty Only
47.00	Providing and applying white cement based putty over plastered surface to prepare the surface even and smooth complete	1000.000	Sqm	64.80	64800.00	INR Sixty Four Thousand Eight Hundred Only
48.00	Distempering with oil bound washable distemper of approved brand and manufacture to give an even shade including all scaffolding: New work (two or more coats) over and including scrapping and priming coat with cement primer.	2400.000	Sqm	46.80	112320.00	INR One Lakh Twelve Thousand Three Hundred & Twenty Only

Tender Inviting Authority: JAIPUR DEVELOPMENT AUTHORITY, JAIPUR**Name Of Work : Renovation, Beautification & Expansion of public facilities at Govind dev ji****Temple area, Zone 2A, JDA, Jaipur****Contract No: EE-2A/17/2023-24**

Bidder Name :						
PRICE SCHEDULE						
Sl. No.	Item Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT	TOTAL AMOUNT In Words
49.00	Wall painting with plastic emulsion paint of approved brand and manufacture to give an even shade including all scaffolding: Two or more coats on new work including preparation of base with primer, putty, lippy etc complete in all respect	2400.000	Sqm	45.90	110160.00	INR One Lakh Ten Thousand One Hundred & Sixty Only
50.00	Providing and laying integral cement based treatment for water sqm proofing on the vertical surface by fixing specified stone slab 20mm thick with cement slurry mixed with water proofing compound conforming to IS:2645 in recommended proportions with a gap of 20mm (minimum) between stone slabs and the receiving surfaces and filling the gaps with neat cement slurry mixed with water proofing compound and finishing the exterior of stone slab with cement mortar 1:4 (1 cement:4 coarse sand) 20mm thick with neat cement punning mixed with water proofing compound in recommended proportion complete at all levels and as directed by Engineer-in-charge Using rough Kota stone	500.000	Sqm	599.40	299700.00	INR Two Lakh Ninety Nine Thousand Seven Hundred Only
51.00	Providing M-25 grade concrete by using min 410 kg of cement per cum instead of M-20 grade design mix.	395.630	cum	51.30	20295.82	INR Twenty Thousand Two Hundred & Ninety Five and Paise Eighty Two Only
52.00	Providing and fixing steel gate, grating , and grills made of angles, tees, square bars, flats, or black pipe with holdfast and fittings complete as per design and drawing including cutting welding and fabrication with priming coat of red oxide	500.000	kg	66.60	33300.00	INR Thirty Three Thousand Three Hundred Only
53.00	Providing and erecting direction and place identification sqm retro-reflecterised sign as per IRC:67 made of encapsulated lens type reflective sheeting vide Clause 1701.2.3, fixed over aluminium sheeting, 2 mm thick with area exceeding 0.9 sqm supported on mild steel angle iron posts 75 mm x 75 mm x 6 mm, 2 Nos. firmly fixed to the ground by means of properly designed foundation with M-15 grade cement concrete 450 mm x 450 mm x 600 mm, 600 mm below ground level as per approved drawing and MoRD Specification Clause 1701	36.000	sqm	9630.00	346680.00	INR Three Lakh Forty Six Thousand Six Hundred & Eighty Only
54.00	Providing & Fixing of Dustbin (As per the Drawing) A. Dimensions (Approximate) :- Length - 550 mm, Width - 650 mm, Height - 1300 mm B. Finish in Structure are in Mild Steel duly powder coated. Note: 3. The Mild Steel Section of 200 mm x 8 mm round was used to grout and anchor fasten the structure on PCC base. Complete in all respect as direction of engineer in charge. Sample to be Approved By Engineer Incharge and Architect Before Execution of Work.	10.000	Each	23143.68	231436.80	INR Two Lakh Thirty One Thousand Four Hundred & Thirty Six and Paise Eighty Only

Tender Inviting Authority: JAIPUR DEVELOPMENT AUTHORITY, JAIPUR**Name Of Work : Renovation, Beautification & Expansion of public facilities at Govind dev ji****Temple area, Zone 2A, JDA, Jaipur****Contract No: EE-2A/17/2023-24**

Bidder Name :						
PRICE SCHEDULE						
Sl. No.	Item Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT	TOTAL AMOUNT In Words
55.00	Providing & Fixing of Cast Article Of Decorative Cast Iron Garden Bench at project as per directed by architect/engineer in-charge. The cost Include intallation,transportation and GST etc. charges. Product finish will be standard antique color shade. (5 feet length)	5.000	EACH	34650.00	173250.00	INR One Lakh Seventy Three Thousand Two Hundred & Fifty Only
56.00	Supply, Installation, Testing & Commissioning of 4MP IR Outdoor PTZ Camera-1/1.8" Progressive Scan CMOS, 2560 × 1440 at 25fps, 5.9 mm to 188 mm, 32× Optical, 16x digital zoom, Colour: 0.005 Lux at F1.5, B/W: 0.001Lux at F1.5, ICR, ONVIF, support H.265,MJPEG, 120 dB WDR, 3D Digital Noise Reduction, HLC, BLC, Defog, EIS, Triple individually configurable stream, 24 VAC & PoE, IR range: 200m, Pan: 360° endless, Tilt: From -15° to 90° (auto-flip), Pan Speed - from 0.1°/s to 160°/s, Pre-set Speed: 240°/s, Tilt Speedfrom 0.1°/s to 120°/s, present Speed: 200°/s, Pre-sets- 300, Alarm Input-2-ch alarm input, Alarm Output-1-ch alarm output, Audio-1 channel input & output, Support on-board storage up to 256 GB (SD card not included), IP66, Line crossing detection, intrusion detection, CE, FCC, BIS certified.	3.000	Nos	117600.00	352800.00	INR Three Lakh Fifty Two Thousand Eight Hundred Only
57.00	Supply, Installation, Testing & Commissioning of 5 MP IR Fixed Bullet Network Camera -1/2.7 inch Progressive Scan CMOS, 2592 × 1944 at 25fps, 2.8 mm Fixed lens, 0.003 Lux at F1.4, 0 Lux with IR on, ICR, ONVIF (PROFILE S, PROFILE G, PROFILE T), support H.265, H.264, MJPEG, 120db WDR, 3D Digital Noise Reduction, BLC, HLC, Three individually configurable stream, 12 VDC & PoE, IR range: 40m, Support on-board storage up to 256 GB (SD card not included), IP67, Alarm 1 inputs, 1 outputs, Audio 1 inputs, 1 outputs, Edge Analytics- Line crossing detection, Intrusion detection, Motion detection, Region entrance detection, Region exiting detection, Scene change detection, Face capture, Video tampering, audio exception detection, False alarm reduction through human and vehicle target classification based on deep learning CE, FCC, BIS certified	15.000	Nos	12789.00	191835.00	INR One Lakh Ninety One Thousand Eight Hundred & Thirty Five Only
58.00	SITC of Intelligent Ethernet POE Switches providing 24 x 10/100/1000 Fast Ethernet POE ports- 370W or better and 4 dual purpose uplink (provision for Copper / Fibre Giga connectivity) with LAN based Software. The LAN based S/W supports enhanced integrated security, including Network Admission Control (NAC), advanced quality of service (QoS), availability and scalable management to enable new converged applications	2.000	Nos	23520.00	47040.00	INR Forty Seven Thousand &Forty Only

Tender Inviting Authority: JAIPUR DEVELOPMENT AUTHORITY, JAIPUR**Name Of Work : Renovation, Beautification & Expansion of public facilities at Govind dev ji****Temple area, Zone 2A, JDA, Jaipur****Contract No: EE-2A/17/2023-24**

Bidder Name :						
PRICE SCHEDULE						
Sl. No.	Item Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT	TOTAL AMOUNT In Words
59.00	Supply, Installation, Testing and Commissioning of NVR having 320Mbps Bit Rate Input Max(up to 32-ch IP video), 4 SATA Interfaces, Up to 10TB per HDD, alarm I/O: 16/4(16/8 optional), 2U case,19",RAID 0/1/5/6/10, dual power. Complete in all respect with all required accessories make is to be approved by deparment .Test report / certificates of manufacturer which are to be needed is to be submitted by contractor.	1.000	Nos	141018.00	141018.00	INR One Lakh Forty One Thousand &Eighteen Only
60.00	Supply, Installation, Testing and Commissioning of HDD,10TB,7200,3.5 S3. Complete in all respect with all required accessories make is to be approved by deparment .Test report / certificates of manufacturer which are to be needed is to be submitted by contractor.	3.000	Nos	41731.20	125193.60	INR One Lakh Twenty Five Thousand One Hundred & Ninety Three and Paise Sixty Only
61.00	Supply, Installation, Testing and Commissioning of Providing and fising of IP 65 protectd Polycarbonate / Polysterene fuse box moulded with inside knock outs of following size with hinged cover, transparent window, PU gasket, locking arrangement, duly holded with 2 nos. pole clamps of 20 mm x 3 mm flat with nut and bolts, complete with The box shall be provided with Din rail, 4 / 8 way 10.0 / 16.0 sq.mm heavy duty connector, earth terminal, complete in all respect. Complete in all respect with all required accessories make is to be approved by deparment .Test report / certificates of manufacturer which are to be needed is to be submitted by contractor.	5.000	Nos	14528.64	72643.20	INR Seventy Two Thousand Six Hundred & Forty Three and Paise Twenty Only
62.00	Supply, Installation, Testing and Commissioning of 6 Core Fiber 1500 Mtr. Complete in all respect with all required accessories make is to be approved by deparment .Test report / certificates of manufacturer which are to be needed is to be submitted by contractor.	727.000	Nos	471.00	342417.00	INR Three Lakh Forty Two Thousand Four Hundred & Seventeen Only
63.00	Supply, Installation, Testing and Commissioning of Cat-6 Cable: UTP CAT 6, 305 meters,Core diameter: 0.55mm,Solid Copper, gray. Complete in all respect with all required accessories make is to be approved by deparment .Test report / certificates of manufacturer which are to be needed is to be submitted by contractor.	551.000	Nos	68.00	37468.00	INR Thirty Seven Thousand Four Hundred & Sixty Eight Only
64.00	Supply, Installation, Testing and Commissioning of 22 U(44 mm) Floor Network RACK. Complete in all respect with all required accessories make is to be approved by deparment .Test report / certificates of manufacturer which are to be needed is to be submitted by contractor.	1.000	Nos	58144.00	58144.00	INR Fifty Eight Thousand One Hundred & Forty Four Only

Tender Inviting Authority: JAIPUR DEVELOPMENT AUTHORITY, JAIPUR**Name Of Work : Renovation, Beautification & Expansion of public facilities at Govind dev ji****Temple area, Zone 2A, JDA, Jaipur****Contract No: EE-2A/17/2023-24**

Bidder Name :						
PRICE SCHEDULE						
Sl. No.	Item Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT	TOTAL AMOUNT In Words
65.00	SITC of Fiber Fusion Splicing with OTDR Testing of Fiber Single/ Multi mode (per splice) of glass Fiber Optic Cable including cleaning the cable and making splice as per standard practice complete in all respect. Complete in all respect with all required accessories make is to be approved by department .Test report / certificates of manufacturer which are to be needed is to be submitted by contractor.	140.000	Nos	2208.00	309120.00	INR Three Lakh Nine Thousand One Hundred & Twenty Only
66.00	Supply, Installation, Testing and Commissioning of GPON OLT fiber network Manager. Complete in all respect with all required accessories make is to be approved by department .Test report / certificates of manufacturer which are to be needed is to be submitted by contractor.	1.000	Nos	272320.00	272320.00	INR Two Lakh Seventy Two Thousand Three Hundred & Twenty Only
67.00	Supply, Installation, Testing and Commissioning of X PON ONU. Complete in all respect with all required accessories make is to be approved by department .Test report / certificates of manufacturer which are to be needed is to be submitted by contractor.	3.000	Nos	1398.00	4194.00	INR Four Thousand One Hundred & Ninety Four Only
68.00	Supply, Installation, Testing and Commissioning of LIU (FMS) 6 port fiber manage system for network rack manage fiber cable. Complete in all respect with all required accessories make is to be approved by department .Test report / certificates of manufacturer which are to be needed is to be submitted by contractor.	1.000	Nos	27821.00	27821.00	INR Twenty Seven Thousand Eight Hundred & Twenty One Only
69.00	Supply installation testing & commissioning of 55" Full HD LED TV with Min 2 HDMI Port , 1 USB Port Commercial Grade with HDMI Cable (Makes:- LG,Samsung,Panasonic, & equivalent make matching with above specification) & make is to be approved by engineer incharge. Complete in all respect with all required accessories make is to be approved by department .Test report / certificates of manufacturer which are to be needed is to be submitted by contractor.	1.000	Nos	125120.00	125120.00	INR One Lakh Twenty Five Thousand One Hundred & Twenty Only
70.00	Supply, Installation, Testing and Commissioning of Network manage switch for Networking 24 port. Complete in all respect with all required accessories make is to be approved by department .Test report / certificates of manufacturer which are to be needed is to be submitted by contractor.	1.000	Nos	85818.00	85818.00	INR Eighty Five Thousand Eight Hundred & Eighteen Only

Tender Inviting Authority: JAIPUR DEVELOPMENT AUTHORITY, JAIPUR

Name Of Work : Renovation, Beautification & Expansion of public facilities at Govind dev ji

Temple area, Zone 2A, JDA, Jaipur

Contract No: EE-2A/17/2023-24

Bidder Name :						
<u>PRICE SCHEDULE</u>						
Sl. No.	Item Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT	TOTAL AMOUNT In Words
71.00	Supply, Installation, Testing & Comissioning of 16 Channel NVR expandable up to 32 Cameras 32-ch 1U AcuSense 4K NVR ,H.265+/H.265/H.264+/H.264 video formats Intelligent analytics based on deep learning algorithm,Up to 4-ch perimeter protection Up to 1-ch facial recognition for video stream, or up to 4-ch facial recognition for face picture,Up to 32-ch IP camera inputs,Up to 16-ch 1080p decoding capability Up to 256 Mbps incoming & Outgoing bandwidth,HDMI,VGA,Two way Audio,Decoding Format H.265+/H.265/H.264+/H.264/MPEG4,Recording Resolution 32 MP/24 MP/12 MP/8 MP/6 MP/5 MP/4 MP/3 MP/1080p/UXGA/720p/VGA /4CIF/DCIF/2CIF/CIF/QCIF,2, RJ-45 10/100/1000 Mbps self-adaptive Ethernet interface,RS-485 (half-duplex), RS-232, Keyboard,4 SATA interfaces supporting hot-plug,Up to 10 TB capacity for each disk, 1 eSATA interface,Alarm In/Out 16/4, Front panel: 2 × USB 2.0; Rear panel: 1 × USB 3.0 ,Power Supply 100 to 240 VAC, 50 to 60 Hz , Processor Intel® Core™ i3-8100 (4Cores/6MB/4T/ 3.6GHz/65W),Operating Systems Microsoft® Windows 10 IoT Ent (64-bit) Memory 2 × 4GB 2666MHz DDR4 UDIMM Graphics Card Integrated Intel® HD Graphics 630 Storage M.2 256GB SATA Class 20 solid state drive NIC Integrated Intel I219-LM					
71.10	Ethernet LAN 10/100/1000 ,I/O Ports 10 External USB: 1 × USB Type-C 3.1 Gen 2, 5 × 3.1 Gen 1 Type-A (1 Front, 4 Rear), 4 × USB 2.0, 1 × RJ-45, 2 × Displayport, 1 × Serial, 2 × PS/2,Power Supply 300W typical 90% Efficient PSU (80 PLUS Bronze),Certification CE, FCC, UL Warranty 36 Months. Complete in all respect with all required accessories make is to be approved by deparment .Test report / certificates of manufacturer which are to be needed is to be submitted by contractor.	1.000	Nos	307206.40	307206.40	INR Three Lakh Seven Thousand Two Hundred & Six and Paise Forty Only

Tender Inviting Authority: JAIPUR DEVELOPMENT AUTHORITY, JAIPUR

Name Of Work : Renovation, Beautification & Expansion of public facilities at Govind dev ji

Temple area, Zone 2A, JDA, Jaipur

Contract No: EE-2A/17/2023-24

Bidder Name :						
<u>PRICE SCHEDULE</u>						
Sl. No.	Item Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT	TOTAL AMOUNT In Words
72.00	Outdoor LED Display -SITC OF Outdoor LED Display - Outdoor LED Display -Display Size (W x H) 12'59" x 9'31", LED Display of meter Pixel Pitch 4 mm , LED Configuration RGB 3 in 1 SMD ,LED Lamp - SMD LED lamp ,Pixel Density Minimum 62500 pixels per sqm or higher Half Gain Horizontal / Vertical Viewing Angle H 140 deg / V 90 deg or better ,Refresh Rate >1920 Hz or betterTemp Range -20 to +50 Degrees C or better Grey Scale Processing 14 Bit or betterColours 4.4 Trillion colours Brightness 5000 cd/m ² or better Maximum Power Consumption 900 w/sqm or lower Dimming Capability 255 levels Power Input 100 ~ 240 VAC Contrast Ratio 5000:1 or better Access For Maintenance Front IP Level Front : IP65 , Rear : IP 54 LED Tile/ Cabinet Calibration LED tiles/cabinets should be calibrated before being supplied. These screens should also be calibrated after the installation to ensure brightness uniformity. Calibration should also be performed as and when it is required during the warranty period. Offered product which does not support dot calibration shall be rejected Brightness measurement tool Emitted brightness measurement tool namely a luminance meter (which can provide direct brightness reading in cd/m ²) for brightness measurement of offered					
72.10	LED screen. OEM of LED Display should provide details (Model No. & Date of Purchase) of the luminance meter available with them in India along with its latest calibration certificate. The same instrument shall be used to check the minimum brightness levels as offered in the bid. Please note- Illuminance meters are not acceptable as they are not for measuring emitted light International Safety Certifications(Mandatory to submit along with the bid) BIS Registration (Bureau Of Indian Standards) As per Standard: IS 13252 (PART 1) :2010. Offered model BIS certificate should be on OEM brand and their own manufacturing unit in India. Valid BIS certificate to be provided for the offered LED tiles/cabinets. BIS certificate for led module only shall not be considered as valid BIS certificate for the product. The offered model should be clearly mentioned in the BIS certificate. This certificate shall be submitted at the time of bid. Quality/Health & Safety/Environmental Certifications of OEM/OEM subsidiary in India (Copy to be submitted along with the bid Quality Management System 9001:2015 , Occupation health & Safety Management System - OHSAS 18001:2007 Environmental Management System 14001: 2015 Make/ Brand: Barco/Daktronics/Delta /Mitsubishi /NEC	1.000	Each	5989911.00	5989911.00	INR Fifty Nine Lakh Eighty Nine Thousand Nine Hundred & Eleven Only

Tender Inviting Authority: JAIPUR DEVELOPMENT AUTHORITY, JAIPUR**Name Of Work : Renovation, Beautification & Expansion of public facilities at Govind dev ji****Temple area, Zone 2A, JDA, Jaipur****Contract No: EE-2A/17/2023-24**

Bidder Name :						
PRICE SCHEDULE						
Sl. No.	Item Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT	TOTAL AMOUNT In Words
73.00	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings i/c fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in Charge. Concealed work including cutting chases and making good the walls etc.,					
73.10	15 mm nominal outer dia .Pipes.	400.000	metre	228.00	91200.00	INR Ninety One Thousand Two Hundred Only
73.20	20 mm nominal outer dia .Pipes.	400.000	metre	272.00	108800.00	INR One Lakh Eight Thousand Eight Hundred Only
73.30	25 mm nominal outer dia .Pipes.	400.000	metre	331.00	132400.00	INR One Lakh Thirty Two Thousand Four Hundred Only
73.40	32 mm nominal outer dia .Pipes	400.000	metre	431.00	172400.00	INR One Lakh Seventy Two Thousand Four Hundred Only
74.00	Providing, lowering, laying in trenches, aligning, fixing in position and jointing socketed rubber gasket type ISI marked uPVC pipes of Class III (6 Kg/sqcm) suitable for potable water with rubber ring joints (as per IS 4985-2000) of following outer dia with all accessories (excluding specials) complete including all material, labour, hydraulic testing and commissioning as per Technical Specifications and as per direction of Engineer.110 mm dia	358.000	metre	282.00	100956.00	INR One Lakh Nine Hundred & Fifty Six Only
75.00	Providing and fixing on wall face Unplasticised - PVC moulded fittings/ accessories for Unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A including jointing with seal ring conforming to IS : 5382 leaving 10 mm gap for thermal expansion. Single tee with door 110x110x110 mm	358.000	each	307.00	109906.00	INR One Lakh Nine Thousand Nine Hundred & Six Only
76.00	Providing and fixing square-mouth S.W. gully trap grade 'A' complete with C.I. grating brick masonry chamber with water tight C.I. cover with frame of 300 x300 mm size (inside) the weight of cover to be not less than 4.50 kg and frame to be not less than 2.70 kg as per standard design : 100x100 mm size P type With Sewer bricks conforming to IS : 4885	359.000	each	1370.00	491830.00	INR Four Lakh Ninety One Thousand Eight Hundred & Thirty Only
77.00	Fixing water meter and stop cock in G.I. pipe line including cutting and threading the pipe and making long screws etc. complete (cost of water meter and stop cock to be paid separately).	359.000	each	320.00	114880.00	INR One Lakh Fourteen Thousand Eight Hundred & Eighty Only

Tender Inviting Authority: JAIPUR DEVELOPMENT AUTHORITY, JAIPUR**Name Of Work : Renovation, Beautification & Expansion of public facilities at Govind dev ji****Temple area, Zone 2A, JDA, Jaipur****Contract No: EE-2A/17/2023-24**

Bidder Name :						
PRICE SCHEDULE						
Sl. No.	Item Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT	TOTAL AMOUNT In Words
78.00	Providing and fixing uplasticised PVC connection pipe with brass unions : 45 cm length 20 mm nominal bore	359.000	each	77.00	27643.00	INR Twenty Seven Thousand Six Hundred & Forty Three Only
79.00	Wiring of light point / fan point / exhaust fan point / call bell point with 1.5 sq. mm FR PVC insulated unsheathed 1.1kV grade flexible copper conductor and 1.5 sq.mm FR PVC insulated copper earth conductor (IS:694) of approved make in double lock/ ISI marked single lock pvc casing capping & it's accessories, 18 SWG M.S. box with earth terminal, screwless cage connectors for neutral looping in switch board & false ceiling point, 6 A switch 3.0 mm thick phenolic laminated sheet, zinc plated / brass screws, cup washers , making connections, testing etc. as required.Long point (up to 10 mtr..)	40.000	P. point	465.00	18600.00	INR Eighteen Thousand Six Hundred Only
80.00	Wiring of light point/ fan point/ exhaust fan point/ call bell point with 1.5 sq. mm FR PVC insulated unsheathed flexible copper conductor 1.1 kV grade and 1.5 sq.mm FR PVC insulated unsheathed flexible copper earth conductor 1.1 kV grade (IS:694) of approved make in surface / recessed ISI marked medium duty PVC conduit & it's accessories, round tiles,18 SWG M.S. box with earth terminal, screwless cage connectors for neutral looping in switch board & false ceiling point, 6 A switch, 3.0 mm thick phenolic laminated sheet, zinc plated / brass screws, cup washers, making connections, testing etc. as required. Long point (up to 10 mtr..)	40.000	P. point	489.00	19560.00	INR Nineteen Thousand Five Hundred & Sixty Only
81.00	Wiring of 6 pin 15 amp. Light power point with 4.0 sq. mm PVC insulated unsheathed solid / stranded copper conductor 1.1 kV grade of approved make in surface / recessed ISI marked pvc conduit & it's accessories, 18 SWG M.S. box with earth terminal, screwless cage connectors for neutral looping in switch board , 15 A switch, 15 A socket, 3.0 mm thick phenolic laminated sheet, zinc plated / brass screws, cup washers, bushes, check nuts, making connections, testing etc. as required. Short point (up to 3 mtr.)	40.000	P. point	333.00	13320.00	INR Thirteen Thousand Three Hundred & Twenty Only
82.00	Wiring of 3 pin 5 amp. light plug point with 1.5 sq. mm FR PVC insulated unsheathed flexible copper conductor 1.1 kV grade and 1.5 sq.mm FR PVC insulated unsheathed flexible copper earth conductor 1.1 kV grade(IS:694) of approved make in surface / recessed ISI marked medium duty PVC conduit & it's accessories, 18 SWG M.S. box with earth terminal, screwless cage connectors for neutral looping in switch board & false ceiling point, 6 A switch, 6 A socket, 3.0 mm thick phenolic laminated sheet, zinc plated / brass screws, cup washers, making connections, testing etc. as required. On board	40.000	P. point	82.00	3280.00	INR Three Thousand Two Hundred & Eighty Only

Tender Inviting Authority: JAIPUR DEVELOPMENT AUTHORITY, JAIPUR**Name Of Work : Renovation, Beautification & Expansion of public facilities at Govind dev ji****Temple area, Zone 2A, JDA, Jaipur****Contract No: EE-2A/17/2023-24**

Bidder Name :						
PRICE SCHEDULE						
Sl. No.	Item Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT	TOTAL AMOUNT In Words
83.00	S&F following sizes (dia.) of ISI marked medium duty PVC conduit along with accessories in surface / recessed using saddles, clamps, fastener as required including cutting the wall and making good the same as required.					
83.10	20 mm	100.000	R. mtr.	21.00	2100.00	INR Two Thousand One Hundred Only
83.20	25 mm	100.000	R. mtr.	29.00	2900.00	INR Two Thousand Nine Hundred Only
83.30	32 mm	100.000	R. mtr.	44.00	4400.00	INR Four Thousand Four Hundred Only
83.40	40 mm	100.000	R. mtr.	64.00	6400.00	INR Six Thousand Four Hundred Only
84.00	Wiring of 6 pin 15 amp. Light power point with 6.0 sq. mm PVC insulated unsheathed solid / stranded copper conductor 1.1 kV grade of approved make in surface / recessed ISI marked pvc conduit & it's accessories, 18 SWG M.S. box with earth terminal, screwless cage connectors for neutral looping in switch board , 15 A switch, 15 A socket, 3.0 mm thick phenolic laminated sheet, zinc plated / brass screws, cup washers, bushes, check nuts, making connections, testing etc. as required.					
84.10	Long point (up to 10 mtr.)	40.000	P. point	895.00	35800.00	INR Thirty Five Thousand Eight Hundred Only
84.20	Medium point (up to 6 mtr.)	40.000	P. point	753.00	30120.00	INR Thirty Thousand One Hundred & Twenty Only
84.30	Short point (up to 3 mtr.)	40.000	P. point	410.00	16400.00	INR Sixteen Thousand Four Hundred Only
85.00	Supplying and drawing FR PVC insulated & unsheathed flexible copper conductor ISI marked (IS:694) of 1.1 Kv grade and approved make in existing surface or recessed conduit/casing capping including making connections etc. as required.					
85.10	1 x 1.5 sq.mm	100.000	Mtr	11.00	1100.00	INR One Thousand One Hundred Only
85.20	2 x 2.5 sq. mm. + 1x1.5sqmm	100.000	Mtr	48.00	4800.00	INR Four Thousand Eight Hundred Only
85.30	2 x 4.0 sq.mm+1x 2.5 sq. mm.	100.000	Mtr	68.00	6800.00	INR Six Thousand Eight Hundred Only
86.00	Supplying and drawing PVC jacketed with annealed bare copper inner conductor & tinned copper conductor shielding foam PE dielectric coaxial cable of approved make in existing surface or recessed conduit/casing capping including making connections as required.RG - 6	100.000	Mtr.	19.00	1900.00	INR One Thousand Nine Hundred Only

Tender Inviting Authority: JAIPUR DEVELOPMENT AUTHORITY, JAIPUR**Name Of Work : Renovation, Beautification & Expansion of public facilities at Govind dev ji****Temple area, Zone 2A, JDA, Jaipur****Contract No: EE-2A/17/2023-24**

Bidder Name :						
PRICE SCHEDULE						
Sl. No.	Item Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT	TOTAL AMOUNT In Words
87.00	P & F of energy analyser (multy function energy meter) with LCD/ LED display capable of minimum 20 numbers electrical parameters display with 1A/5A CT input for LV/ HV network, RS 485 communication port etc. complete in all respect.	40.000	Each	17240.00	689600.00	INR Six Lakh Eighty Nine Thousand Six Hundred Only
88.00	P&F Recessed/ Surface mounting heavy duty horizontal type sheet steel Distribution board phophatised/ powder painted complete with copper bus bar, shorting link , neutral link, earth link and din bar, conforming to IS13032 & IS8623 including making internal DB terminations with copper lugs , testing etc. as required. 8 Way	40.000	Each	1075.00	43000.00	INR Forty Three Thousand Only
89.00	P/Laying XLPE insulated / P.V.C. sheathed cable of 1.1 KV grade with aluminium conductor Armoured of IS:7098-I/1554-1 approved make in ground as per IS:1255 including excavation of 30cmx75cm size trench, 25 cm thick under layer of sand,Ind class bricks covering, refilling earth,compaction of earth, making necessary connection, testing etc. as required of size. 25.0 Sq.mm 4 core	100.000	Mtr	196.00	19600.00	INR Nineteen Thousand Six Hundred Only
90.00	Plate Earthing as per IS:3043 with G.I. Earth plate of size 600mm x 600mm x 6.0mm by embodying 3 to 4 mtr. below the ground level with 20 mm dia. G.I. 'B' class watering Pipe including all accessories like nut, bolts, reducer ,nipple, wire meshed funnel, and C.C. finished chamber covered with hinged type with locking arrangement C.I. Cover, C.I. Frame of size300mm x 300mm complete with alternate layers of salt and coke/charcoal, testing of earth resistance as required.	41.000	Each	3460.00	141860.00	INR One Lakh Forty One Thousand Eight Hundred & Sixty Only
91.00	Plate Earthing as per IS:3043 with copper Earth plate of size 600mm x 600mm x 3.0mm by embodying 3 to 4 mtr. below the ground level with 20 mm dia. G.I. 'B' class watering Pipe including all accessories like nut, bolts, reducer, nipple ,wire meshed funnel, and C.C. finished chamber covered with hinged type with locking arrangement C.I. Cover, C.I. Frame of size300mm x 300mm complete with alternate layers of salt and coke/charcoal, testing of earth resistance as required.	50.000	Each	8740.00	437000.00	INR Four Lakh Thirty Seven Thousand Only
92.00	Supply of dry manure including loading unloading, transportation & stacking at site. Fram yard manure Goat dungmanure.	67.320	cum	570.00	38372.40	INR Thirty Eight Thousand Three Hundred & Seventy Two and Paise Forty Only
93.00	Supply of Chemical Fertilizers at store in bags weighing not less than 50 kg. each including loading unloading & transporation etc. D.A.P.	8.000	Per Bag 50Kg	902.50	7220.00	INR Seven Thousand Two Hundred & Twenty Only
94.00	Supply and Stacking good earth at site complete including loading unloading and transporation etc.	403.920	cum	142.50	57558.60	INR Fifty Seven Thousand Five Hundred & Fifty Eight and Paise Sixty Only

Tender Inviting Authority: JAIPUR DEVELOPMENT AUTHORITY, JAIPUR**Name Of Work : Renovation, Beautification & Expansion of public facilities at Govind dev ji****Temple area, Zone 2A, JDA, Jaipur****Contract No: EE-2A/17/2023-24**

Bidder Name :						
PRICE SCHEDULE						
Sl. No.	Item Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT	TOTAL AMOUNT In Words
95.00	Supply of Insecticides & Pesticides at store in dust / liquid form complete. Methyl Prathion 2%.	8.000	Per Bag 25Kg	475.00	3800.00	INR Three Thousand Eight Hundred Only
96.00	Supply of different varieties of tree / shrubs / climbers according to height and age of the plant at site including loading/ unloading & transportation etc. complete :Different varieties of shrubs 900 mm.	700.000	each	152.00	106400.00	INR One Lakh Six Thousand Four Hundred Only
97.00	Supply of different varieties of Bougainvillea in poly bags / earthen pots according to height growth & age of plant at site including loading. unloading & transportation etc. complete :Different varieties of Bougainvillea 900 mm.	700.000	each	95.00	66500.00	INR Sixty Six Thousand Five Hundred Only
98.00	Supply of different varieties of Rose plants in polyethylene bags / earthen pots according to height. growth & age of the plant at site including loading, unloading & transportation etc. complete : Different varieties of Grafted Rose Plant.	700.000	each	76.00	53200.00	INR Fifty Three Thousand Two Hundred Only
99.00	Supply of different varieties of palms in polyethylene bags / earthen pots according to height. growth & age of the plant at site including loading. unloading & transportation etc. complete :	700.000	each	475.00	332500.00	INR Three Lakh Thirty Two Thousand Five Hundred Only
100.00	Supply & Planting of shady plants (Neem, Peepal, Goolar, Jamun, Imli or other specified) along road side including the following activities :- 1. Preparation of soil including cleaning & removing of unwanted shrubs removal of stones & garbage. 2. Supply of plant at site of two years of age & height more than 1.50 Mtr. 3. Supply of dry manure (Farm yard manure organic) 4. Supply of Insecticides. 5. Digging of pits size 60x60x60 cms. Including removal of stones, Manuring application of insecticides & watering at least 15 liter per plant after planting. 6. Half brick Circular tree guard in second class bricks, internal dia 1.25 meter and height 1.20 meter above ground and 0.20 meter below ground, bottom two courses laid dry and top three courses in cement mortar 1:6 (1 Cement : 6 Sand) and the intermediate courses being in dry honey comb masonry, as per design complete. 7. Watering to plants. 8. Maintenance of plants by the contractor including pits, preparation of Thavala Hoeing weeding etc. & application of insecticides etc. & security. If the plant die during maintenance contractor has to replace same height plant at his own cost.	225.000	each	1357.55	305448.75	INR Three Lakh Five Thousand Four Hundred & Forty Eight and Paise Seventy Five Only

Tender Inviting Authority: JAIPUR DEVELOPMENT AUTHORITY, JAIPUR**Name Of Work : Renovation, Beautification & Expansion of public facilities at Govind dev ji****Temple area, Zone 2A, JDA, Jaipur****Contract No: EE-2A/17/2023-24**

Bidder Name :						
PRICE SCHEDULE						
Sl. No.	Item Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT	TOTAL AMOUNT In Words
101.00	Planting & Maintenance of shrubs. Planting of shrubs in central verge 1. Preparation of soil including cleaning & removing of unwanted shrubs removal of stones & garbage. 2. Supply of plant at site like Bouganvillia & Kaner 3. Supply of dry manure (Farm yard manure organic) 4. Supply of Insecticides. 5. Digging of pits size 60x60x60 cms. Including removal of stones, Manuring application of insecticides & watering at least 15 liter per plant after planting. 6. Watering to plants. 7. Maintenance of plants by the contractor including pits, preparation of Thavala Hoeing weeding etc. & application of insecticides etc. & security. If the plant die during maintenance contractor has to replace same height plant at his own cost.	225.000	each	769.50	173137.50	INR One Lakh Seventy Three Thousand One Hundred & Thirty Seven and Paise Fifty Only
102.00	Supply & Planting of ornamental plants Kachnar,Amaltas,Gulmohar,Arjun,Kala Siris, Jacranda etc. or other specified) along road side including the following activities: 1. Preparation of soil including cleaning & removing of unwanted shrubs removal of stones & garbage. 2. Supply of plant at site of two years of age & height more than 1.50 Mtr. 3. Supply of dry manure (Farm yard manure organic) 4. Supply of Insecticides. 5. Digging of pits size 60x60x60 cms. Including removal of stones, Manuring application of insecticides & watering at least 15 liter per plant after planting. 6. Half brick Circular tree guard in second class bricks, internal dia 1.25 meter and height 1.20 meter above ground and 0.20 meter below ground, bottom two courses laid dry and top three courses in cement mortar 1:6 (1 Cement : 6 Sand) and the intermediate courses being in dry honey comb masonry, as per design complete. 7. Watering to plants. 8. Maintenance of plants by the contractor including pits, preparation of Thavala Hoeing weeding etc. & application of insecticides etc. & security. If the plant die during maintenance contractor has to replace same height plant at his own cost.	225.000	each	1581.75	355893.75	INR Three Lakh Fifty Five Thousand Eight Hundred & Ninety Three and Paise Seventy Five Only
103.00	Providing and Supply of DC Fast 60KW (CCS2+CCS) - Dual Gun Usefull for four Wheeler Charging , comes with Dual Gun. Features : Govt. ARIC Approved, IP54, Modem Based, Touch Screen, OCPP 1.6 and RF ID Card for Payment.	1.000	Each	1276500.00	1276500.00	INR Twelve Lakh Seventy Six Thousand Five Hundred Only
104.00	P & F water closet Seat Covers with brass hinges complete : Solid PVC (IS 2548 marked) grade-I White for EWC.	2.000	Each	289.80	579.60	INR Five Hundred & Seventy Nine and Paise Sixty Only

Tender Inviting Authority: JAIPUR DEVELOPMENT AUTHORITY, JAIPUR**Name Of Work : Renovation, Beautification & Expansion of public facilities at Govind dev ji****Temple area, Zone 2A, JDA, Jaipur****Contract No: EE-2A/17/2023-24**

Bidder Name :						
PRICE SCHEDULE						
Sl. No.	Item Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT	TOTAL AMOUNT In Words
105.00	Add extra over item No. 1.1 to 1.7, 1.14 for using approved dark coloured vitreous china ware i.e. Cherry Red, Dark blue, Jet black, Magenta, Burgandy instead of white vitreous chinawares. P & F White Vitreous China Double Syphonic European W.C. (I.S:2556Mark) with mounted W.V.C. flushing cistern of (IS : 2556 Mark) of 10 litre capacity complete with all necessary internal fittings including cutting and making good the wall and floor.	2.000	Each	4975.42	9950.84	INR Nine Thousand Nine Hundred & Fifty and Paise Eighty Four Only
106.00	P & F 1st quality WVC Urinal (IS:2556 mark) with 25mm dia G.I. waste pipe, dome waste couplings, concealed iron brackets or screws etc complete.					
106.10	Flat Back (small) size 456x355x265mm.	1.000	Each	959.40	959.40	INR Nine Hundred & Fifty Nine and Paise Forty Only
106.20	Flat Back (large) or half stall size 610x400x80mm.	3.000	Each	2774.70	8324.10	INR Eight Thousand Three Hundred & Twenty Four and Paise Ten Only
107.00	P&F Marble Urinal Partition slab both sides polished of approved design cut from marble size 900x600mm. Makrana 'Adanga' or Raj Nagar 1St Quality White or Andhi Indo-Italian marble.	5.000	Each	560.70	2803.50	INR Two Thousand Eight Hundred & Three and Paise Fifty Only
108.00	P & F C.P. brass Urinal Flush Pipe set complete with flanged brackets of approved make. For 4 Urinals	1.000	Each	995.40	995.40	INR Nine Hundred & Ninety Five and Paise Forty Only
109.00	P & F C.P. brass Urinal Spreader for stall urinal of approved make.	4.000	Each	227.70	910.80	INR Nine Hundred & Ten and Paise Eighty Only
110.00	P & F WVC wash basin (1st quality, I.S. : 2556 Mark) of approved make with C.I. brackets duly painted, 1 No. 15 mm C.P. Pillar cock (IS : 8934 Mark) & 32 mm C.P. brass waste coupling of approved make, 25 mm G.I. waste pipe complete including cutting & making good the wall.: Size 610 mm x 510 mm	3.000	Each	2156.40	6469.20	INR Six Thousand Four Hundred & Sixty Nine and Paise Twenty Only
111.00	P& F waste Coupling with fittings of approved quality /make: C.P. Brass 50 mm dia	3.000	Each	178.20	534.60	INR Five Hundred & Thirty Four and Paise Sixty Only
112.00	P & F Bevelled edge Mirror/mirror with teak wood lipping around of special glass of approved make as per direction of Engineer-in-charge complete with 6mm thick commercial ply base fixed to wooden screws & washers. Size 600 x 450mm x 4 mm thick	2.000	Each	321.30	642.60	INR Six Hundred & Forty Two and Paise Sixty Only
113.00	P & F Jet spray for water closet with C.P. Copper Tube flange of approved make.	2.000	Each	217.80	435.60	INR Four Hundred & Thirty Five and Paise Sixty Only

Tender Inviting Authority: JAIPUR DEVELOPMENT AUTHORITY, JAIPUR**Name Of Work : Renovation, Beautification & Expansion of public facilities at Govind dev ji****Temple area, Zone 2A, JDA, Jaipur****Contract No: EE-2A/17/2023-24**

Bidder Name :						
PRICE SCHEDULE						
Sl. No.	Item Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT	TOTAL AMOUNT In Words
114.00	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings i/c fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in Charge. (Concealed work including cutting chases and making good the walls etc.) 20mm nominal outer dia pipes	40.000	R.Mtr.	165.60	6624.00	INR Six Thousand Six Hundred & Twenty Four Only
115.00	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings, this included jointing of pipes & fittings with one step CPVC solvent cement , trenching refilling & testing of joints complete as per direction of Engineer in Charge. (External work). 25 mm nominal outer dia pipes	20.000	R.Mtr.	145.80	2916.00	INR Two Thousand Nine Hundred & Sixteen Only
116.00	P & F Bib Cock (IS : 8931 Mark), Superior quality of approved make: C.P. Brass Long nose, 15mm nominal bore weight not less than 810 gm	2.000	Each	738.90	1477.80	INR One Thousand Four Hundred & Seventy Seven and Paise Eighty Only
117.00	P & F Ball Cock (IS :1703 Mark) with Rod & P.V.C. Ball complete : Brass wt.2000 gm 50mm.	1.000	Each	465.30	465.30	INR Four Hundred & Sixty Five and Paise Thirty Only
118.00	P & F Inlet Connection (Angle Valves) Superior quality, of approved make, for Wash basin, Gyser etc. C.P. Inlet connection 15mm.Brass (IS : 8931 marked) with 37 cm long thread and nut	8.000	Each	722.70	5781.60	INR Five Thousand Seven Hundred & Eighty One and Paise Sixty Only
119.00	P & F PVC Storage Tank ISI Marked (IS : 12701) indicating the BIS license No), of approved make with cover, 25mm dia 1M long G.I. over-flow pipe & 25 Cm. long wash out pipe with plug & socket, including making connection etc., complete of approved design: 2000 litres capacity.	1.000	Each	10800.00	10800.00	INR Ten Thousand Eight Hundred Only

Tender Inviting Authority: JAIPUR DEVELOPMENT AUTHORITY, JAIPUR**Name Of Work : Renovation, Beautification & Expansion of public facilities at Govind dev ji****Temple area, Zone 2A, JDA, Jaipur****Contract No: EE-2A/17/2023-24**

Bidder Name :						
PRICE SCHEDULE						
Sl. No.	Item Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT	TOTAL AMOUNT In Words
120.00	Earth work for Sewer line and Manhole in excavation in foundation, trenches manholes, road side chambers etc. including dressing of sides and ramming of bottoms, including getting out the excavated material, refilling after laying pipe/ foundation and disposal of surplus excavated material at a lead upto 50m suitable site as per direction of Engineer for following depths, below natural ground / Road top level including allowances for any additional excavation beyond the drawings (measurements for payment to be as per standard drawings), re-handling of material/earth to complete the task. In all types soils/ saturated soil such as moorum, sand, sandy silt, clay, black cotton soil, kankar, etc. Depth upto 1.5 m	225.000	cum	203.00	45675.00	INR Forty Five Thousand Six Hundred & Seventy Five Only
121.00	Providing at site, lowering & laying in trenches, aligning & jointing of RCC pipes NP2 class (with s/s ends IS: 458 - 1988 (amended up to date) marked and manufactured through spun process at all levels with Rubber gaskets (EPDM/SBR) for sewer lines as per IS: 5382 (including cost of Rubber gaskets lubricants) as per drawing, sectional testing of the sewer pipe line (including cost and conveyance of water to site) etc., complete as directed by Engineer. Note : E/w to be measured and paid separatel 250 mm internal diameter	150.000	mtr	551.00	82650.00	INR Eighty Two Thousand Six Hundred & Fifty Only
122.00	Providing granular bedding having width = outer dia of pipe (Bc) + 500mm, thickness below pipe = 0.25Bc or 100mm (whichever is higher) and haunching = 0.5Bc, with graded hard crusher broken stone of 100% passing through 20mm sheive, 20 to 50 % passing through 10mm sheive and 100 % retain on 6.3mm sheive, laying in layers of thickness 10/15cm including ramming, consolidation etc complete for all type of pipes of following sizes as per drawing and or as directed by Engineer. 250 mm diameter	150.000	mtr	143.00	21450.00	INR Twenty One Thousand Four Hundred & Fifty Only

Tender Inviting Authority: JAIPUR DEVELOPMENT AUTHORITY, JAIPUR**Name Of Work : Renovation, Beautification & Expansion of public facilities at Govind dev ji****Temple area, Zone 2A, JDA, Jaipur****Contract No: EE-2A/17/2023-24**

Bidder Name :						
PRICE SCHEDULE						
Sl. No.	Item Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT	TOTAL AMOUNT In Words
123.00	Construction of Pre-cast RCC M-40 grade circular manhole chamber for invert depth from 1.800 meter to 2.990 meter having 1200 mm internal diameter including required excavation of earth in all types of soils such as murrum, sand, sandy silt, black cotton soil, hard soil, kankar etc., disposing of surplus excavated material within a lead of 50 meters. The work includes laying of 150 mm thick plain cement concrete 1:4:8 (1 cement : 4 coarse sand : 8 graded stone aggregate 20 mm nominal size) 1800 mm dia bedding in foundation, providing and laying of plain cement concrete 1:2:4 (1 cement: 2 coarse sand : 4 graded stone aggregate) in channel & circular starter base wall up to 50 mm above outer diameter of sewer pipe and P&F in position of 125 mm thick 150/225 mm high precast M-40 grade cement concrete ring at bottom and consecutive standard size 300 mm high rings. The work includes P&F pre-cast reinforced cement concrete eccentric conical piece of M40 grade, 125 mm thick having 560 mm and 1200 mm internal diameter at top & bottom respectively, fitted with Ferro-cement cover of 33 kg Cast Iron double seal ring & frame (heavy-duty) etc., to withstand for Class-AA loading including supply and fixing of Ferro-cement foot steps and sealing of all joints with cement mortar 1:1 complete job as per detailed					
123.10	specifications, drawings and directions of Engineer- In-charge, for following average invert depths: (D-142 Dt. 28.04.2008) For 250 mm dia Sewer line At av. Depth 1.8 meter [From 1.80 m to 2.09 m]	5.000	Each	10496.00	52480.00	INR Fifty Two Thousand Four Hundred & Eighty Only
124.00	Construction of Random Rubble Stone masonry circular manhole chamber as per detailed specifications up to invert depth 0.89 meter having 560 mm internal diameter including required excavation of earth in all types of soil such as murrum, sand, sandy-silt, black cotton soil and kankar etc., disposing of surplus excavated material within a lead of 50 meters. The work includes laying of 15 cm thick plain cement concrete 1:4:8 (1 cement : 4 coarse sand : 8 graded stone aggregate 20 mm nominal size) in 1460 mm dia bedding in foundation, construction of RR Stone masonry wall 300 mm thick in cement mortar 1:6, laying of plain cement concrete 1:2:4 (1 Cement : 2 Coarse sand : 4 graded stone aggregate) in channel, 12 mm thick plaster in CM 1:4 on inner face of chamber, finishing of channel and wall with neat cement punning, flush and ruled pointing in CM 1:3 on outer face of chamber in full depth, 15 cm thick stone Lintel including S&F of Ferro-cement manhole cover with clear opening 560 mm diameter with 22 kg. Cast Iron CC (heavy duty) complete as per detailed specification and as per directions of Engineer-in-charge complete job for .60 mt to 0.89 mt depth:- (D-142 Dt. 28.04.2008)	5.000	Each	4276.00	21380.00	INR Twenty One Thousand Three Hundred & Eighty Only

Tender Inviting Authority: JAIPUR DEVELOPMENT AUTHORITY, JAIPUR**Name Of Work : Renovation, Beautification & Expansion of public facilities at Govind dev ji****Temple area, Zone 2A, JDA, Jaipur****Contract No: EE-2A/17/2023-24**

Bidder Name :						
PRICE SCHEDULE						
Sl. No.	Item Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT	TOTAL AMOUNT In Words
125.00	Raising/lowering to required height of pre-cast concrete manhole where ever pre-cast chamber have been provided in sewerage system by dismantling the C.I. frame provided for cover, dismantling and concrete of conical piece, bending the extended reinforcement in required position providing M-40 grade cement concrete as per site requirement and fixing of new C I frame for placing manhole cover. The work includes curing, providing barricading during construction, putting sign board/caution board for safety purpose, providing all material like cement, sand, grit for M-40 concrete, shuttering where ever required. The work also includes providing all tools and plants such as vibrator, mixture, required for the Job in all respect with site clearance. (Dir. Engg. /D-143 dt. 28.02.2011)	30.000	Nos	1500.00	45000.00	INR Forty Five Thousand Only
126.00	Supplying and fixing Ferro-cement cover with C.I. Frame & CI ring of 33 kg for chambers & manholes of size 560mm dia . To withstand 22 MT centre point load (Heavy duty). (D-755 dt. 13.12.05)	30.000	Each	1775.00	53250.00	INR Fifty Three Thousand Two Hundred & Fifty Only
127.00	Construction of chamber in all type of soil with 300 mm thick masonry in CM 1:6 m,10 cm thick C.C. 1:5:10 in foundation, 20mm thick insider plaster in Cm 1:6, finished with floating neat cement, 50mm thick M-15 grade C.C. flooring , earthwork etc. complete as per design including disposal of surplus earth within a lead of 50 mtr.					
127.10	Inside size 300 X 300 mm depth upto 0.5 M Cement cover with frame	35.000	Each	620.10	21703.50	INR Twenty One Thousand Seven Hundred & Three and Paise Fifty Only
127.20	Inside size 450 x 450 mm depth upto 0.5 M Cement cover with frame	35.000	Each	1377.00	48195.00	INR Forty Eight Thousand One Hundred & Ninety Five Only
128.00	Providing and Laying Reinforced Cement Concrete Pipe NP4 as per design in Single Row Providing and laying reinforced cement concrete pipe NP4 for culverts on first class bedding of granular material in single row including fixing collar with cement mortar 1:2 but excluding excavation, protection works, backfilling, concrete and masonry works in head walls and parapets Clause 1106. 1000 mm dia	37.000	R.Mtr.	4230.00	156510.00	INR One Lakh Fifty Six Thousand Five Hundred & Ten Only

Tender Inviting Authority: JAIPUR DEVELOPMENT AUTHORITY, JAIPUR**Name Of Work : Renovation, Beautification & Expansion of public facilities at Govind dev ji****Temple area, Zone 2A, JDA, Jaipur****Contract No: EE-2A/17/2023-24**

Bidder Name :						
PRICE SCHEDULE						
Sl. No.	Item Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT	TOTAL AMOUNT In Words
129.00	Wiring of light point/ fan point/ exhaust fan point/ call bell point with 1.5 sq. mm nominal size FR PVC insulated unsheathed flexible copper conductor 1.1 kV grade and 1.5 sq. mm nominal size FR PVC insulated unsheathed flexible copper earth conductor 1.1 kV grade (IS:694) of approved make in surface / recessed ISI marked medium duty PVC conduit & it's accessories, round tiles, Hot Dipped Galvanized Modular Box with earth terminal, 6 A Modular switch, Modular plate with grid plate, screws, making connections, testing etc. as required.					
129.10	Short point (up to 3 mtr.) Complete Rate Group 1	8.000	P. Point	208.00	1664.00	INR One Thousand Six Hundred & Sixty Four Only
129.20	Medium point (up to 6 mtr.) Complete Rate Group 1	4.000	P. Point	301.60	1206.40	INR One Thousand Two Hundred & Six and Paise Forty Only
129.30	Long point (up to 10 mtr.) Complete Rate Group 1	4.000	P. Point	406.40	1625.60	INR One Thousand Six Hundred & Twenty Five and Paise Sixty Only
130.00	Wiring of 3 pin 5 amp. Light plug point with 1.5 sq. mm nominal size FR PVC insulated unsheathed flexible copper conductor 1.1 kV grade and 1.5 sq. mm nominal size FR PVC insulated unsheathed flexible copper earth conductor 1.1 kV grade (IS:694) of approved make in surface / recessed ISI marked medium duty PVC conduit & it's accessories, Hot Dipped Galvanized M.S Modular box of 20 SWG with earth terminal, 6 A modular switch, 6 A modular socket, Modular plate with grid plate, screws, making connections, testing etc. as required. On board Complete Rate Group 1	4.000	P. Point	195.20	780.80	INR Seven Hundred & Eighty and Paise Eighty Only
131.00	S&F following sizes (dia.) of ISI marked medium duty PVC conduit along with accessories in surface / recessed using saddles, clamps, fastener as required including cutting the wall, covering conduit and making good the same as required. 25 mm Complete Rate Group 1	30.000	R.Mtr.	33.60	1008.00	INR One Thousand & Eight Only
132.00	Supplying and drawing FR PVC insulated & unsheathed flexible copper conductor ISI marked (IS:694) of 1.1 kV grade and approved make in existing surface or recessed conduit/casing capping including making connections etc. as required.					
132.10	2 x 1.5 sq.mm Complete Rate Group 1	100.000	mtr	20.80	2080.00	INR Two Thousand & Eighty Only
132.20	2 x 2.5 sq. mm. + 1x1.5sqmm Complete Rate Group 1	100.000	mtr	42.40	4240.00	INR Four Thousand Two Hundred & Forty Only

Tender Inviting Authority: JAIPUR DEVELOPMENT AUTHORITY, JAIPUR**Name Of Work : Renovation, Beautification & Expansion of public facilities at Govind dev ji****Temple area, Zone 2A, JDA, Jaipur****Contract No: EE-2A/17/2023-24**

Bidder Name :						
PRICE SCHEDULE						
Sl. No.	Item Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT	TOTAL AMOUNT In Words
133.00	Supplying and fixing of power plug point Modular accessories on hot dipped galvanized modular on surface or in recessed with suitable size of grid plate with cover plate including cost of modular 16 amp. Switch and socket outlet , making connection , testing , etc. as required. Complete Rate Group 1	4.000	mtr	430.40	1721.60	INR One Thousand Seven Hundred & Twenty One and Paise Sixty Only
134.00	P&F 240/415 V AC MCB with positive isolation of breaking capacity not less than 10 KA (B/ C/ D tripping characteristic) ISI marked IS 8828(1996)]/ conforming to IEC 60898 in existing board/sheets including making connections, testing etc. as required.					
134.10	Single pole MCB 6 A to 32 A rating Complete Rate Group 1	4.000	Each	120.80	483.20	INR Four Hundred & Eighty Three and Paise Twenty Only
134.20	Double pole MCB 40 A 63 A rating Complete Rate Group 1	1.000	Each	551.20	551.20	INR Five Hundred & Fifty One and Paise Twenty Only
135.00	P&F Recessed/ Surface mounting heavy duty horizontal type sheet steel Distribution board phosphatised/ powder painted complete with suitable rating insulated copper bus bar, shorting link , neutral link, earth link and din bar,masking sheet, conforming to IS13032 & IS8623 including making internal DB terminations with copper lugs , testing etc. as required. Double door (single phase) 6 Way Complete Rate Group 1	1.000	Each	688.00	688.00	INR Six Hundred & Eighty Eight Only
136.00	P/Laying P.V.C. / XLPE insulated & P.V.C. sheathed cable of 1.1 KV grade with Copper conductor of IS:1554 P-I / IS :7098 P - I of Group 1 of approved make in ground as per IS:1255 including excavation of 30cmx75cm size trench, 25 cm thick under layer of sand, IInd class bricks covering, refilling earth,compaction of earth, making necessary connection, testing etc. as required of size.					
136.10	6.0 Sq.mm 3 core Complete Rate Armoured	30.000	Mtr.	250.40	7512.00	INR Seven Thousand Five Hundred & Twelve Only
136.20	10.00 Sq.mm 3 core Complete Rate Armoured	50.000	Mtr.	368.00	18400.00	INR Eighteen Thousand Four Hundred Only
137.00	P&F of Heavy duty capacitor start, Double ball bearing 900/1400 RPM single phase ISI marked Exhaust fan,IS:2312 marked in existing opening including making connections testing etc. as required. 300 mm sweep(900/1400 RPM) Complete Rate Group-I	2.000	Each	2401.60	4803.20	INR Four Thousand Eight Hundred & Three and Paise Twenty Only

Tender Inviting Authority: JAIPUR DEVELOPMENT AUTHORITY, JAIPUR**Name Of Work : Renovation, Beautification & Expansion of public facilities at Govind dev ji****Temple area, Zone 2A, JDA, Jaipur****Contract No: EE-2A/17/2023-24**

Bidder Name :						
PRICE SCHEDULE						
Sl. No.	Item Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT	TOTAL AMOUNT In Words
138.00	P & F energy efficient direct fit (Retrofit) LED tube system (with integral driver), on existing fixture. Power Consumption of 18W / 36W 1500-3000 lumens, system lumen efficiency 80 lm/Watt output, life time of 50,000 burning hours with 70% initial lumen maintained. CCT 3000°K, 4000°K & 6000°K. 4' LED Tube shape fixture 18W Complete Rate Group 1	10.000	Each	2240.00	22400.00	INR Twenty Two Thousand Four Hundred Only
139.00	Plate Earthing as per IS:3043 with copper Earth plate of size 600mm x 600mm x 3.0mm by embodying 3 to 4 mtr. below the ground level with 25 mm dia. G.I. 'B' class watering Pipe including all accessories like nut, bolts, reducer, nipple ,wire meshed funnel, and C.C. finished chamber covered with hinged type with locking arrangement C.I. Cover, C.I. Frame of size300mm x 300mm complete with alternate layers of salt and coke/charcoal, testing of earth resistance as required. Complete Rate group-I	1.000	Per Set	7360.00	7360.00	INR Seven Thousand Three Hundred & Sixty Only
140.00	S & Laying following size earth wire/strip in horizontal or vertical run in ground/surface/recess including riveting, soldering, saddles, making connection etc. as required. 8 SWG copper Wire Complete Rate group-I	10.000	mtr	63.20	632.00	INR Six Hundred & Thirty Two Only
141.00	S & Laying following size 'B' class G.I. Pipe conforming to IS : 1239 P - 1 (1990) with accessories for laying earth conductor/strip / cable in ground/surface/recess as required 50 mm dia. Complete Rate group-I	10.000	Mtr	286.40	2864.00	INR Two Thousand Eight Hundred & Sixty Four Only
142.00	Dismantling of existing structures like culverts, bridges, retaining walls and other structures comprising of brick masonry, including disposal of unserviceable material and stacking the serviceable material with all lift and lead of 1000 m as per MoRD Specification Clause 202.	41.400	Cum	121.50	5030.10	INR Five Thousand & Thirty and Paise Ten Only
143.00	Dismantling of Flexible Pavements and disposal of dismantled materials upto a lead of 100 m, stacking serviceable and unserviceable materials separately as per MoRD Specification Clause 202 By Manual Means Granular Courses	1755.000	Cum	198.00	347490.00	INR Three Lakh Forty Seven Thousand Four Hundred & Ninety Only
144.00	Dismantling of Flexible Pavements and disposal of dismantled materials upto a lead of 100 m, stacking serviceable and unserviceable materials separately as per MoRD Specification Clause 202 By Mechanical Means Bituminous Courses	3510.000	Cum	115.20	404352.00	INR Four Lakh Four Thousand Three Hundred & Fifty Two Only

Tender Inviting Authority: JAIPUR DEVELOPMENT AUTHORITY, JAIPUR**Name Of Work : Renovation, Beautification & Expansion of public facilities at Govind dev ji****Temple area, Zone 2A, JDA, Jaipur****Contract No: EE-2A/17/2023-24**

Bidder Name :						
PRICE SCHEDULE						
Sl. No.	Item Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT	TOTAL AMOUNT In Words
145.00	Dismantling of cement concrete pavements by mechanical means using pneumatic tools breaking to pieces not exceeding 0.02 cum in volume and stock piling at designated locations and disposal of dismantled materials upto a lead of 1000 m, stacking serviceable and unserviceable materials separately	440.000	Cum	481.50	211860.00	INR Two Lakh Eleven Thousand Eight Hundred & Sixty Only
146.00	Excavation for roadwork in soil with hydraulic excavator of 0.9 cum bucket capacity including cutting and loading in tippers, trimming bottom and side slopes, in accordance with requirements of lines, grades and cross-sections, and transporting to the embankment location with a lift upto 1.5 m and lead upto 1000 m as per MoRD Specification Clause 302.3	330.000	Cum	26.10	8613.00	INR Eight Thousand Six Hundred & Thirteen Only
147.00	carriage of Earth, Sand, Lime, Morrum manure or sludge for 10 Km lead	330.000	Cum	24.85	8200.50	INR Eight Thousand Two Hundred and Paise Fifty Only
148.00	Carriage of Building Rubbish Stone metal (Grit and ballast etc.) with 5 km lead	481.400	Cum	24.85	11962.79	INR Eleven Thousand Nine Hundred & Sixty Two and Paise Seventy Nine Only
149.00	carriage of Building Rubbish Stone metal (Grit and ballast etc.) for 10 km lead	5265.000	Cum	72.45	381449.25	INR Three Lakh Eighty One Thousand Four Hundred & Forty Nine and Paise Twenty Five Only
150.00	Compacting original ground supporting subgrade Loosening of the ground upto a level of 300 mm below the subgrade level, watered, graded and compacted in layers to meet requirement of Tables 300.1 and 300.2 for subgrade construction as per MoRD Specification Clause 303.5.2	5430.000	Cum	28.80	156384.00	INR One Lakh Fifty Six Thousand Three Hundred & Eighty Four Only
151.00	Providing concrete for plain/reinforced concrete in open foundations complete as per drawings and MoRD specifications Clause 802, 803, 1202 & 1203 P.C.C grade M 15 Nominal mix (1:2.5:5)	1755.000	Cum	2736.00	4801680.00	INR Forty Eight Lakh One Thousand Six Hundred & Eighty Only
152.00	Providing concrete for plain/reinforced concrete in open foundations complete as per drawings and MoRD specifications Clause 802, 803, 1202 & 1203 P.C.C grade M 10 Nominal mix 1:3:6	560.000	Cum	2646.00	1481760.00	INR Fourteen Lakh Eighty One Thousand Seven Hundred & Sixty Only
153.00	Interlocking Concrete Block Pavement with M-30 Grade 0.30 Mtr x 0.30 Mtr x 0.15 Mtr Edge Blocks (measurments shall be made inner to inner side of edge blocks) Providing and Laying of Interlocking M-30 grade Concrete Block Pavements having thickness 80 mm as per drawings and MoRD Specification Clause 1504with M-30 Grade 0.30 Mtr x 0.30 Mtr x 0.15 Mtr Edge Blocks Category 'B' : Dentated only two side like I,Z,T shape as per IRC:SP:63-2004	1200.000	sqm	693.00	831600.00	INR Eight Lakh Thirty One Thousand Six Hundred Only

Tender Inviting Authority: JAIPUR DEVELOPMENT AUTHORITY, JAIPUR

Name Of Work : Renovation, Beautification & Expansion of public facilities at Govind dev ji

Temple area, Zone 2A, JDA, Jaipur

Contract No: EE-2A/17/2023-24

Bidder Name :						
PRICE SCHEDULE						
Sl. No.	Item Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT	TOTAL AMOUNT In Words
154.00	Interlocking Concrete Block Pavement with M-30 Grade 0.30 Mtr x 0.30 Mtr x 0.15 Mtr Edge Blocks (measurments shall be made inner to inner side of edge blocks) Providing and Laying of Interlocking M-30 grade Concrete Block Pavements having thickness 100 mm as per drawings and MoRD Specification Clause 1504with M-30 Grade 0.30 Mtr x 0.30 Mtr x 0.15 Mtr Edge Blocks.Category 'B' : Dentated only two side like I,Z,T shape as per IRC:SP:63-2004	4400.000	sqm	877.50	3861000.00	INR Thirty Eight Lakh Sixty One Thousand Only
155.00	Providing, and Laying and jointing of UPVC class IV (8 kg/cm2) ISI marked pipe with socket suitable for electromeric sealing ring type joint (ESR) in assorted length with fixing of PVC/C.I. Special (excluding cost of valve)fixing at CID Joint after cutting, tapering etc. This include the excavation of trench upto 1.5 mtr. depth in all type of soil cutting of road surface pavement where required lft upto 1.5 mt. stacking the soil clear form the edge of excavation and refilling of soil after laying and jointing of pipe line with proper compactin and disposing of all surplus oil as directed with in lead of 30 mtr. This also include getting the pipe line tested and site clearance etc. complete job (Make of pipe KISAN, FINOLEX). (D-547 dt. 20.12.2011) 110 mm	280.000	Rmtr	506.00	141680.00	INR One Lakh Forty One Thousand Six Hundred & Eighty Only
156.00	Labour charges for inter connection of proposed pipe line with existing, pipe line by digging of Pit, cutting of pipe, dewatering through pumps and satisfactory testing of inter connectin and site clearance.(D-547 dt. 20.12.2011)	25.000	Each	2512.00	62800.00	INR Sixty Two Thousand Eight Hundred Only
157.00	Making connection of G.I. distribution branch with G.I. main including all fitting. Upto 25mm dia	200.000	Each	165.60	33120.00	INR Thirty Three Thousand One Hundred & Twenty Only
158.00	Providing and fixing 3-layer PP-R (Polypropylene random coplymer) pipes SDR 7.4 UV stabilized and antimicrobial fusion welded, having thermal stability for hot & cold water supply including all PP-R plain & brass threaded Polypropylene random fittings and fixing the pipe with clamps at 1.00 spacing. This includes cost of cutting chases and making good the same including testing of joint complete as per direction of Engineer - in charge.(CONCELED WORK INCLUDING CUTTING CHASES AND MAKING GOOD THE WALL ETC.) PN-16 Pipe, 16 mm OD	800.000	Rmtr	134.10	107280.00	INR One Lakh Seven Thousand Two Hundred & Eighty Only
159.00	P/Laying P.V.C. / XLPE insulated & P.V.C. sheathed cable of 1.1 KV grade with aluminium conductor of IS:1554 P-I / IS :7098 P - I of Group 1 of approved make in ground as per IS:1255 including excavation of 30cmx75cm size trench, 25 cm thick under layer of sand,Ind class bricks covering, refilling earth,compaction of earth, making necessary connection, testing etc. as required of size. 6.0 Sq.mm 3 core Complete Rate Armoured	300.000	Mtr	106.40	31920.00	INR Thirty One Thousand Nine Hundred & Twenty Only

Tender Inviting Authority: JAIPUR DEVELOPMENT AUTHORITY, JAIPUR**Name Of Work : Renovation, Beautification & Expansion of public facilities at Govind dev ji****Temple area, Zone 2A, JDA, Jaipur****Contract No: EE-2A/17/2023-24**

Bidder Name :						
PRICE SCHEDULE						
Sl. No.	Item Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT	TOTAL AMOUNT In Words
160.00	P/Laying P.V.C. / XLPE insulated & P.V.C. sheathed cable of 1.1 KV grade with aluminium conductor of IS:1554 P-I / IS :7098 P - I of Group 1 of approved make in ground as per IS:1255 including excavation of 30cmx75cm size trench, 25 cm thick under layer of sand, IIInd class bricks covering, refilling earth, compaction of earth, making necessary connection, testing etc. as required of size. 10.0 Sq.mm 3 core Complete Rate Armoured	300.000	Mtr	120.80	36240.00	INR Thirty Six Thousand Two Hundred & Forty Only
161.00	Construction of un-reinforced, dowel jointed at expansion and construction joint only, plain cement concrete pavement, thickness as per design, over a prepared sub base, with 43 grade cement as per Clause 1501.2.2 M35 (Grade), coarse and fine aggregates conforming to IS:383, maximum size of coarse aggregate not exceeding 25 mm, mixed in a automatic concrete mixing plant, using approved mix design, transported in transit mixture from plant to work site, laid in approved fixed side formwork (steel channel, laying and fixing of 125 micron thick polythene film, edges, steel plates including levelling the form work as per drawing), spreading the concrete with shovels, rakes, compacted using needle, screed and plate vibrators and finished in continuous operation including provision of contraction and expansion, construction joints, applying debonding strips, primer, sealant, dowel bars, near approaches to bridge/culvert and construction joints, admixtures as approved, curing of concrete slabs for 14-days, using curing compound and water finishing to lines and grade as per drawing and Technical Specification Clause 1501 Including vacuum dewatering process with all required equipments	3510.000	Cum	5310.00	18638100.00	INR One Crore Eighty Six Lakh Thirty Eight Thousand One Hundred Only
162.00	Carriage of earth sand lime morrum etc with a lead of 10 Km	3719.210	Cum	55.80	207531.92	INR Two Lakh Seven Thousand Five Hundred & Thirty One and Paise Ninety Two Only
Total in Figures					148130328.95	INR Fourteen Crore Eighty One Lakh Thirty Thousand Three Hundred & Twenty Eight and Paise Ninety Five Only
Quoted Rate in Figures			Select		0.00	INR Zero Only
Quoted Rate in Words		INR Zero Only				