

जयपुर विकास प्राधिकरण, जयपुर

कमरा नं. 127, प्रथम तल, नागरिक सेवा केन्द्र, रामकिशोर व्यास भवन, इन्दिरा सर्किल जवाहर लाल नेहरू मार्ग, जयपुर-302004
दूरभाष : + 91-141-2569696, ई-मेल: ee.electrical03.jda@rajasthan.gov.in

क्रमांक: जविप्रा/अधि.अभि.(वि-111)/जॉब नं. 355/2025-26/डी- दिनांक:

दीर्घकालीन निविदा सूचना

दीर्घकालीन निविदा सूचना: जविप्रा-38/2025-26

जयपुर विकास प्राधिकरण द्वारा "Annual Electrical Operation, Repair and Maintenance Contract for Two Years of JDA Staff Quarters at Sethi Colony, Lalkothi and Malviya Nagar and Nehru Place, JDA, Jaipur" जिसकी अनुमानित लागत राशि रु 50.93 लाख के लिए ऑनलाईन बिड्स दिनांक 05.03.2026 को सायं 6:00 बजे तक आमन्त्रित की जाती है। निविदा बोली का ऑनलाईन आवेदन व भुगतान जविप्रा पोर्टल पर करने की अन्तिम तिथि 05.03.2026 को सायं 6.00 बजे तक है। निविदा बोली के दस्तावेजों का विस्तृत विवरण www.sppp.rajasthan.gov.in, www.eproc.rajasthan.gov.in and www.jda.rajasthan.gov.in पर देखा जा सकता है।

(UBN No.)

निविदा में भाग लेने वालों को निम्न शर्तों की पूर्ति करनी होगी।

1. निविदादाता जयपुर विकास प्राधिकरण की वेबसाईट www.jda.rajasthan.gov.in पर पंजीकृत हो एवं निविदा में भाग लेने के लिए बोलीदाता को आवेदन करने के लिए दस्तावेज शुल्क, अमानत राशि, आर.आई.एस.एल. प्रोसेसिंग शुल्क ऑनलाईन जमा करनी होगी।
2. ऑनलाईन निविदा प्रस्तुत करने के लिए निविदादाताओं का राजस्थान सरकार के ई-प्रोक्यूरमेंट पोर्टल www.eproc.rajasthan.gov.in पर पंजीकृत हो।

अधिशायी अभियन्ता-(विद्युत-111)
जविप्रा, जयपुर।

JAIPUR DEVELOPMENT AUTHORITY

कमरा नं. 127, प्रथम तल, नागरिक सेवा केन्द्र, रामकिशोर व्यास भवन, इन्दिरा सर्किल जवाहर लाल नेहरू मार्ग, जयपुर-302004
दूरभाष : + 91-141-2569696, ई-मेल: ee.electrical03.jda@rajasthan.gov.in

No:- JDA/EE-(Elect.-III)/Job No. 355/2025-26/D-

Dated:

LONG TERM NOTICE INVITING BID

NIB No.: 38/2025-26

Online Bids are invited up-to 6:00 PM of 05.03.2026 for **“Annual Electrical Operation, Repair and Maintenance Contract for Two Years of JDA Staff Quarters at Sethi Colony, Lalkothi and Malviya Nagar and Nehru Place, JDA, Jaipur”**. The last date for Applying Bid and making online payment on JDA portal is up-to 6:00 PM of 05.03.2026. The estimated cost of NIB is Rs. **50.93 Lacs** Details may be seen in the Bidding Document at our office or the State Public Procurement Portal website www.sppp.rajasthan.gov.in, www.eproc.rajasthan.gov.in and www.jda.rajasthan.gov.in/jda

UBN No.:

To participate in the bid, bidder must:

- A. Participate in Tender & Deposit Payment on ‘Online Tender Participation’ Portal of JDA at <https://jda.urban.rajasthan.gov.in/jda> or by Single-Sign-On at <http://service.jaipurjda.org>.
- B. Submit e-Bid on ‘e-Procurement Portal’ of GOR at www.eproc.rajasthan.gov.in

**Executive Engineer-(Elect.-III)
JDA, Jaipur**

OFFICE OF THE JAIPUR DEVELOPMENT AUTHORITY, JAIPUR

LONG TERM NIB No.- 38/2025-26	
Name & Address of the Procuring Entity	<ul style="list-style-type: none"> ➤ Name: Executive Engineer (Elect.-III), Jaipur Development Authority ➤ Address: Room No. CCC FF-127, CCC building, Ram Kishore Vyas Bhavan, Indira Circle, Jawahar Lal Nehru Marg, Jaipur – 302004 ➤ ee.electrical03.jda@rajasthan.gov.in
Name of work	<ul style="list-style-type: none"> ➤ Annual Electrical Operation, Repair and Maintenance Contract for Two Years of JDA Staff Quarters at Sethi Colony, Lalkothi and Malviya Nagar and Nehru Place, JDA, Jaipur.
Bid Procedure	<ul style="list-style-type: none"> ➤ Single Bid eBid procedure at http://eproc.rajasthan.gov.in
Bid Evaluation Criteria (Selection Method)	<ul style="list-style-type: none"> ➤ (eg. Least Cost Based Selection (LCBS)-L1)
Websites for downloading Bidding Document, Corrigendum's, Addendums, etc.	<ul style="list-style-type: none"> ➤ Websites: www.sppp.rajasthan.gov.in, www.eproc.rajasthan.gov.in, www.jda.rajasthan.gov.in
Estimated Procurement Cost	<ul style="list-style-type: none"> ➤ INR 50.93 Lacs (Rupees Fifty Lacs Ninety Three Thousand only)
Website for online Bid application and payment *	<ul style="list-style-type: none"> ➤ Website: www.jda.urban.rajasthan.gov.in ➤ For participating in the Bid, the Bidder has to apply for this Bid and pay the Bidding Document Fee, RISL Processing Fee and Bid Security Deposit, online only. <ul style="list-style-type: none"> ○ Bidding document fee: Rs. 1000/- (Rupees One Thousand only) ○ RISL Processing Fee: Rs. 1500/- (Rupees One Thousand Five Hundred only) ○ Requisite Bid Security Deposit. ○ The Bidders are required to submit Bid security, cost of Bidding documents, and Bid processing fees through online payment after registering with JDA on www.jaipurjda.org/e-services/e-tender portal. There should be a gap of 3 working days between the End date for Bid Applying, Online Payment & Bid Submission and Bid Opening date. In the absence of the requisite fee, the bid of the concerned bidder will be considered as non-responsive and shall be liable for rejection
Bid Security Deposit (in favor of Secretary, JDA, Jaipur)	<ul style="list-style-type: none"> ➤ Amount (INR: 2% (Rs. 1,01,846.00/-) For E-I contractors registered in the appropriate class with CPWD, Postal, Telegram, Railway, MES, Other State Government/Central Government undertakings/organizations of Estimated Procurement Cost. (The bidder must capable to bid in the bid as per their enlistment) ➤ 0.5 % (Rs. 25,465.00/-) for Bidder registered as a contractor in the E-I class in JDA. ➤ In case of Departments of the State Government and undertakings, Corporations, Autonomous bodies, Registered Societies, Cooperative Societies which are owned or controlled or managed by the State Government and Government undertakings of the Central Government shall submit a bid securing declaration in lieu of bid security. ➤ If a joint Venture is allowed in the Bid then 2% shall be deposited by bidders (Joint Venture firm)
Start/ End Date for Bid Applying Bid and making Online Payment on JDA portal*	<ul style="list-style-type: none"> ➤ Start Date: 23.02.2026 at 9.30 AM onwards ➤ End Date: 05.03.2026 at 06:00 PM ➤ In case EMD in form BG Original Bank Guarantee is to be submitted in Room No CCC FF 127, Jaipur Development Authority, JLN Marg, Jaipur by 06.03.2026 to 10.03.2026 up to 3.30 PM (within three working days from the last date of submission of bid.)
Bid Submission on e-Procurement Portal of GOR**	<ul style="list-style-type: none"> ➤ Start Date: 23.02.2026 at 9:30 AM onwards ➤ End Date: 05.03.2026 at 06:00 PM

Date/Time/Place of pre-Bid	➤ N/A
Date/ Time/ Place of Technical Bid Opening	➤ N/A
Date/ Time/ Place of Financial Bid Opening	➤ 11.03.2026, 11.00 AM ➤ Room No CCC FF 127, Jaipur Development Authority, JLN Marg, Jaipur
Bid Validity	➤ 120 days from the bid submission deadline
Time Period	➤ 24 (Twenty Four) Months
A&F/Job No.	➤ JDA/EE Electric III/A & F/2025-2026/Feb/355 Dated : 17/02/2026

Procedure for bidding:

Single part bid system:

Single part (Two-envelope) (2 docket) system would be adopted, Docket-1 being for Documents and Docket-2 being for Financial Bid.

Docket-1:- is for proof of deposition of Bid Security, cost of bidding document and bid processing fee along with copy of GST registration, signed Annexure “B” and copy of enlistment as contractor/ bidder in required category.

Docket-2:- is for financial bid.

The financial bid will be opened only for bidders whose proper Bid Security, copy of GST registration, proof for deposition of bidding document fee, RISL processing fee, copy of enlistment of contractor in the required category and signed Annexure “B” are found to be in order. Bid Security will be accepted only in the form of online deposition or in the form of Bank Guarantee.

1. **Two part bid system:**

Two part (Two-envelope) (2 docket) system would be adopted, Docket-1 being for Technical Bid and Docket-2 being for Financial Bid.

Docket-1:- There will be three separate folders- Folder-1 is for proof of deposition of Bid Security, cost of bidding document and bid processing fee alongwith copy of GST registration, signed Annexure “B” and copy of enlistment as contractor/ bidder in required category. Folder-II is for bid document with attached all eligibility criteria documents as mentioned in the bid and folder-III is for technical bid.

Docket-2:- There will two separate folders-1 is for financial bid and 2 is for bill of quantities.

The technical bid will be opened only for bidders whose proper Bid Security, copy of GST registration, proof for deposition of bidding document fee, RISL processing fee, copy of enlistment of contractor in the required category and signed Annexure “B” are found to be in order. Bid Security will be accepted only in the form of online deposition or in the form of Bank Guarantee

Executive Engineer-(Elect.-III)
JDA, Jaipur



JAIPUR DEVELOPMENT AUTHORITY, JAIPUR

www.jda.urban.rajasthan.gov.in

No. JDA/ E.E. & (TA to Dir. Engg.-I)/2022/D-194

Dated: - 6/9/2022

Office Order

In the standard bid document (Two bid system) of JDA, Clause 5: Rejection of Bids, subclause (iii) shall be replaced and read as under with immediate effect:-

S.N.	Provision as per standard Bid document	As per GoR orders F.8(15)Fin/SPFC/2020 dated 17.05.2022
1.	"If all the copies enclosed in support and affidavit is not duly attested by notary public/gazetted officer/Self (as per order No F 14(22)JDA/Estt./2014 Dated 01.01.2015) then bid of the bidder is to be rejected."	The Bidder shall prepare bid in the digital/electronic mode for uploading on e-Procurement portal in the format/type of file specified in evaluation and Qualification criteria 'All the documents uploaded, should be digitally signed with the DSC of authorized signatory, deemed as all the pages of the uploaded documents are signed'.

The following additional condition should be added in the standard Bid document (Two Bid system)


1. The Affidavits and Annexure 'B': be enclosed by the bidder regarding Qualification of RTPP Act-2012 & Rule-2013 along with Bid document, should be signed by the participating bidders before uploading the tender document otherwise the Bid of the bidder will be rejected.
2. In case of single Bid system Annexure 'B': be enclosed by the bidder regarding Qualification of RTPP Act-2012 & Rule-2013 along with Bid document, should be signed by the participating bidders before uploading the tender document otherwise the Bid of the bidder will be rejected.

This will be enforced with immediate effect.


Director Engineering-I
JDA, Jaipur

Copy to:-

1. Director (Engineering-I/II/III/IV), JDA, Jaipur.
2. Director (Finance), JDA, Jaipur.
3. C.F. JDA, Jaipur.
4. All Additional Chief Engineers, JDA, Jaipur.
5. All Superintending Engineers, JDA, Jaipur.
6. All Executive Engineers, JDA, Jaipur for include this in every bid instead of previous condition.
7. O.S.D. (RM)/A.D.R., JDA, Jaipur.
8. Sr. Horticulture, JDA, Jaipur.
9. Sr. A.O., JDA, Jaipur.


Director Engineering-I
JDA, Jaipur

\\jda\Admn\Desktop\Office Order Letter Head-English UO Note 2022.docx

Ram Kishor Vyas Bhawan, Indira Circle, Jawahar Lal Nehru Marg, Jaipur-302004
Direct Line- (+91-141-2563234) : EPABX - +91-141-2569696 Extn : (7203) : Fax - +91-141-2574555



जयपुर विकास प्राधिकरण, जयपुर

www.jda.urban.rajasthan.gov.in

NO.JDA/DD(E&B)/2023/D-145

Dated: 18-4-2023

OFFICE ORDER

Sub.: Master Bid Document for bids to be invited in "Two Bid System" and "Schedules & specifications" for all types of bids. 7A

In supersession of all the previous approvals/orders for the "Bid Document" and "Schedules & specifications" for all types of bids; the new "Bid Document" for two bid system and "Schedules & specifications" for all types of bids shall be applicable with immediate effect & is hereby enclosed for ready reference. 21/

Therefore, It is directed all the Executive Engineers to adopt the new bid document and schedules & specifications for the bids invited under single part and two part bid systems.

Bid of the bidder (in single part bidding or two part bidding) can be opened only after receipt of following documents in order: -

- i. Proof of deposition of Bid security, bid cost, and Bid processing fees.
- ii. Copy of enlistment as a contractor in the appropriate category.
- iii. Duly fulfilled & signed with seal Annexure "B" in accordance to RTPP Act/Rules.

Two-part bid System will be applicable as under: -

Potential Assessment Method.

For road works - above Rs. 5.00Crore up-to 10.00Crores

For other works - above Rs. 3.00Crore up-to 5.00Crores

Post Qualification Method -

For road works - above Rs. 10.00Crore up-to 20.00Crores

For other works - above Rs. 5.00Crore up-to 15.00Crores

शान्तिशेर ह्याम भवन इन्डिया प्रकियल जवाहर लाल नेहरु मार्ग जयपुर-302004

Scanned with CamScanner


Pre-Qualification Method -

For road works - above Rs. 20.00Crore

For other works - above Rs. 15.00Crore


Note: Any change/modification if required with reference to approved Bid Conditions & Special Condition required to be added additionally, shall beget approved from Executive Committee prior to invitation of the bid.

It bears approval of competent authority


(Onkarimal Rajotiya)
Director (Finance)

Copy to the following for information and necessary action:-

1. P.S. to JDC, JDA, Jaipur.
2. Director (Engineering-I/II), JDA, Jaipur.
3. Director (Finance), JDA, Jaipur.
4. OIC (Engineering-III/IV), JDA, Jaipur.
5. All Additional Chief Engineer, JDA, Jaipur.
6. Additional Director (R&DP), JDA, Jaipur.
7. All Superintending Engineers, JDA, Jaipur.
8. D.D.(E&B) & Sr. A.O., JDA, Jaipur.
9. All Executive Engineers, JDA, Jaipur.
10. Guard File.


Director (Finance)

जयपुर विकास प्राधिकरण, जयपुर

www.jdaurban.rajasthan.gov.in

क्रमांक: जविप्रा/तसनिअ-प्रथम/2022-23/डी-743

दिनांक 29/03/23

कार्यालय आदेश

जविप्रा में पंजीकृत विभिन्न संवर्ग की विभिन्न श्रेणियों के 5 वर्ष पूर्ण हो चुके स्थायी पंजीयको के रिव्यू हेतु समय-2 पर जारी आदेशों एवं कार्यालय आदेश क्रमांक 324 दिनांक 28.09.2022 के द्वारा दिनांक 31.12.2022 तक रिव्यू किया जाना था जिसे आदेश क्रमांक 516 दिनांक 30/12/22 के द्वारा बढ़ाकर 31.03.2023 तक किया गया था। जयपुर विकास कॉन्ट्रेक्टर्स एसोशियेशन के पत्र क्रमांक 29 दिनांक 28/03/2023 द्वारा अन्तिम अवसर देते हुए एक माह की समय सीमा बढ़ाने हेतु किये गये निवेदन को स्वीकार करते हुए रिव्यू तिथि दिनांक 30 अप्रैल 2023 की जाती है।

समस्त संवेदकों को अन्तिम नोटिस/सूचना दी जाती है कि "जिन संवेदको के पंजीयन को 5 वर्ष 3 माह पूर्ण हो चुके हैं वे अपने पंजीयन आदेशों का रिव्यू दिनांक 30.04.2023 तक करा लें। दिनांक 1 मई 2023 से जारी निविदाओं में पंजीयन का रिव्यू (Review) करवाये बिना भाग नहीं ले सकेंगे। शेष नियम एवं शर्तें आदेश क्रमांक 324 दिनांक 28.09.2022 के अनुसार ही लागू होगी।"

उक्त आदेश सक्षम स्तर से पुष्ट है।

निदेशक अभियांत्रिकी-प्रथम
जविप्रा, जयपुर

क्रमांक: जविप्रा/तसनिअ-प्रथम/2022-23/डी-743

दिनांक 29/03/23

प्रतिलिपि:-

1. निजी सचिव, जयपुर विकास आयुक्त, जयपुर।
2. निजी सचिव, सचिव जविप्रा, जयपुर।
3. निदेशक अभियांत्रिकी-प्रथम/द्वितीय जविप्रा, जयपुर।
4. निदेशक (वित्त), जविप्रा, जयपुर।
5. अतिरिक्त मुख्य अभियंता एवं प्रभारी अधिकारी, अभियांत्रिकी-III/IV, जविप्रा, जयपुर।
6. वनसंरक्षक जविप्रा, जयपुर।
7. समस्त अतिरिक्त मुख्य अभियंता जविप्रा, जयपुर।
8. समस्त अधीक्षण अभियंता जविप्रा, जयपुर।
9. ओ.एस.डी. (आर.एम.) जविप्रा, जयपुर।
10. अति. निदेशक (राजस्व)/मुख्य लेखाधिकारी (पीएण्डए)/उप निदेशक (व्यय एवं बजट) जविप्रा, जयपुर।
11. संयुक्त आयुक्त (सिस्टम मैनेजमेन्ट) जविप्रा, जयपुर।
12. जनसम्पर्क अधिकारी जविप्रा, जयपुर को भेजकर निवेदन है कि सूचना समाचार पत्र में प्रकाशित करने का श्रम करें।
13. वरिष्ठ उद्यानविज्ञ जविप्रा/समस्त अधिशाषी अभियंता जविप्रा, जयपुर को भेजकर लेख है कि 1 मई 2023 से आमंत्रित निविदाओं में निम्न शर्त का अंकन करें :-
जिन संवेदको के पंजीयन को 5 वर्ष 3 माह पूर्ण हो चुके हैं उन्हें पंजीयन का रिव्यू नहीं करवाये जाने तक दिनांक 1 मई 2023 से आमंत्रित निविदाओं में भाग लेने से वंचित किया जाता है।
14. सिस्टम एनालिस्ट जविप्रा, जयपुर।
15. समस्त ठेकेदार एसोसिएशन जविप्रा, जयपुर।
16. नोटिस बोर्ड जविप्रा, जयपुर।
17. रक्षित पत्रावली।

अधीक्षण अभियंता एवं
तक. सहा. निदे. अभि-प्रथम
जविप्रा, जयपुर



जयपुर विकास प्राधिकरण, जयपुर

www.jda.urban.rajasthan.gov.in

क्रमांक जविप्रा/निदे. (वित्त)/2022/डी-37

दिनांक 22-09-2022

कार्यालय आदेश

विषय:- जविप्रा में निविदाओं में BSR दरों से कम दर डालने पर अन्तर राशि जमा कराने बाबत।

जयपुर विकास प्राधिकरण में आमंत्रित निविदाओं में अतिरिक्त परफोरमेन्स गारन्टी/सिक्योरिटी डिपॉजिट के संबंध में जविप्रा के आदेश क्रमांक जविप्रा/अधि. अभि./त.स. नि.अभि.-1 /2021/डी-65 दिनांक 22.07.2021 तथा नगरीय विकास विभाग के आदेश प01 (24) नविवि/01/2020 लूज दिनांक 20.09.2021 को Withdraw करते हुए वित्त (GF&AR) विभाग की अधिसूचना नम्बर F2(1)FD/G&T(SPFC)/2017 दिनांक 22.10.2021 से RTPP Rule 75 "अ" के अनुसार लेने के प्रावधान को लागू किया जाता है।

निदेशक (वित्त)
जविप्रा, जयपुर

प्रतिलिपि निम्न को सूचनार्थ एवं आवश्यक कार्यवाही हेतु

1. निजी सचिव, प्रमुख शासन सचिव, नगरीय विकास विभाग, राजस्थान सरकार, जयपुर।
2. निजी सचिव, आयुक्त, जविप्रा, जयपुर।
3. सचिव, जविप्रा, जयपुर।
4. वन संरक्षक, जविप्रा, जयपुर।
5. निदेशक (अभियांत्रिकी-I, II, III, IV), जविप्रा, जयपुर।
6. निदेशक (वित्त, विधि, नगर आयोजना), जविप्रा, जयपुर।
7. मुख्य नियन्त्रक (प्रवर्तन), जविप्रा जयपुर।
8. अतिरिक्त मुख्य अभियंता (अभियांत्रिकी प्रकोष्ठ- III, IV), जविप्रा, जयपुर
9. अतिरिक्त निदेशक (राजस्व एवं सम्पत्ति निस्तारण), जविप्रा, जयपुर।
10. समस्त अति. मुख्य अभियन्तागण/अधीक्षण अभियन्तागण, अधि. अभियन्तागण जविप्रा जयपुर।
11. समस्त व. लेखाधिकारी/लेखाधिकारी, जविप्रा, जयपुर।

निदेशक (वित्त)
जविप्रा, जयपुर

Jaipur Development Authority, Jaipur

Office Order

No. : JDA/IT(1074501)/E-Services/2015-16/D-399

Dated: 4-10-2016

Subject: Payment mechanism for participating in tender.

Jaipur Development Authority has decided to receive Earnest Money Deposit (EMD) (Bid Security), Tender Fee and RISL processing fee online through JDA Portal. The bid security options available in tender for participants are as mentioned below:

A. Payment Options:

Option-1: Bank Guarantee (BG) against EMD / Bid Security

Bidder may opt Bank Guarantee (BG) against EMD (Bid Security), for which bidder requires to prepare BG before applying in the tender. The details of BG requires to be fed on JDA portal before paying balance amount (Tender Fee + RISL Processing Fee). This amount will be paid through **Payment Gateway only**, option to make balance payment through EFT (RTGS/NEFT) will not be available.

If bidder does not opt for BG against EMD, options of making complete payment through Payment Gateway or through EFT (NEFT / RTGS) will be available.

Option-2: Electronic Fund Transfer (EFT: NEFT/RTGS)

If the bidder selects payment mode as EFT (NEFT/RTGS), "**Paying Slip for EFT (NEFT/RTGS)**" will be generated by the system for the complete amount. The payment can be made from **any Bank any Branch** using this Paying Slip through NEFT/RTGS (Claim against payment made through EFT in any other JDA bank account will not be acceptable and bidder stands disqualified from participation in the bid applied for). After successful transaction through NEFT/RTGS, as per the standard procedures it may take 4 to 24 hours in process of confirmation of EFT through Auto-Process depending on the time of EFT done. Therefore, option to make payment through EFT (NEFT/RTGS) will be available till 2 days prior to closing date of bid participation.

Option-3: Payment Gateway (Aggregator)

The facility to make payment through Debit Card, Credit Card, Net banking etc., will be available. User can use this facility from **anywhere any time** till the closing date & time of bid participation.

B. Bid Participation Receipt

After confirming payment, the bidder will get Bid Participation Receipt on the basis of which user will get the payment details along with other details for bidding on e-Procurement portal of GOR.

- In case of BG as the remaining payment will be done through Payment Gateway, on successful transaction the "**Bid Participation Receipt**" will be generated on real time basis.

- In case complete payment is done through Payment Gateway, on successful transaction the "Bid Participation Receipt" will be generated on real time basis.
- In case complete payment is done through EFT (NEFT/RTGS), on confirmation of payment from ICICI Bank (Auto Process) "Bid Participation Receipt" will be available on Login of Bidder on JDA portal.

This payment mechanism will come into force w.e.f 15/10/2016. Thereafter, old payment mechanism related to NEFT/ RTGS in which the bidder makes direct payment without "Paying Slip for EFT (NEFT/RTGS)" in JDA's bank account will be discontinued.

All procuring entities are hereby directed to clearly mention this procedure in NIB document.


(Pawan Arora)
Secretary

Copy for information and further necessary action to:

1. P.S. to JDC, JDA, Jaipur.
2. P.S. to Secretary, Secretary, JDA, Jaipur.
3. Director (Law / Finance / Town Planning / Engineering-I / Engineering-II), JDA, Jaipur.
4. All Additional Chief Engineer _____, JDA, Jaipur
5. DC (Administration)/DC(Store)/DC (Vehicle), JDA, Jaipur
6. System Analyst, JDA, Jaipur
7. Analyst-cum-Programmer, JDA to ensure integration of software w.e.f 01/10/2016.
8. All Xen _____, JDA, Jaipur.
9. Officer-in-charge, SPPP Portal, Jaipur.
10. OSD (Public Relation) / PRO, JDA, Jaipur.


(Brijesh Kishore Sharma)
OSD (RM)

जयपुर विकास प्राधिकरण, जयपुर

क्रमांक-जविप्रा/तसनिअ-1/2024-25/डी- 114

दिनांक 02/09/2024

कार्यालय आदेश

जयपुर विकास प्राधिकरण की 243 वीं बैठक एजेण्डा नं. 243.22 दिनांक 16.08.2024 में लिये निर्णय के क्रम में जयपुर विकास प्राधिकरण में ठेकेदारों के विभिन्न प्रवर्ग एवं श्रेणियों पंजीकृत हेतु निम्नानुसार आदेश प्रस्तारित किये जाते हैं:-

1. जयपुर विकास प्राधिकरण में कार्य की प्रकृति को देखते हुए ठेकेदारों प्रवर्ग निम्नप्रकार होंगे :-

S. No	Categories of Contractors
1	Civil Contractors
2	Electrical Works Contractors
3	Horticulture
4	Consultancy

2. आवेदन शुल्क:- 500 रु. (Non- Refundable)

3. वर्तमान संवर्गों के विभिन्न श्रेणियों की वित्तीय सीमाओं (निविदा करने के योग्य निहित सीमा) पंजीयन शुल्क (Registration fees) प्रतिभूति निक्षेप (Security Deposit) कार्यानुभव व संगठनात्मक ढांचे में निम्न प्रकार संशोधन किया गया है :-

(I) सिविल ठेकेदार:-

- (अ) जयपुर विकास प्राधिकरण में सिविल ठेकेदारों की प्रत्येक श्रेणी के सामने निहित सीमा तक निम्न प्रकार निविदा करने के योग्य होंगे-

S. No	Classes of Contractors	Extent upto Which Qualified to tender for any works
1	"AA" Class	Any amount
2	"A" Class	Upto Rs 10.00 crores.
3	"B" Class	Upto Rs 5.00 crores.
4	"C" Class	Upto Rs 1.50 crores.
5	"D" Class	Upto Rs 30.00 Lacs.

- (ब) जयपुर विकास प्राधिकरण में सिविल ठेकेदारों की प्रत्येक श्रेणी के सामने रजिस्ट्रीकरण (सूचीबद्धकरण) फीस और सूचीबद्धकरण के लिए प्रतिभूति निक्षेप राशि में निम्न प्रकार होगी-

Signature valid

Digitally signed by Vivek Sharma
Designation: Superintending
Engineer
Date: 2024.09.02 17:48:15 IST
Reason: Approved



S. No	Classes of Contractors	Registration Fee (In Rs.) (Non-Refundable)	Security Deposit (In Rs.)
1	"AA" Class	45,000.00	12.00 Lacs
2	"A" Class	33,750.00	6.00 Lacs
3	"B" Class	22,500.00	3.00 Lacs
4	"C" Class	9,000.00	1.50 Lacs
5	"D" Class	4,500.00	0.75 Lacs

(स) जयपुर विकास प्राधिकरण में सिविल ठेकेदारों की प्रत्येक श्रेणी के सामने सूचीबद्धकरण के लिए पिछले अनुभव में निम्न प्रकार होगा—

S. No	Classes of Contractors	Past Experience for Enlistment
1	"AA" Class	Satisfactorily Completed minimum 2 works each costing not less than Rs. 1.50 Crore and 1 works costing not less than Rs. 2.00 Crore during the last five years.
2	"A" Class	Satisfactorily Completed 2 works each costing not less than Rs. 1.00 crore during five years. Or 3 works not less then 50.00 lacs during the last five years.
3	"B" Class	Satisfactorily Completed 2 works each costing not less than Rs. 50.00 lacs during three years. Or 3 work not less then 25.00 lacs during the last three years.
4	"C" Class	Satisfactorily Completed 2 works each costing not less than Rs. 10.00 lacs during three years. Or 3 works not less then 5.00 lacs during the last three years.
5	"D" Class	No past experience required to new temporary registration.

(द) जयपुर विकास प्राधिकरण में सिविल ठेकेदारों की प्रत्येक श्रेणी के सामने सूचीबद्धकरण प्राधिकारी निम्न प्रकार होंगे।

S. No	Classes of Contractors	Enlistment Authority
1	"AA" Class	Jaipur Development Commissioner
2	"A" Class	Director (Engineering)
3	"B" Class	Director (Engineering)
4	"C" Class	T. A. to Director (Engineering)
5	"D" Class	T. A. to Director (Engineering)

(य) जयपुर विकास प्राधिकरण में श्रेणी AA, A, और B में सूचीबद्धकरण चाहने वाले ठेकेदार को एक स्थायी अभियांत्रिकी संगठन रखना चाहिए जो सभी प्रकर्मों पर बड़े निर्माण कार्यों को निपटाने में समर्थ हो। उनको पर्याप्त मशीनरी और औजार आदि अपने अधीन रखने चाहिए जिनके लिए उन्हें ब्यौरे प्रस्तुत करने चाहिए। उन्हे अपने आवेदन के साथ उपस्करों के साथ स्थापित को सबूत सहित अपने अभियांत्रिकी संगठन, ऐसे स्टाफ की योग्यताएं और अनुभव के पूर्ण और भी प्रस्तुत करने चाहिए।
मुख्यतः मशीनरी एवं उपकरण निम्नप्रकार होगी—

Signature Valid
Digitally signed by Vivek Sharma
Designation: Superintending
Engineer
Date: 2024.09.02 17:48:15 IST
Reason: Approved

-AA, A, B, C, D श्रेणी में निम्न प्रकार संगठनात्मक ढांचा होगा ।

Classes of Category	Engineer	Machinery	Owend/ lease	Staff
"AA" Class	Degree holder 5 Years Experience	<ul style="list-style-type: none"> • बिल्डिंग मिक्सर, वाइब्रेटर आर.एम.सी. कन्क्रीट प्लान्ट • डामर रोड हॉट मिक्स प्लान्ट, Static/Tandom/vibrator Roller, Paver machine, sensor, Dumper, Boiler/sprayer, tractor Trolley, • सी.सी. रोड Screed vibrator, Vcaum vibrator, vibrator Plates/Niddle, Joint cutter, Water Tanker • पुल RMC Plant, Dumpers, Vibrator, Shuttering, JCB's • पीएचईडी JCB, Hidra, Mixer 	Owend/ lease	Sufficient
"A" Class	Degree holder 3 Years Experience	<ul style="list-style-type: none"> • बिल्डिंग मिक्सर, वाइब्रेटर आर.एम.सी. कन्क्रीट प्लान्ट • डामर रोड हॉट मिक्स प्लान्ट, Static/Tandom/vibrator Roller, Paver machine, sensor, Dumper, Boiler/sprayer, tractor Trolley, • सी.सी. रोड Screed vibrator, Vcaum vibrator, vibrator Plates/Niddle, Joint cutter, Water Tanker • पुल RMC Plant, Dumpers, Vibrator, Shuttering, JCB's • पीएचईडी JCB, Hidra, Mixer 	Owend/ lease	Sufficient
"B" Class	Degree holder	<ul style="list-style-type: none"> • बिल्डिंग मिक्सर, वाइब्रेटर आर.एम.सी. कन्क्रीट प्लान्ट • डामर रोड हॉट मिक्स प्लान्ट, Static/Tandom/vibrator Roller, Paver machine, sensor, Dumper, Boiler/sprayer, tractor Trolley, • सी.सी. रोड Screed vibrator, Vcaum vibrator, vibrator Plates/Niddle, Joint cutter, Water Tanker • पुल RMC Plant, Dumpers, Vibrator, Shuttering, JCB's • पीएचईडी JCB, Hidra, Mixer 	Owend/ lease	Sufficient
"C" Class	Diploma holder	पर्याप्त मशीनरी एवं उपकरण	Owend/ lease	Sufficient
"D" Class	प्रथम समय पंजीयन के समय आवश्यक नहीं। 15 लाख से अधिक का कार्य सम्पादित करने पर डिप्लोमाधारी इंजीनियर रखना होगा।			

Signature valid

Digitally signed by Vivek Sharma
Designation: Superintending
Engineer
Date: 2024.09.02 17:48:15 IST
Reason: Approved

RajKaj Ref No.: 10174940

(II) विद्युत ठेकेदार-

(अ) जयपुर विकास प्राधिकरण में विद्युत ठेकेदारों की प्रत्येक श्रेणी के सामने निहित सीमा तक निम्न प्रकार निविदा करने के योग्य होंगे-

S. No	Classes of Contractors	Extent upto Which Qualified to tender for any works
1	"E-I" Class	Any amount
2	"E-II" Class	Upto Rs 50.00 Lacs.
3	"E-III" Class	Upto Rs 20.00 Lacs.
4	"E-IV" Class	Upto Rs 7.50 Lacs.

(ब) जयपुर विकास प्राधिकरण में विद्युत ठेकेदारों की प्रत्येक श्रेणी के सामने रजिस्ट्रीकरण (सूचीबद्धकरण) फीस और सूचीबद्धकरण के लिए प्रतिभूति निक्षेप राशि में निम्न प्रकार होगी-

S. No	Classes of Contractors	Registration Fee (In Rs.)	Security Deposit (In Rs.)
1	"E-I" Class	9000.00	1.50 Lacs
2	"E-II" Class	4500.00	0.60 Lacs
3	"E-III" Class	2250.00	0.30 Lacs
4	"E-IV" Class	1125.00	0.15acs

(स) जयपुर विकास प्राधिकरण में विद्युत ठेकेदारों की प्रत्येक श्रेणी के सामने सूचीबद्धकरण के लिए पिछला अनुभव में निम्न प्रकार होगा-

S. No	Classes of Contractors	Past Experience for Enlistment
1	"E-I" Class	Satisfactorily Completed 2 works each costing not less than Rs. 1.00 crore or 3 works costing not less than Rs. 50.00 lacs during the last three years..
2	"E-II" Class	Satisfactorily Completed 2 works each costing not less than Rs. 25.00 lacs or 3 works costing not less than Rs. 10.00 lacs during the last three years.
3	"E-III" class	Satisfactorily Completed 2 works each costing not less than Rs. 10.00 lacs or 3 works costing not less than Rs. 5.00 lacs during the last three years.
4	"E-IV" class	Should have experience in the line and sufficient staff and equipment with them.

(द) जयपुर विकास प्राधिकरण में विद्युत ठेकेदारों की प्रत्येक श्रेणी के सामने सूचीबद्धकरण प्राधिकारी निम्न प्रकार होंगे।

S. No	Classes of Contractors	Enlistment Authority
1	"E-I" Class	Director (Engineering)
2	"E-II" Class	Director (Engineering)
3	"E-III" Class	T. A. to Director (Engineering)
4	"E-IV" Class	T. A. to Director (Engineering)

Signature valid

Digitally signed by Vivek Sharma
Designation: Superintending
Engineer
Date: 2024.09.02 17:48:15 IST
Reason: Approved

(य) जयपुर विकास प्राधिकरण में विद्युत ठेकेदारों की श्रेणी E-I, E-II, E-III, E-IV में निम्न प्रकार संगठनात्मक ढांचा होगा।

1	"E-I" Class	(क) एक स्नातक अभियन्ता (विद्युत) या एक डिप्लोमा अभियन्ता (विद्युत), जिसको न्यूनतम 3 वर्ष का अनुभव हो और जो विद्युत निरीक्षक, राजस्थान द्वारा "ए" वर्ग संविदाकार के रूप में अनुमोदित हो या जिसके पास राजस्थान या भारत के परिक्षेत्र में किसी भी अन्य राज्य सरकार का पर्यवेक्षण प्रमाणपत्र हो। (ख) उनके पास पर्याप्त उपकरण और औजार आदि (मीगगर, हाइड्रोलिक क्रिम्पिंग टूल, लक्स मीटर, हाईड्रॉ (क्रेन) टॉग टेस्टर आदि) होने चाहिए। नोट-जयपुर विकास प्राधिकरण में विभिन्न कार्य श्रेणियों में पंजीयन के लिए आवश्यक उपरोक्त मशीनरी एवं उपकरण Completely Owned होनी चाहिए।
2	"E-II" Class	(क) एक स्नातक अभियन्ता (विद्युत) या एक डिप्लोमा अभियन्ता (विद्युत), जिसको 2 वर्ष का अनुभव हो और जो विद्युत निरीक्षक, राजस्थान द्वारा "ए" वर्ग संविदाकार के रूप में अनुमोदित हो या जिसके पास राजस्थान या भारत के परिक्षेत्र में किसी भी अन्य राज्य सरकार का पर्यवेक्षण प्रमाणपत्र हो। (ख) उनके पास पर्याप्त उपकरण और औजार आदि (मीगगर, हाइड्रोलिक क्रिम्पिंग टूल, टॉग टेस्टर आदि) होने चाहिए। नोट-जयपुर विकास प्राधिकरण में विभिन्न कार्य श्रेणियों में पंजीयन के लिए आवश्यक उपरोक्त मशीनरी एवं उपकरण Owned or sole agreement पर उपलब्ध होनी चाहिए।
3	"E-III" Class	(क) एक स्नातक अभियन्ता (विद्युत) या एक डिप्लोमा अभियन्ता (विद्युत), जिसको 2 वर्ष का अनुभव हो और जो विद्युत निरीक्षक, राजस्थान द्वारा "बी" वर्ग (न्यूनतम) संविदाकार के रूप में अनुमोदित हो।
4	"E-IV" Class	इस क्षेत्र का अनुभव और पर्याप्त स्टाफ हो और विद्युत निरीक्षक, राजस्थान द्वारा "सी" वर्ग (न्यूनतम) संविदाकार के रूप में अनुमोदित हो।

(III) उद्यान ठेकेदार:-

(अ) जयपुर विकास प्राधिकरण में Horticulture work के ठेकेदारों की प्रत्येक श्रेणी के सामने निहित सीमा तक निम्न प्रकार निविदा करने के योग्य होंगे-

S. No	Classes of Contractors	Extent upto Which Qualified to tender for any works
1	"H-I" Class	Any amount
2	"H-II" Class	Upto Rs 1.00 crores.
3	"H-III" Class	Upto Rs 50.00 Lacs.
4	"H-IV" Class	Upto Rs 30.00 Lacs.

Signature valid

Digitally signed by Vivek Sharma
Designation: Superintending
Engineer
Date: 2024.09.02 17:48:15 IST
Reason: Approved

- (ब) जयपुर विकास प्राधिकरण में Horticulture work के ठेकेदारों की प्रत्येक श्रेणी के सामने रजिस्ट्रीकरण (सूचीबद्धकरण) फीस और सूचीबद्धकरण के लिए प्रतिभूति निक्षेप राशि में निम्न प्रकार होगी—

S. No	Classes of Contractors	Registration Fee (In Rs.)	Security Deposit (In Rs.)
1	"H-I" Class	15,000.00	5,00,000.00
2	"H-II" Class	10,000.00	1,00,000.00
3	"H-III" Class	5,000.00	50,000.00
4	"H-IV" Class	2,000.00	25,000.00

- (स) जयपुर विकास प्राधिकरण में Horticulture work के ठेकेदारों की प्रत्येक श्रेणी के सामने सूचीबद्धकरण के लिए पिछला अनुभव निम्न प्रकार होगा—

S. No	Classes of Contractors	Past Experience for Enlistment
1	"H-I" Class	Satisfactorily Completed 2 works each costing not less than Rs. 50.00 Lac during three years.
2	"H-II" Class	Satisfactorily Completed 2 works each costing not less than Rs. 30.00 Lac during three years.
3	"H-III" class	Satisfactorily Completed 2 works each costing not less than Rs. 15.00 Lac during three years.
4	"H-IV" class	Should have experience in the line and sufficient staff and equipment with them.

- (द) जयपुर विकास प्राधिकरण में Horticulture work के ठेकेदारों की प्रत्येक श्रेणी के सामने सूचीबद्धकरण प्राधिकारी निम्न प्रकार होंगे—

S. No	Classes of Contractors	Enlistment Authority
1	"H-I" Class	Director Engineering
2	"H-II" Class	Director Engineering
3	"H-III" Class	T. A. to Director Engineering
4	"H-IV" Class	T. A. to Director Engineering

Signature valid

Digitally signed by Vivek Sharma
Designation: Superintending
Engineer
Date: 2024.09.02 17:48:15 IST
Reason: Approved

- (य) जयपुर विकास प्राधिकरण में Horticulture work के ठेकेदारों की श्रेणी H-I, H-II, H-III, H-IV में निम्न प्रकार संगठनात्मक ढांचा होगा।

Classes of Category	Engineer	Machinery	Owend/ lease	Satff
H-I	Horticulturist Graduate/ B.Sc. Agriculture / M.Sc. Botnay, Degree/Diploma in forestry	उनके पास पर्याप्त उपस्कर और औजार आदि (टैंकर, ब्लेड, गड्डे खोदने का यंत्र लॉनर मोईंग मशीन आदि)	Completely Owned	Sufficient
H-II	Horticulturist Graduate/ B.Sc. Agriculture / M.Sc. Botnay, Degree/Diploma in forestry	उनके पास पर्याप्त उपस्कर और औजार आदि (टैंकर, ब्लेड, गड्डे खोदने का यंत्र लॉनर मोईंग मशीन आदि)	Owned /lease	Sufficient
H-III	Horticulturist Graduate/ B.Sc. Agriculture / M.Sc. Botnay, Degree/Diploma in forestry	उनके पास पर्याप्त उपस्कर और औजार आदि (टैंकर, ब्लेड, गड्डे खोदने का यंत्र लॉनर मोईंग मशीन आदि)	Owned /lease	Sufficient
H-IV	प्रथम समय पंजीयन के पर आवश्यक नहीं 15 लाख से अधिक का कार्य सम्पादित करने पर Horticulturist Graduate/ B.Sc. Agriculture/Degree/Diploma in forestry एवं 25 लाख से अधिक का कार्य सम्पादित करने पर Horticulturist Graduate/ B.Sc. Agriculture/M.Sc. Botnay, Degree/Diploma in forestry			

(IV) कन्सलटेन्सी ठेकेदार—

- (अ) जयपुर विकास प्राधिकरण में Consultancy work के ठेकेदारों की प्रत्येक श्रेणी के सामने निहित कन्सलटेन्सी लागत की सीमा तक निम्न प्रकार निविदा करने के योग्य होंगे—

S. No	Classes of Contractors	Extent upto Which Qualified to tender for any Consultancy works
1	“C-I” Class	Any amount
2	“C-II” Class	Upto Rs 25.00 Lacs.
3	“C-III” Class	Upto Rs 10.00 Lacs.

- (ब) जयपुर विकास प्राधिकरण में Consultancy work के ठेकेदारों की प्रत्येक श्रेणी के सामने रजिस्ट्रीकरण (सूचीबद्धकरण) फीस और सूचीबद्धकरण के लिए प्रतिभूति निक्षेप राशि में निम्न प्रकार होगी—

Signature valid

Digitally signed by Vivek Sharma
Designation: Superintending
Engineer
Date: 2024.09.02 17:48:15 IST
Reason: Approved

S. No	Classes of Contractors	Registration Fee (In Rs.)	Security Deposit (In Rs.)
1	"C-I" Class	5,000.00	50,000.00
2	"C-II" Class	2,000.00	25,000.00
3	"C-III" Class	1,000.00	10,000.00

(स) जयपुर विकास प्राधिकरण में Consultancy work के ठेकेदारों की प्रत्येक श्रेणी के सामने सूचीबद्धकरण के लिए पिछला अनुभव निम्न प्रकार होगा-

S. No	Classes of Contractors	Past Experience for Enlistment
1	"C-I" Class	Successfully Completed 1 works of consultancy costing not less than Rs. 10.00 lacs during five years in Govt./Private Sector.
2	"C-II" Class	Successfully Completed 1 works of consultancy costing not less than Rs. 2.00 lacs during five years in Govt./Private Sector.
3	"C-III" Class	No past experience required to new temporary registration.

(द) जयपुर विकास प्राधिकरण में Consultancy work के ठेकेदारों की प्रत्येक श्रेणी के सामने सूचीबद्धकरण प्राधिकारी निम्न प्रकार होंगे-

S. No	Classes of Contractors	Enlistment Authority
1	"C-I" Class	Director (Engineering)
2	"C-II" Class	T. A. to Director (Engineering)
3	"C-III" Class	T. A. to Director (Engineering)

(य) जयपुर विकास प्राधिकरण में Consultancy work के ठेकेदारों की श्रेणी C-I, C-II, C-III में निम्न प्रकार Engineer के द्वारा कार्य निष्पादित करेंगे।

S. No	Classes of Contractors	Engineer
1	"C-I" Class	स्नातक अभियंता/वास्तुविद्द
2	"C-II" Class	स्नातक अभियंता/वास्तुविद्द
3	"C-III" Class	डिप्लोमाधारक अभियंता/ड्राफ्टमेन

Signature valid

Digitally signed by Vivek Sharma
Designation: Superintending
Engineer
Date: 2024.09.02 17:48:15 IST
Reason: Approved

4. "पंजीकरण पूर्व की भांति एक वर्ष के लिए अस्थायी किया जाएगा। न्यूनतम 9 माह बाद स्थायी का आवेदन करने पर स्थायी किया जावेगा जिसके लिए फर्म द्वारा जविप्रा में पंजीकृत श्रेणी का न्यूनतम एक कार्य WIP/ पूर्ण किया होना चाहिए। पंजीकरण के 5 वर्षों में फर्म द्वारा एक भी कार्य नहीं करने पर विभिन्न प्रवर्गों व श्रेणियों में पंजीकृत ठेकेदारों को एक श्रेणी नीचे पदावनत (Demote) कर दिया जाएगा तथा विभिन्न प्रवर्गों की न्यूनतम श्रेणी में पंजीकृत फर्म का पंजीयन निरस्त कर दिया जाएगा।
5. ठेकेदारों को आवश्यक रूप से अपनी पासबुक संधारित करनी होगी मूल पास बुक गुम होने पर डुप्लीकेट पासबुक शपथ पत्र (घोषणा पत्र) के साथ 500 रु. का चालान सचिव जविप्रा के नाम प्रस्तुत करने पर ही उपलब्ध कराई जावेगी।
6. सम्बन्धित Enlisting Authority वर्तमान में पंजीकृत संवेदकों से बढी हुई सिक्यूरिटी डिपोजिट की अन्तर राशि आदेश जारी होने की दिनांक से 6 माह में जमा किया जाना सुनिश्चित करेंगे, तक वर्तमान में पंजीकृत संवेदक बढी हुई सीमा के अनुसार निविदा में भाग ले सकेंगे। यदि विद्यमान पंजीकृत संवेदक उक्त अन्तर राशि 28 फरवरी 2025 तक जमा कराने में विफल रहता है तो उसका रजिस्ट्रेशन निरस्त समझा जावेगा।
7. फर्म द्वारा प्रत्येक वर्ष के सितम्बर माह में जीएसटी शोधन प्रमाण पत्र (GST Clearance Certificate) प्रस्तुत करना होगा अन्यथा पंजीयन संवेदको की अनुमोदित सूची से पृथक किये जाने का भागी होगा।
8. उपरोक्त शर्तों के अतिरिक्त शेष नियम एवं शर्तें लोक निर्माण वित्तीय एवं लेखा नियम के अनुसार होगी।

निदेशक अभियांत्रिकी-प्रथम
जविप्रा, जयपुर

प्रतिलिपि:-

1. निजी सचिव, जयपुर विकास आयुक्त, जयपुर।
2. निजी सचिव, सचिव जविप्रा, जयपुर।
3. निदेशक अभियांत्रिकी-प्रथम/द्वितीय जविप्रा, जयपुर।
4. निदेशक (वित्त) जविप्रा, जयपुर।
5. वनसंरक्षक जविप्रा, जयपुर।
6. समस्त अतिरिक्त मुख्य अभियंता जविप्रा, जयपुर।
7. समस्त अधीक्षण अभियंता जविप्रा, जयपुर।
8. ओ.एस.डी. (आर.एम.) जविप्रा, जयपुर।
9. अति. निदेशक (राजस्व)/मुख्य लेखाधिकारी (पीएण्डए)/उप निदेशक (व्यय एवं बजट) जविप्रा, जयपुर।
10. संयुक्त आयुक्त (सिस्टम मैनेजमेन्ट) जविप्रा, जयपुर।
11. वरिष्ठ उद्यानविज्ञ जविप्रा, जयपुर।
12. समस्त अधिशाषी अभियंता जविप्रा, जयपुर।
13. सिस्टम एनालिस्ट जविप्रा, जयपुर।
14. समस्त ठेकेदार एसोसिएशन जविप्रा, जयपुर।
15. रक्षित पत्रावली।

अधीक्षण अभियंता एवं
Digitally signed by Vivek Sharma

Designation: Superintending
Engineer
Date: 2024.09.02 17:48:15 IST
Reason: Approved



जयपुर विकास प्राधिकरण जयपुर

www.jda.urban.rajasthan.gov.in

क्रमांक : जविप्रा/आति.मु.आंभे./2025

दिनांक 23-4-2025

कार्यालय आदेश

विभिन्न विद्युत अभियंत्रिकी, प्रौद्योगिकी, सोलर, स्मार्ट सिटी, सर्विलान्स, विद्युत सम्बन्धी नवाचार सम्बन्धी कार्यों का निष्पादन विद्युत अभियंताओं द्वारा विद्युत प्रकोष्ठ के माध्यम से किया जाता है।

कार्यों का निष्पादन पारदर्शी एवं उच्च गुणवत्ता के साथ करने हेतु निम्नांकित प्रक्रिया अनुमोदित की जाती है इसकी अनुपालना प्रत्येक विद्युत प्रकोष्ठ अभियंता को करनी होगी

1. विद्युत सम्बन्धी कार्यों के निष्पादन हेतु सामग्री मात्र आपूर्ति करने पर कोई भुगतान अग्रिम नहीं किया जावेगा।
2. किसी भी कार्य को प्रारम्भ करने से पूर्व जेडीए टीएन क्रमांक मेपिंग उपरांत साईट पर आपूर्ति किया जावेगा तथा निर्धारित गुणवत्ता परिक्षण टेस्ट करवाये जावेंगे परिक्षण में निर्धारित मापदण्डों की सामग्री पायी जाने पर ही जेविविनिलि सीटीएल, एनएबीएल टेस्ट उपरांत ही कार्य प्रारम्भ किया जावेगा।

कार्य इन्वार्ज अभियंता/जविविनिलि के सुपरविजन के अधीन किया जावेगा प्रथम बिल के साथ, जीपीएस फोटोग्राफ लोकेशन संलग्न करनी होगी।

आपूर्ति सामग्री पर अंकित विवरण क्रमांक पत्रावली में संलग्न करना होगा।

3. स्ट्रीट लाईटों के कार्य में पोलस पर पोल क्रमांक रूट अंकित करना होगा, माप 6 इंच सर्किल पीले रंग का होगा उस पर काले रंग से पोल क्रमांक रूट लिखा जावेगा प्रत्येक पोल का फाउन्डेशन काली पीली पट्टियों से दर्शित होगा।
4. विद्युतीकरण एलटी, एचटी, पोल ट्रान्सफार्मर आरएमयू कार्य जयपुर डिस्कॉम तकनीकी स्वीकृति प्राप्त करने, सीटीएल टेस्ट उपरांत किये जावेंगे तथा कार्य पूर्ण होने पर विद्युत नेटवर्क राजकाज पर सम्बन्धित अधिशाषी एवं सहायक अभियंता के हस्ताक्षरित दस्तावेज जयपुर डिस्कॉम के XEN/AEN हस्ताक्षरित मान्य होंगे
5. प्रत्येक रनिंग बिल फाईनल बिल के साथ कार्य के प्रारम्भिक एवं अंतिम जीपीएस फोटोग्राफ संलग्न करने आवश्यक होंगे।
6. कार्य की प्राप्त प्रस्तावित ड्राइंग एवं कार्य पूर्ण होने पर साईट की ड्राइंग अंतिम बिल के साथ संलग्न करना होगा जिसे अकान्टेंट को चेक करना होगा।
7. कार्य के बिल की एमबी बिल नेटवर्क हस्तान्तरण सम्बन्धी दस्तावेज पर कान्ट्रैक्टर के हस्ताक्षर आवश्यक होंगे।
8. सार्वजनिक स्थल पर किये गये सार्वजनिक प्रकाश सम्बन्धी कार्य का विद्युत निरीक्षणालय का प्रमाण पत्र अंतिम बिल के साथ कान्ट्रैक्टर को स्वयं के खर्च पर उपलब्ध कराना होगा।
9. विद्युत सम्बन्धी सामग्री जो कि जविप्रा के कार्य में प्रयुक्त होने वाली है, की उत्पादन स्थल फैक्ट्री में मेपिंग होगी, अर्थात् निर्मित सामग्री पर जेडीए टीएन नं. मार्क होगा तथा पीवीसी हर 100 मीटर पर जेडीए टीएन क्रमांक मार्क होगा। साईट पर सामग्री इन्जीनियरिंग इन्वार्ज जविविनिलि अभियंता से सामन्जस्य स्थापित कर परिक्षण हेतु नमूना सीज कर जविविनिलि प्रयोगशाला में टेस्ट करायेगा माल गुणवत्ता पूर्वक पाया जाने पर ही काम में लिया जावेगा।
फैक्ट्री इन्सपेक्शन AEN से कम पद का अभियंता नहीं करेगा।



जयपुर विकास प्राधिकरण जयपुर

www.jda.urban.rajasthan.gov.in

10. जविविनिलि के सुपरविजन मे कराये जान वाले कायो यथा नवीन विद्युतीकरण अथवा नेटवर्क स्थानान्तरित इत्यादि कायो में कई बार जविविनिलि द्वारा नवीन विद्युत उपकरण, युक्तिया स्थापित की जाती है/हटायी जाती है जो कि नेटवर्क सुदृढीकरण से सम्बन्धित होती है इसमें ट्रान्सफार्मर ब्रेकर (रिंगमेन यूनिट ब्रेकर एसएफ सिक्स ऑयल ब्रेकर, वैक्यूम ब्रेकर), सीटी, पीटी, पैनल स्थापित कर सर्किट में लिये जाते है इन विद्युत उपकरणों का जविविनिलि का केन्द्रीय जांच प्रयोगशाला में जांच होने के उपरांत ही स्थापित किये जावेंगे।
इन उपकरणों को जविविनिलि का हस्तान्तरित करते समय कम्पनी मेक सीरियल नम्बर CTL गुणवत्ता जांच रिपोर्ट एवं हटाये गये उपकरणों के सीरियल नम्बर, कम्पनी में इत्यादि कार्य समाप्त होने पर जेडीए, जविविनिलि को हैण्डओवर टेकनओवर प्रभाव पत्र में दर्शाना होगा अन्यथा हैण्डओवर टेकनओवर मान्य नहीं होगा।
11. जयपुर डिस्कॉम सम्बन्धी कायो का कार्यादेश बिना डिस्कॉम से तकनिकी स्वीकृति जारी कराये नहीं कराया जावेगा।
12. विद्युत लाईनो सम्बन्धी कोई भी तकनिकी तखमीना बिना अतिरिक्त मुख्य अभियंता (विद्युत) के अनुमोदन के जविविनिलि को नहीं भेजा जावेगा।
13. कोई भी विद्युत सम्बन्धी कार्य यदि जयपुर डिस्कॉम से कराया जाना है तो उसकी स्वीकृति निदेशक महोदय से प्राप्त की जावेगी बिना सक्षम स्वीकृति कोई विद्युत सम्बन्धी कार्य जविविनिलि से नहीं कराया जावेगा।
उक्त आदेश सक्षम स्तर से पुष्ट है।

(महेश आढा)

अतिरिक्त मुख्य अभियंता (विद्युत)
जविप्रा, जयपुर

प्रतिलिपि:—सूचनार्थ एवं आवश्यक कार्यवाही बाबत

1. श्रीमान निदेशक अभियांत्रिकी— II जविप्रा जयपुर।
2. अधीक्षण अभियंता (विद्युत), जविप्रा जयपुर।
3. अधिशाषी अभियंता (विद्युत— I, II, III, IV) जविप्रा जयपुर।
4. सहायक अभियंता (विद्युत— I, II, III, IV) जविप्रा जयपुर।

अतिरिक्त मुख्य अभियंता (विद्युत)
जविप्रा, जयपुर

Additional Technical parameters of products/ work

1. PWD specifications for Electrical works -2012 (as amended upto date), relevant IS codes, National Building Code / National Lighting Code / National electric Code / Indian Electricity Rules (all as amended upto date) shall be treated as part of this Electric BSR-2022 for the purpose of detailed specifications & clarifications, if any. Henceforth this BSR-2022 shall be considered as part of all contracts/ agreements, controversy / dispute in interpretation of BSR -2022, decision of Chief Engineer (Electrical) PWD Rajasthan shall be final & binding.
2. Agency must ensure to take prior approval for makes and models in writing before / at the time of layout by Engineer-in-Charge as per specifications with submitting TDS of products & all items used from any particular chapter of this BSR for any individual project, should be of same brand which is approved before execution as per availability.
3. OEM installation manual guideline practice for execution of work at site must be followed by agency's engineer & verified by department.
4. Agency must ensure to execute all hidden items in presence of engineer-in-charge or site engineer. GPS Photo be attached at the time of measurement.
5. Tests of specified items below must be done in Government approved **OEM's authorized Labs** / outsource from government approved any authorized Lab by agency & no extra payment shall be made for below mentioned tests & procedures at all :-↓

Sr.No.	Item Name	Tests must be done in Government approved OEM's authorized Labs / outsource from government approved any authorized Lab as mentioned below :-
	↓	01 test if quantity in BOQ/execution is more then ↓
1	Wiring accessories (switch / socket)	500 wiring points
2	Wiring accessories Regulator / dimmer	150 Nos.
3	PVC / Steel Conduit (Total of all sizes)	500 wiring points
4	Sheet Steel Box/ M.S. Box/ GI Box/ PVC Box (Total of all sizes)	300 Nos. (Total of all sizes)
5	MCB/RCCB/Isolator (1 Pole to 4 Pole) (Total of all amp rating)	150 Nos. (Total of all amp rating)
6	Ceiling Fan/ Exhaust /fresh air/ wall mounting fan. (Total All sizes)	100 Nos. (Total All sizes)

6. Factory Inspection for testing of specified items below must be done in Government approved **OEM's authorized Labs** by departmental Engineer. Agency must ensure to make all necessary permission and arrangements for the visit & no extra payment shall be made for all this procedure :-↓

Sr.No.	Item Name	Factory inspection for testing in Government approved OEM's authorized Labs by department engineer as mentioned below:-
	↓	If quantity in BOQ/execution is more then ↓
1	Indoor LED Lighting fixture all types	200 Nos.
2	Outdoor LED Lighting fixture all types	50 Nos.
3	Lattice tower all sizes	5 Nos.
4	Air Conditioner	30 Nos.
5	Air cooling machine/ Chillers	5 Nos.
6	Street light pole	30 Nos.
7	Transformer	compulsory for Each quantity
8	High mast pole	compulsory for each if height is 16 Mtr. or more.
9	DG set	compulsory for Each quantity
10	RMU	compulsory for Each quantity
11	Bus Bar Trunking	compulsory for Each quantity

7. Any Items can be send for testing by Engineer-in-Charge in Government Authorized any approved Lab. Payment of testing charge shall be borne by department for that. Agency is liable to make all necessary arrangement to send the sample & get reports from lab without any extra cost.

8. Agency will submit minimum one year valid guarantee certificate of Product & Liabile product genuineness purchase proof from OEM/ Authorized Dealer .

9. Appropriate/ Routine type Test Certificates/ reports related to IS code with liabile standard warranty proof / certificate of product from OEM / authorized dealer shall be submitted by agency during / at the time of execution & duly verified by Engineer-in-Charge.

10. Agency must ensure to prepare the Satisfactory installation service report from OEM engineer for major items like DG set, Transformer, PSS, RMU, Fire fighting pumps, VRF/VRV, package AC units, ACB, High Mast (16 mtr. or higher) etc. and submit the same in Engineer In charge office. All record be kept with agreement file.

Executive Engineer (Elect.-III),
JDA, Jaipur

Special Conditions for execution of work-

1. Panels are to manufactured from CPRI approved fabricator for which reference documents, Panel Drawings with type test report are to be submitted by contractor prior to purchase of panels.
2. Panels shall be delivered by site after factory inspection by authorised officers of JDA.
3. Bill will be paid only after submission of all testing reports of panels.
4. The panels shall be installed with proper earthing and before and after photographs are to be submitted along with running bills.
5. The contractor has to depute an electrician with a helper round the clock to attend regular electric complaints.
6. A complaint register has to be maintain for any complaint with resolution remark sign of resident of concerned quarter.
7. The running bills of maintenance will only be paid after submission of copy of complaint register with seal and sign of contractor.
8. Attendance of electrician and helpers are to be verified by electrical supervisor, JDA before payment to them.
9. The item no. 20, 24, 25, 26, 27, 29, 30 and 42 of G-schedule shall be supplied in the electric store of JDA as per below schedule and will be executed by issuance of material from electric store-20% quantity of G-schedule shall be supplied- within 10 days of work order and further 15% will be supplied after issuance/execution of 15% quantity initial supplied qty.
10. The contractor has to submit store supply/issuance documents along with the running bills.

हस्ताक्षर संवेदक

अधिशायी अभियन्ता (विद्युत-तृतीय)
जविप्रा, जयपुर।

SCHEDULE AND SPECIFICATIONS

SCHEDULE – A: INFORMATION USEFUL FOR THE CONTRACTORS:

The bidder should see the site and fully understand the conditions of the site before bidding and include all leads, lift etc for the material in his item rate/percentage to be quoted on the rates given in Schedule 'G'. The work shall be carried out in accordance with the Rajasthan PWD detailed specification and to the entire satisfaction of the Engineer – In – Charge of the work.

SCHEDULE – B: LIST OF THE DRAWING TO BE SUPPLIED BY THE DEPARTMENT

The drawing may be seen in the office of the undersigned.

SCHEDULE – C: LIST OF THE DRAWING TO BE SUPPLIED BY THE CONTRACTOR: List of the drawing to be supplied by the contractor NIL. But the contractor shall have to arrange at his own cost drawings required for the work after deposition necessary cost with JDA.

SCHEDULE - D: TEST OF THE MATERIALS:

The test of the materials and workmanship shall be conducted by the JDA staff as necessary. The result of such tests should confirm to the standards laid down in the Indian standard & or the standards laid down in the detailed specifications of the work by the contractor. Qualified personnel required as per the contractor enlistment rules shall have to be engaged at site by the Contractor. The authority reserves the right to engage such staff and recover the expenses from the contractor on such account in case of his failure to do so.

SCHEDULE – E: SAMPLES OF THE MATERIALS:

The sample of the materials to be used by the contractor shall be deposited 15 days in advance with the Engineer In charge and be got approved by him before use.

SCHEDULE - F: TIME OF COMPLETION:

The work should start within 10 days of the issue of the work order and complete within time limits.

SCHEDULE – G: ATTACHED SEPARATELY BASED ON APPLICABLE BSRs IN JDA.

SCHEDULE – H: SPECIAL CONDITION: Attached Separately.

SCHEDULE – I: COST OF TENDER DOCUMENTS, PROCESSING FEES & BID SECURITY.

The Bid Processing fee is payable in favor of M.D. RISL & Cost of bid document & Bid Security is payable in Favour of the Secretary, JDA, Jaipur. Bidders have to pay bid processing fees, cost of bidding documents, and Bid Security Online. **If a bidder opts to deposit the bid security through bank guarantee, the bank guarantee should be valid for the next seven months after the bid opening date. A copy of the such bank guarantee will be required to be attached with the bid submission documents uploaded on the E-procurement portal of GOR. The bank guarantee will be physically handed over upto prescribed time to Nodal officer of the on-line tendering system of JDA i.e. D.D(E&B) in room No. 215N Extension building, JDA, JLN marg, Jaipur, as per specified in bidding documents,**

Annexure-1. Special Conditions of Contract regarding defect liability period.

Annexure-2A. Bank guarantee will be in specified Performa enclosed with this bidding document for Bid Security.

Annexure-2B. Bank guarantee will be in specified Performa enclosed with this bidding document for Performance Security.

Annexure-A. Compliance with the code of integrity and no conflict of interest (RTPP Act/Rules).

Annexure-B. Declaration by the bidder regarding qualifications (RTPP Act/Rules).

Annexure-C. Grievance Redressal during the procurement process (RTPP Act/Rules).

Annexure-D. Additional Conditions of Contract (RTPP Act/Rules).

Annexure-E. Process for Tender Participation & Depositing Payment on 'Online Tender Participation' Portal of JDA & Bid Submission on 'e-Procurement Portal' of Government of Rajasthan.

**Executive Engineer-(Elect.-III)
JDA, Jaipur**

SPECIAL CONDITIONS

SCHEDULE 'H'

01. If there is any typographical error or otherwise in the 'G' Schedule, the rates given in the relevant BSR on which Schedule 'G' has been prepared, shall prevail.
02. The bidder shall follow the provisions of the builder labour regulation and abolition Act, 1970 & Rule, 1971.
03. The JDA shall have the right to cause an audit for technical examination of the work and the final bills of the bidder including all supporting vouchers, abstracts etc. to be made within two years after payment of the final bills and if as a result of such audit, any amount is found to have been overpaid / excess in respect of any work done by the bidder under the contract or any work claimed by him to have been done under this contract and found not to have been executed, the bidder shall be liable to refund such amount and it shall be lawful for the JDA to recover the such sum from him in the manner prescribed in special condition no. 8 or any other manner legally permissible and if it is found that the bidder was paid less than that was due to him under the contract in respect of work executed by him under it, the amount of such underpayment shall be paid by the JDA to the bidder.
4. Wherever any claim against the bidder for the payment of a sum of money arises out of under the contracts, the JDA shall be entitled to recover the sum by appropriating in part or whole of the performance security of the bidder, In the event of the security being insufficient or if no security has been taken from the bidder then the balance of the total sum recoverable as the case may be deducted from any sum then due or which at any time their contract with the JDA should this sum be sufficient to recover the full amount recoverable. The bidder shall pay to JDA on demand the balance remaining due. The JDA shall further have the right to affect such recoveries under P.D.R. Act.
5. The rate quoted by the bidder shall remain valid for a period of 120 days from the date of opening of the bids.
6. By submission of the Bid the bidder agrees to abide by all printed conditions provided in the PWD manual from 64 (Chapter 3-para 36) and subsequent modification.
7. No conditions are to be added by the bidder and the conditional Bid is liable to be rejected.
8. If any bidder withdraws his Bid prior to the expiry of said validity period given at S. No. 5 or mutually extended prior or makes modifications in the rate, terms and conditions of the Bid within the said period which are not acceptable to the authority or fails to commence the work in the specified period, fails to execute the agreement the authority shall without prejudice to any, other right or remedy, be at liberty to forfeit the amount of bid security given in any form absolutely. If any bidder, who has submitted a Bid does not execute the agreement or start the work or does not complete the work and the work has to be put to rebidding he will stand debarred for six months from participating of Bidding in JDA in addition to forfeiture of bid security/ Performance Security and other action under agreement
9. Any material not conforming to the specifications collected at the site have to be removed by the bidder within a period of 3 days of the instruction, issued by the Engineer -In charge in writing failing which, such material shall be removed by the Engineer-In charge at risk and cost of the bidder after the expiry of 3 days period.
10. The material collected at the site and paid provisionally shall remain under the watch and ward of the bidder till it is consumed fully on the work.
11. The rates provided in the Bidding documents are inclusive of all Taxes and royalties otherwise specified.
12. No extra lead of earth/material shall be paid over and above as specified in 'G' Schedule, Source/ borrow pit area for the earth shall have to be arranged by the Bidder at his own cost.
13. Undersigned has full right to reject any or all Bids without giving any reasons.
14. As per the Supreme Court decision "All contracts with Governments shall require registration of workers under the building and other construction workers (Regulation of Employment and Conditions of Service) Act, 1996 and extension of benefits to such workers under the etc."
15. Special Conditions of the Contract regarding the Defect Liability Period (DLP) for works costing Rs. 25.00 lacs and more shall be applicable (Annexure-I).
16. The Bidder is required to submit a copy of their enlistment as a contractor.
17. Conditions of RPWA-100 will be mandatory & acceptable to the bidder.
18. The bidder will have to install display boards at the site of work as directed by Engineer in charge.
19. All the provisions of THE RAJASTHAN TRANSPARENCY IN PUBLIC PROCUREMENT ACT, 2012 and Rules, 2013 and amendments issued from time to time by the Finance Department, GOR shall be applicable. If there are any contradictions in existing special conditions and provisions of THE RAJASTHAN TRANSPARENCY IN PUBLIC PROCUREMENT ACT, 2012 and Rules 2013 provisions of THE RAJASTHAN TRANSPARENCY IN PUBLIC PROCUREMENT ACT, 2012 and Rules 2013 shall prevail.
20. In case the rate received in the bid is below than BSR rate, additional Performance security shall be deposited by the bidder as per Rule 75 (A) of RTPPP Rules.
21. The Annexure "B" (RTPPP Act/Rules) is mandatory to be fulfilled & signed with seal by the bidder failing which the bid shall summarily be rejected without asking for any clarification.
22. Contractors enlisted in JDA, should be get reviewed periodically. The registered bidder who has not been reviewed within a period of 5 years 3 months, shall not be allowed to participate in the bid. Contractors enlisted in other departments shall be as per the provision of PWF&AR

**Executive Engineer (Elect.-III) JDA,
Jaipur**

JAIPUR DEVELOPMENT AUTHORITY, JAIPUR

DETAILED SPECIAL CONDITION AND SPECIFICATIONS

1. The scope of the Schedule 'H' and 'G' comprises HT/LT Line work on the road mentioned in schedule 'G'
2. The tubular poles are proposed to be erected generally in the median strip of the road or sides unless otherwise instructions are given to change the alignment.
3. The road in question in national, highway / important only road and as not only heavy traffic passes through the road but all the VIPs also pass through it the before it will be the contractor responsibility the provide all retendered caution signs during the execution of work at his own cost in order in to avoid any mis-happening.
4. No opening shall be left uncovered during night. The bidder shall make all arrangement to avoid any claim if preferred on his account shall be the liability of the bidder.
5. No road or part of the road shall be cut without taking the prior permission in writing from the competent authority. The permission shall be arranged by bidder on the request of JDA. However, any changes will be borne by JDA.
6. The contractor shall be deemed to have carefully examined the specifications general condition and tender drawing etc. and they have been fully informed and have satisfied himself as to the nature and character of the work to be executed site conditions and other relevant matters and details.
7. References to standard code specifications recommendation shall mean the attested addition of such publications of the work to be executed at site before the date of invitation to submit proposals.
8. The excavated material shall be place within 1.5 Mtr. of the edge the half of the depth of the trench with have is more site clear shall be done within 24 hours.
9. The work shall be carried out strictly complying within Indian Electricity Rules in forces and as per specifications for Electrical work issued by PWD Raj., Jaipur 1980.
10. **Trenching:** The trenches shall be of shaper size as instructed by the Engineer-In-Charge.
 - (a) **Width**
 - (i) The minimum width of trench for laying single cable shall be 35 Cm.
 - (ii) Where more than one cable is to be laid in the same trench in horizontal formation. The width of the trench shall be increased such that the spacing between the cable shall be at least 20 Cm.
 - (b) **Depth:**
 - (i) Where cable core laid in single tier formation in the total depth of shall not be less than 75 cm for cable upto 1.1 KV.
 - (ii) When more than one tier of cable is unavoidable and vertical formation of laying is adopted depth of trench in (i) above shall increases by 30 cm for each additional tier to be formed.
 - (iii) The depth shall be 1.0 Mtr. of 11 KV, 1.5 Mtr. For 33 KV.
 - (c) **Excavation**

The trench must be excavated straight and if it is necessary to give band or curve radius of such trench shall be at least 12 time the over all dia meter of the cable.
 - (d) **Placing of the Cable**

The cable must be places in the trench on band of fine sand of 8 cm thick bed, and the cable shall be laid below water and sewer lines.
 - (e) For the safe guard of cable it must have covering of clean dry rever sand or any other type of soil as directed by Engineer-In-Charge in not less than 17 cm.
 - (f) **Protection**

To protect the cable against mechanical damages the second class bricks or stone katla as specification shall be placed over the cable width wise.
11. Satisfactory type/acceptance test that results wherever applicable conducted from Govt./Govt. approved laboratory as per ISS shall be submitted prior to use. The routine tests of cable shall be conducted only after delivery at site at his own cost.
12. **Earthing**

The ground Earthing shall be done generally confirming to IS specification of 3043-1966 all the work earth terminal be provided duly crimped/soldered.
13. **Controlling Panels**

The controlling panels such as main panel service pillar box and fuse boxes are to be installed in span. The rubber gasket bedding of high quality rubber is to be provided around all operable parts. The all hard works should be made corrosion resistant giving all chemical treatment before its fabrication and before final coat desired colour painting and red oxide primer should be applied. All internal connectives are to be made with PVC insulated copper conductor with copper lugs dully crimped. The internal wiring shall be arranged with clips the bus bars and connection shall consists of drawn high conductivity copper strip with PVC 3 leaves tops of phase colours.

14. **Submission of drawing by the contractor**

The following two drawing are required to be submitted by the contractor.

- (i) **Main Panel Drawing:** The Contractor shall submit the drawing of main panel all dimensions all internal connection of diagram, well before its fabrication and obtain prior approval of the drawings from the competent authority.
- (ii) **Completion drawings:** The contractor shall submit the completion drawings of the project showing the roots of the cable and position of panel etc.

15. **Testing**

The following test shall be performed by the contractor at his own cost.

- (i) **Continuity and installation test of cable:** The contractor shall arrange for the continuity of cable for well use of the perfect of the cable.
 - (ii) **Mager Testing:** The whole installation shall be arranged to be test by contractor after its completion shall in presence of Engineer-In-Charge and results shall be recoated and signed jointly.
16. Earthing Testing: Earth test shall be performed by the contractor and results will be used be recorded and signed jointly.
17. Any other test for cable etc. required shall be arranged by the contractor.
18. No condition of any short except as provided in the printed from schedule of quantities will be entertained.
19. Conditions given in the bid from apply in full.
20. The contractor shall have to obey the labour laws. The labour shall have to pay monthly and shall have first line on the bill of contractor, in case of complaint of labour and nonpayment of wages is received to the department.
21. The rate of every item should be quoted against each in figures and in words as well for complete Non BSR Items.
22. In case of any typographical error in nomenclature, unit and rate, the rates as per BSR on which 'G' Schedule is prepared shall be binding on the tenders.
23. In case of any dispute the Executive Engineer (Electrical-III) decision shall be final.
24. The bidders are expected to be fully conversant with the general and special conditions of contract in force in this office. They must see the site of work acquaint themselves of the position of the materials. Fluctuation of the rates in the market, see the schedule and plans in the office and remove doubts, if any, before submitting their tenders.
25. The JDA is not responsible for arranging any material whatsoever any the contractor will have to complete the work within the specified time with specified material and approved accessories, from the stock, non-availability of material or delay in the consignment will not be entertained to as an excuse for extension of time for completion of work.
26. Contractor will not be paid extra for sales or any other tax.
27. Bid must be submitted on the prescribed forms duly signed by the bidder on every page.
28. All entries by the bidder should be in on ink only. Erasers and over writings are not permissible. All cancellation correction and insertions must be signed by the bidder.
29. Rate quoted should be given for the work, separately in words and figures in case there is any difference in rates between words and figures the lower of the two will be taken as correct.
30. All the papers signed by the parties to this contract and bond together and sealed shall deemed to form part of the contract bond and shall be read as conditions of contract.
31. In every case in which by virtue for the provisions of section 12 sub section (I) of the workman's Compensation Act. 1923 cost is obliged to pay compensation to a workman employed by the contractor or by a sub contractor for execution to said work Govt. will recover from the contractor the amount of the compensation paid and without prejudice to the rights of Govt. under section 12 sub section (2) of the said Act, Govt. shall be at liberty to recover such amount or any part thereof by deducting if from the earnest money deposited by the contractor to his credit or any other sum due by Govt. to the contractor whether under this contract or otherwise.

32. The contractor should have submit safety certificate for equipment each year separately in maintenance period.
33. The contractor shall arrange the certificate from electric inspector on completion of the electric installation at his own. However, any fee to be paid on this account shall be paid by the JDA.
34. The entire material should be as per JDA BSR 2016 of Electrical work of Schedule 'G' & specified main materials of schedule 'H' and shall be of ISI marked.

I/We have carefully study the instructions / conditions mentioned above & do hereby undertake to agree for the same.

**SIGNATURE OF CONTRACTOR
WITHFULL ADDRESS:**

**EXECUTIVE ENGINEER (Elect.-III),
JDA, JAIPUR**

Note:-

1. किसी भी निविदा को बिना कारण बताये निरस्त किया जा सकता है।
2. आवेदक / संवेदक को निविदा प्राप्त करने के लिये आवेदन के साथ पंजीयन प्रमाण पत्र की प्रति प्रस्तुत करना अनिवार्य है।
3. आवेदक / संवेदक को निविदा प्रपत्र पर अपना पता एवं दूरभाष नम्बर अंकित करना अनिवार्य है।

ANNEXURE '1'**SPECIAL CONDITIONS OF CONTRACT REGARDING DEFECT LIABILITY PERIOD (DLP) FOR WORKS COSTING RS. 25.00 LACS AND MORE****Table-1**

S.No.	Type of work	DLP Period
1.	Bridge Work	5 Years
2.	CD Work	5 Years
3.	CC Road. PQC Work	5 Years
4.	CC tiles/Krebs/medians	5 Years
5.	Drains	3 Years
6.	Roads	
	(i) Two-layer WBM/GSB	6 months or one full rainy season whichever is later
	(ii) For Renewal/Strengthening	
	(a) BT up to 30 mm thickness	1 Years
	(b) BT above 30 mm to up to 40 mm	2 Years
	(c) BT above 40 mm to up to 90 mm	3 Years
	(d) BT above 90 mm thickness	5 Years
	(iii) New Roads	
	(a) BT up to 90 mm	3 Years
	(b) BT more than 90 mm	5 Years
7.	Compound wall	3 Years
8.	Building Work	
	(i) Work pertaining to Sanitary work electrical works, Joinery works and painting work.	2 Years
	(ii) Work pertaining to the Building structure and other civil works	5 Years
9.	Electric work except for maintenance	3 years
10.	Sewer/Water supply including STP and water supply-related work except for maintenance works.	3 Years

1. ROAD-WORKS

- 1.1 The Defect Liability Period (DLP) for all Road works excluding patch repair work shall be as per the above table. Road works executed by the Contracting agency shall be maintained by them at their own cost for completion (DLP) from the actual date of completion of work as per the clause in the Contract Agreement and Special Condition of the Contract.
- 1.2 No extra payment shall be made to the contracting agency on account of maintenance of Road works and removal of defect during the Defect Liability Period.
- 1.3 The word "Road Works" means all new Road Works construction, widening, strengthening, up-gradation and renewal works
- 1.4 The word "Maintenance of Road Works during Defect Liability Period" means
 - (i) Routine maintenance of Road Works,
 - (ii) To remove the defect as & when appear in part and the entire structure of Road Works, in the specified time and keeping the Road Surface with good riding quality and
 - (iii) Damages due to improper drainage/drains, local flooding, depressions on roads etc.
- 1.5 The contracting agency shall do the routine maintenance of Road works, including pavement, road side and cross drains including surface drains to the required standards and keep the entire road surface and structure in Defect free conditions during the entire period of routine maintenance, which begins at the completion of the construction work and ends after complete (DLP).
- 1.6 The routine maintenance shall consist of the routine maintenance operation defined in the manual for the maintenance of roads of MoRTH and shall be carried out accordingly.
- 1.7 The routine maintenance activities and their periodicity.

S.No.	Name of Item/Activity	Frequency of operations in one year
1	Restoration of rain cuts and dressing of berms.	Once in a year, generally after rains.
2	Making up of shoulders.	As and when required.
3	Maintenance of Bituminous surface road and/or gravel road/WBM road including filling potholes and patch repairs etc.	As and when required.
4	Insurance of proper functioning of drains including civil maintenance and desalting of drains. (If constructed by the same Road agency or not)	As and when required.

5	Maintenance of road signs. (If installed by the same Road agency)	Maintenance as and when required. Repainting once in every one and a half years.
6	Road Marking, Kerb Stone / Dand. (If done by the same Road agency)	Thermoplastic Paint Maintenance as and when required. Repainting once in everyone & a half year. Ordinary Paint Maintenance as and when required. Repainting thrice in every year.
7	Damages beyond the control of the agency.	Road cuts made by various agencies for utility, duly permitted by JDA / JNN will have to be repaired by the agency on the same rates of the contract agreement till DLP.

2. General

2.1 Inspection of works during the Defect Liability Period

2.1.1 The contracting agency shall undertake a joint detailed inspection along with Engineer-in-charge/A.En., at least once in three months in case of all Road works. The Engineer-in-charge can reduce this frequency in case of an emergency. The Contracting agency shall forward to the engineer in charge the record of inspection and rectification immediately after the joint inspection. The Contracting agency shall pay particular attention to those road sections, which are likely to be damaged during the rainy season.

2.1.2 One register has to be maintained by every AEN for recording the inspection details of works in his jurisdiction under defect liability period.

2.2 Conditions Regarding Performance Security

2.2.1 Security for DLP-

The contracting agency shall have to furnish Performance Security in the form of Bank Guarantee valid from the actual date of completion, which shall be assigned by the Engineer-in-charge.

2.2.2 The release of PS amount shall be as per following table 2 :-

S.No.	Released PS	DLP Period	1 Year	2 Years	3 Years	5 Years
1.	After 1 year		100%	40%	20%	10%
2.	After 2 year			60%	20%	10%
3.	After 3 year				60%	10%
4.	After 4 year					20%
5.	After 5 year					50%

The Performance Security will be released as per the above table after a satisfactory performance certificate issued by Engineer-In-Charge:-

2.2.3 Forfeiture of Performance Security

In case the contracting agency fails to rectify the defects within the stipulated period notified to him by the Engineer-in-charge concerned under the contract agreement, the Engineer-in-charge shall serve a final notice for 5 days time reckoned from the date of issue of notice to rectify the defects. In case the contracting agency not responding to the notice and fails in the rectification of defects the Engineer-in-charge will get the defect removed at the risk and cost of the contracting agency. Action such as encashment of Bank Guarantee and action under enlistment rules etc. shall also be taken against the contracting agency by the competent authority.

1.2.4 Force Majeure

The defect that arises due to earthquakes, cyclones, and natural calamities shall not be the responsibility of contracting agency.

2.2.5 Various conditions for managing DLP are as under :-

- (i) At the time of completion of work, final component shall be worked out for each individual item like BT/CC/tiles/ drains etc. (as per different categories in Table-I), DLP shall be operative based upon type of individual item ex:- CC-5 years, BT-1/2/3/5 years, Drain-3 years etc.
- (ii) If any work, amount is less than Rs. 25 lacs but later on due to extra/excess work, if amount of final work crosses more than Rs. 25 lacs, DLP shall be operative as per rule for each individual item.
- (iii) Similarly, if any work is more than Rs. 25 lacs but after finalization amount of work is less than Rs. 25 lacs, DLP should be operative for six months or rainy season whichever is later.
- (iv) During DLP period if contractor fails to repair any work even after the issue of 7 days written notice, the same work shall be got executed by the respective Executive Engineer at the contractor's risk and cost. This process shall be applicable throughout the DLP period. After completion of DLP period in such works contractor should be debarred and blacklisted, from JDA for three years as per RTPPP rule 2012 and 2013 where his defaults twice in a single agreement or in two different works.
- (v) Quarterly Inspection as per rules shall be carried out and DLP registers shall be maintained by respective Executive Engineers to monitor the DLP repairs.
- (vi) Special and regular inspection shall also be carried out as per order no. JDA/XEN & TA to DE-I/2014-15/D-223 dated 12.03.2015 and order no. SE (PMGSY) CIRCULAR 2006/D-115 dated 04.05.2006 Point no. 3.

(vii) In case JDA feels to take up work on any existing DLP road due to any reason, the following procedure should be adopted:

- (a) At the time of withdrawal total liability of repairs as per DLP conditions to be carried out and the contractor shall be asked to complete the same. After completion of assessed repairs, DLP period shall be released after deduction amt. as per following table-III.

Table-3

% Recovery on withdrawal of DLP of work order	1 Year	2 Year	3 Year	4 Year	5 Year
DLP period					
1 Year	1.12	-	-	-	-
2 Year	2.55	1.43	-	-	-
3 Year	4.38	3.26	1.83	-	-
5 Year	9	7.88	6.45	4.62	2.47

Note:- Calculation is to be done on a quarterly basis.

- (b) In case the Contractor fails to carry out these repairs, same shall be carried out at his risk and cost. If the total amt. of such repairs works out to be more than the total retained amount of PS same shall be recovered from other works and as per PDR rules. The amount as per Table 3 is also to be deducted in addition to this amount.
- (viii) Based upon the type of work, DLP conditions for works to be carried out during the DLP period with their frequency of the respective type of work shall be prepared by respective SE's after approval of these periods.
3. In case patch repairs/civil maintenance works costing more than Rs. 25.00Lakhs, defect liability period will as per clause 37(C) of Contract Agreement.

Executive Engineer (Elect.-III)
JDA, Jaipur

Specified Bank Guarantee Performa for Bid Security

Section - 6

Form of (Bank Guarantee) -En cashable at the branch of the bank in Jaipur City.

To

Secretary, Jaipur Development Authority, Jaipur

Sub:

Bank Guarantee No. _____ dated _____ for [amount of Security in figures] [in words] on behalf of _____ [Name of the Bidder] against Bid Security for the.....**JDA**

Jaipur WHEREAS, _____ [name of Bidder with address] (**hereinafter called "the Bidder"**) has submitted his Bid dated for the work of(here in after called " the Bid ").

KNOW ALL PEOPLE by these presents that we _____ (Name of Bank) of having our registered office at _____ [name of country] having our registered office at _____ (hereinafter called "the Bank") are bound unto Secretary, Jaipur Development Authority. (Hereinafter called "the Employer") in the sum of Rupees _____ [**Amount of Security in figures**] _____ (in words) only for which payment will and truly to be made to the said Employer, the Bank binds itself, its successors, and assigns by these presents.

That on demand of JDA , this Bank Guarantee is cashable at the following branch in Jaipur City.

1. Name of Bank:
2. Name of the branch with branch code:
3. Address:
4. E-Mail Id:
5. Telephone No.
6. Fax No.:

SEALED with the Common Seal of the said Bank this _____ day of _____ of 20_____.

THE CONDITIONS of this obligation are:

- (1) if the Bidder withdraws his Bid during the period of Bid validity specified in the Form of Bid;
- (2) if the Bidder refuses to accept the correction of errors in his bid;
- (3) If the Bidder, having been notified of the acceptance of his Bid by the Employer during the period of Bid validity;
 - (a) fails or refuses to execute the Form of Agreement in accordance with the Instructions to Bidders, or
 - (b) fails or refuses to furnish the Performance Security, in accordance with the Instructions to Bidders;

We undertake to pay to the Employer up to the above amount upon receipt of his first written demand, without the Employer having to substantiate his demand, provided that in his demand the Employer will note that the amount claimed by him is due to him owing to the occurrence of one or more of the above conditions, specifying the occurred condition or conditions.

This Guarantee will remain in force up to and including the date 30 days after the date of expiration of the Bid Validity, as stated in the Instructions to Bidders, or any such extension thereto as may be agreed by the Bidder, a notice of which extension(s) to the Bank is hereby waived. Any demand in respect of this Guarantee should reach the Bank no later than the above date.

The amount covered under the above Bank Guarantee shall be automatically credited in the accounts of JDA in ICICI Bank, JDA Campus, Jaipur through **ISFC code No ICICI 006754. Bank Account No.**

675401700518 on the date of expiry or its validity, unless the agencies get it re-validated well before its expiry date or produce NOC from JDA in writing for its release.

Date _____ Signature of the Bank _____

Witness _____ Seal _____

[Signature, Name, and Address]

[Note: To be furnished on appropriate non-judicial stamps & should be valid for the next 7 months from the bid opening date]

Specified Bank Guarantee Performa for Performance Security

Section - 6

Form of (Bank Guarantee) -En cashable at the branch of the bank in Jaipur City.

To

Secretary, Jaipur Development Authority, Jaipur

Sub:.....

Bank Guarantee No. _____ dated _____ for [amount of Security in figures] [in words] on behalf of _____ [Name of the Bidder] against Performance Security for the.....**JDA Jaipur**

WHEREAS, _____ [name of Bidder with address] (**hereinafter called "the Bidder"**) has submitted his Bid dated _____ for the work of _____(herein after called " the Bid ").

KNOW ALL PEOPLE by these presents that we _____

_____ (Name of Bank) of having our registered office at _____ [name of country] having our registered office at _____ (hereinafter called "the Bank") are bound unto Secretary, Jaipur Development Authority. (Hereinafter called "the Employer") in the sum of Rupees _____ [**Amount of Security in figures**] _____ (in words) only for which payment will and truly to be made to the said Employer, the Bank binds itself, its successors, and assigns by these presents.

That on demand of JDA, this Bank Guarantee is cashable at the following branch in Jaipur City.

1. Name of Bank:
2. Name of the branch with branch code:
3. Address:
4. E-Mail Id:
5. Telephone No.
6. Fax No.:

SEALED with the Common Seal of the said Bank this _____ day of _____ of 20____.

We undertake to pay to the Employer up to the above amount upon receipt of his first written demand within valid period of this guarantee.

This Guarantee will remain in force up to and including the date 30 days after the date of expiration of the Bid Validity, as stated in the Instructions to Bidders, or any such extension thereto as may be agreed by the Bidder, a notice of which extension(s) to the Bank is hereby waived. Any demand in respect of this Guarantee should reach the Bank no later than the above date.

The amount covered under the above Bank Guarantee shall be automatically credited to the accounts of JDA in ICICI Bank, JDA Campus, Jaipur through **ISFC code No ICICI 006754. Bank Account No. 675401700518** on the date of expiry or its validity, unless the agencies get it re-validated well before its expiry date or produce NOC from JDA in writing for its release.

Date _____ Signature of the Bank _____

Witness _____ Seal _____

[Signature, Name and Address]

[Note: To be furnished on appropriate non-judicial stamps.]

Compliance with the Code of Integrity and No Conflict of Interest

Any person participating in a procurement process shall-

- (a) Not offer any bribe, reward or gift or any material benefit either directly or indirectly in exchange for an unfair advantage in the procurement process or to otherwise influence the procurement process;
- (b) Not misrepresent or omit that misleads or attempts to mislead so as to obtain a financial or other benefit or avoid an obligation;
- (c) Not indulge in any collusion, Bid-rigging or anti-competitive behavior to impair the transparency, fairness and progress of the procurement process;
- (d) Not misuse any information shared between the procuring entity and the bidders with an intent to gain an unfair advantage in the procurement process;
- (e) Not indulge in any coercion including impairing or harming or threatening to do the same, directly or indirectly, to any party or to its property to influence the procurement process;
- (f) Not obstruct any investigation or audit of a procurement process;
- (g) Disclose conflict of interest, if any; and
- (h) Disclose any previous transgressions with any entity in India or any other country during the last three years or any debarment by any other procuring entity.

Conflict of interest:

The Bidder participating in a bidding process must not have a Conflict of Interest.

A Conflict of interest is considered to be a situation in which a party has interests that could improperly influence that party's performance of official duties or responsibilities, contractual obligations, or compliance with applicable laws and regulations.

A bidder may be considered to be in conflict of interest with one or more parties in the bidding process if, including but not limited to:

- (a) Have controlling partners/shareholders in common; or
- (b) Receive or have received any direct or indirect subsidy from any of them; or
- (c) Have the same legal representative for purposes of the bid; or
- (d) have a relationship with each other, directly or through common third parties, that puts them in a position to have access to information about or influence on the bid of another bidder, or influence the decisions of the procuring Entity regarding the bidding process; or
- (e) The bidder participates in more than one bid in a bidding process. Participation by a bidder in more than one bid will result in the disqualification of all bids in which the bidder is involved. However, this does not limit the inclusion of the same subcontractor, not otherwise participating as a bidder, in more than one bid; or
- (f) the bidder or any of its affiliates participated as a consultant in the preparation of the design or technical specifications of the goods, works or services that are the subject of the Bid; or
- (g) Bidder or any of its affiliates has been hired (or proposed to be hired) by the procuring entity as engineer-in-charge/consultant for the contract.

Declaration by the Bidder regarding Qualifications

Declaration by the Bidder

In relation to my/our Bid submitted to **Executive Engineer (Elect.-III)** for procurement of **Annual Electrical Operation, Repair And Maintenance Contract Of Kanak Bhawan For 3 Years, Central Park, JDA, Jaipur** in response to their Notice inviting Bid No. **36/2025-26**. I/wehereby declare under Section 7 of Rajasthan Transparency in Public Procurement Act, 2012 that:

1. I/we possess the necessary professional, technical, financial and managerial resources and competence required by the Bidding Document issued by the Procuring Entry;
2. I/we have fulfilled my/our obligation to pay such of the taxes payable to the union and the state government or any local authority as specified in the Bidding Document.
3. I/we are not insolvent, in receivership, bankrupt or being wound up, not have my/our affairs administered by a court or a judicial officer, not have my/our business activities suspended and not the subject of legal proceedings for any of the foregoing reasons;
4. I/we do not have, and our directors and officers not have, been convicted of any criminal offense related to my/our professional conduct or the making of false statements or misrepresentations as to my/our qualifications to enter into a procurement contract within a period of three years preceding the commencement of this procurement process, or not have been otherwise disqualified pursuant to debarment proceedings;
5. I/we do not have a conflict of interest as specified in the Act, Rules and the Bidding Document, which materially affects fair competition;

Date:

Signature of the bidder

Place:

Name:

Designation:

Address:

Note:- Annexure "B" is mandatory to be fulfilled & signed with seal by the bidder failing which the bid shall summarily be rejected without asking any clarification.

Grievance Redressal during Procurement Process

The designation and address of the First Appellate Authority :

For works costing up to Rs. 300.00Lakhs - Jaipur Development Commissioner, JDA, Jaipur.

For works costing above Rs. 300.00Lakhs - Executive Committee, JDA, Jaipur.

The designation and address of the Second Appellate Authority:

For works costing up to Rs. 300.00Lakhs - Executive Committee, JDA, Jaipur.

For works costing above Rs. 300.00Lakhs - Principle Secretary/ACS, Urban Development & Housing Department, GOR, Jaipur.

(1) Filing an appeal: -

if any bidder or prospective bidder is aggrieved that any decision, action or omission of the procuring entity is in contravention to the provisions of the Act or the rules or the guidelines issued there under, he may file an appeal to First Appellate authority, as specified in the Bidding document within a period of ten days from the date of such decision or action, omission, as the case may be, clearly giving the specific ground or grounds on which, he feels aggrieved:

Provided that after the declaration of a bidder as successful the appeal may be filed only by a bidder who has participated in procurement proceedings:

Provided further that in case a procuring entity evaluates the technical bids before the opening of the financial bids, an appeal related to the matter of financial bids may be filed only by a bidder whose technical bid is found to be acceptable.

(2) The officer to whom an appeal is filed under Para (1) shall deal with the appeal as expeditiously as possible and shall Endeavour to dispose it of within thirty days from the date of the appeal.

(3) If the officer designated under Para (1) fails to dispose of the appeal filed within the period specified in Para (2), or if the bidder or prospective bidder or the procuring entity is aggrieved by the order passed by the first appellate authority, the bidder or prospective bidder or the procuring entity, as the case may be, may file a second appeal to the second appellate authority specified in the bidding document in this behalf within fifteen days from the expiry of the period specified in Para (2) or of the date of receipt of the order passed by the first appellate authority, as the case may be.

(4) Appeals not to lie in certain cases: -

No appeal shall lie against any decision of the procuring entity relating to the following matters, namely: -

- (a) Determination of the need of procurement
- (b) Provisions limiting the participation of bidders in the bid process
- (c) The decision of whether or not to enter into negotiations
- (d) Cancellation of a procurement process
- (e) Applicability of the provisions of confidentiality

(5) Form of Appeals: -

- (a) An appeal under Para (1) or (3) above shall be in the annexed form along with as many copies as there are respondents in the appeal.
- (b) Every appeal shall be accompanied by an order appealed against, if any, Affidavit verifying the facts stated in the appeal and proof of payment of fee,
- (c) Every appeal may be presented to the first appellate authority or second Appellate authority, as the case may be, in person or through registered post or authorized representative.

(6) Fee for filing Appeal: -

- (a) Fee for the first appeal shall be rupees two thousand five hundred and for the second appeal shall be rupees ten thousand, which shall be non-refundable.
- (b) The fee shall be paid in the form of a bank demand draft or banker's cheque of a scheduled bank in India payable in the name of the appellate authority concerned.

(7) Procedure for disposal of Appeal: -

- (a) The first appellate authority or second appellate authority as the case may be, upon the filing of the appeal, shall issue notice accompanied by a copy of the appeal, affidavit and documents, if any, to the respondents and fix a date of hearing
- (b) On the date fixed for hearing, the first appellate authority or the second appellate authority, as the case may be shall-
 - (i) Hear all the parties appeal presenting before him; and
 - (ii) Peruse or inspect documents, relevant records or copies thereof relating to the matter.
- (c) After hearing the parties, perusal or inspection of documents and relevant records or copies thereof relating to the matter, the appellate authority concerned shall pass an order in writing and provide a copy of the order to the parties to appeal free of cost.
- (d) The order passed under sub-clause (c) above shall also be placed on the state public procurement portal.

Additional Conditions of Contract

1. Correction of arithmetical errors

Provided that a financial bid is substantially responsive, the procuring entity will correct arithmetical errors during the evaluation of financial Bids on the following basis:

- (i) if there is a discrepancy between the unit price and the total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail and the total price shall be corrected unless in the opinion of the procuring entity, there is an obvious misplacement of the decimal point in the unit price, in which case the total price as quoted shall govern and the unit price shall be corrected;
- (ii) if there is an error in a total corresponding to the addition or subtraction of subtotals, the subtotals shall prevail and the total shall be corrected; and
- (iii) if there is a discrepancy between words and figures, the amount in words shall prevail, unless the amount expressed in words is related to an arithmetic error, in which case the amount in figures shall prevail subject to (i) and (ii) above.

If the Bidder that submitted the lowest evaluated bid does not accept the correction of errors, its bid shall be disqualified and its bid security shall be forfeited or its bid securing declaration shall be executed.

2. Procuring Entity's Right to Vary quantities.

- (i) At the time of award of the contract, the quantity of goods, works or services originally specified in the bidding documents may be increased or decreased, by a specified percentage, but such increase or decrease shall not exceed fifty percent, of the quantity specified in the bidding documents. It shall be without any change in the unit prices or other terms and conditions of the bid and the conditions of the contract.
- (ii) If the Procuring entity does not procure any subject matter of procurement or procures less than the quantity specified in the bidding document due to change circumstances, the bidder shall not be entitled to any claim or compensation except otherwise provided in the conditions of the contract.
- (iii) In case of procurement of goods or services, additional quantity may be procured by placing a repeat order on the rates and conditions of the original order. However, the additional quantity shall not be more than 25% of the value of goods of the original contract and shall be within one month from the date of expiry of the last supply. If the supplier fails to do so, the procuring entity shall be free to arrange for the balance supply by limited bidding or otherwise and the extra cost incurred shall be recovered from the supplier.

3. Dividing quantities among more than one bidder at the time of award (In case of procurement of Goods):-

As a general rule, all the quantities of the subject matter of procurement shall be procured from the Bidder, whose Bid is accepted. However, when it is considered that the quantity of the subject matter of procurement to be procured is very large and it may not be in the capacity of the Bidder, whose Bid is accepted, to deliver the entire quantity or when it is considered that the subject matter of procurement to be procured is of critical and vital nature, then in such cases, the quantity may be divided between the Bidder, whose Bid is accepted and the second lowest Bidder or even more Bidder in that order, in a fair, transparent and equitable manner at the rates of the Bidder, whose Bid is accepted.

Process for Tender Participation & Depositing Payment on ‘Online Tender Participation’ Portal of JDA & Bid Submission on ‘e-Procurement Portal’ of Government of Rajasthan: -

A*Process for Tender Participation & Depositing Payment on ‘Online Tender Participation’ Portal of JDA

1-Participate in tender

- a) Bidder can access ‘Online Tender Participation’ Portal of JDA at <https://jda.urban.rajasthan.gov.in/jda> or by Single-Sign-On at <http://service.jaipurjda.org>.
- b) Create user Login with a valid mobile number to register yourself for various Online Services of JDA.
- c) Select ‘Proceed as Citizen’ and then ‘Proceed for Subscription’ for ‘Tender Online Payment’. The prevailing plan for getting registered for tendering process of JDA is Rs. 500.00 with a validity period of 3 Years (renewable).
- d) After successful payment, re-login and upload required documents for KYC (Know Your Client) compliance as per the type of entity viz. Individuals/ Company/ Partnership Firms/ Trusts & foundations. Besides, Bank Passbook / Cancelled Cheque consisting of Bank Account, IFSC Code is mandatory to be uploaded, to refund the bid security of unsuccessful bidder.
- e) After receiving the payment successfully and approving KYC documents the bidder will be authenticated by JDA for taking part in Tender.

2-Deposit Tender Fee, RISL processing fee and Bid Security (EMD)

- **Option-1:** Payment Gateway (Aggregator)
The facility to make payment through Debit Card, Credit Card, Net banking etc., will be available. User can use this facility from anywhere any time till the closing date & time of bid participation.
- **Option-2:** Electronic Fund Transfer (EFT: NEFT/RTGS)
If the bidder selects payment mode as EFT (NEFT/RTGS), “Paying Slip for EFT (NEFT/RTGS)” will be generated by the system for the complete amount. The payment can be made from any Bank any Branch using this Paying Slip through NEFT/RTGS (Claim against payment made through EFT in any other JDA bank account will not be acceptable and bidder stands disqualified from participation in the bid applied for). After successful transaction through NEFT/RTGS, as per the standard procedures it may take 4 to 24 hours in process of confirmation of EFT through Auto-Process depending on the time of EFT done. Therefore, option to make payment through EFT (NEFT/RTGS) will be available till 48 hours prior to closing date of bid participation.

3-Deposit Bid Security (EMD)

The Bid Security (EMD) can be submitted through Bank Guarantee (BG). Bidder may opt Bank Guarantee (BG) against Bid Security (EMD), for which bidder requires to prepare BG before applying in the tender. The detail of BG requires to be fed on ‘Online Tender Participation’ Portal of JDA before paying balance amount (Tender Fee + RISL Processing Fee). This balance amount will be paid through Payment Gateway only, option to make balance payment through EFT (RTGS/NEFT) will not be available.

4-Obtain Bid Participation Receipt

After confirming payment, the bidder will get Bid Participation Receipt based on which user will get the payment details along with other details for bidding on e-Procurement portal of GOR.

- In case of BG as the remaining payment will be done through Payment Gateway, on successful transaction the ‘Bid Participation Receipt’ will be generated on real time basis.
- In case complete payment is done through Payment Gateway, on successful transaction the ‘Bid Participation Receipt’ will be generated on real time basis.
- In case complete payment is done through EFT (NEFT/RTGS), on confirmation of payment from ICICI Bank (Auto Process) ‘Bid Participation Receipt’ will be available on Login of Bidder on JDA portal.

B-**Bid Submission on ‘e-Procurement Portal’ of Government of Rajasthan

- 1- Online e-Bid can be submitted after registration at e-Procurement Portal of Government of Rajasthan www.eproc.rajasthan.gov.in

- 2- It is mandatory to upload Bid Participation Receipt with the bid submission.
- 3- Details of online payment available on Tender Participation Portal of JDA have to be filled in 'offline payment' section of e-Procurement portal.

Note

- 1- Bidder (authorized signatory) shall submit their offer on-line in electronic formats both for technical and financial proposal.
- 2- In case, any of the bidders fails to pay the Tender Fee, BSD, and RISL Processing Fee, online (subject to confirmation), its Bid shall not be accepted.
- 3- To participate in online bidding process, Bidders must procure a Digital Signature Certificate (Type III) as per Information Technology Act-2000 using which they can digitally sign their electronic bids. Bidders can procure the same from any CCA approved certifying agency, i.e., TCS, Safe crypt, n Code etc. Bidders who already have a valid Digital Signature Certificate (DSC) need not procure a new DSC. Also, bidders must register on <http://eproc.rajasthan.gov.in> (bidders already registered on <http://eproc.rajasthan.gov.in> before 30-09-2011 must register again).
- 4- JDA will not be responsible for delay in online submission due to any reason. For this, bidders are requested to upload the complete bid well advance in time so as to avoid 11th hour issues like slow speed; choking of web site due to heavy load or any other unforeseen problems.
- 5- Bidders are also advised to refer "Bidders Manual Kit" available at e-Proc website for further details about the e-Tendering process.
- 6- Training for the bidders on the usage of e-Tendering System (eProcurement) is also being arranged by DoIT&C, GoR on a regular basis. Bidders interested in training may contact e-Procurement Cell, DoIT&C for booking the training slot.

Contact No: 0141-4022688 (Help desk 10 am to 6 pm on all working days) e-mail: eproc@rajasthan.gov.in

Address: e-Procurement Cell, JDA, Yojana Bhawan, Tilak Marg, C-Scheme, Jaipur

- 7- The procuring entity reserves the complete right to cancel the bid process and reject any or all of the Bids.
- 8- No contractual obligation whatsoever shall arise from the bidding document/ bidding process unless and until a formal contract is signed and executed between the procuring entity and the successful bidder.
- 9- Procurement entity disclaims any factual/ or other errors in the bidding document (the onus is purely on the individual bidders to verify such information) and the information provided therein are intended only to help the bidders to prepare a logical bid-proposal.
- 10- The provisions of RTPPA Act 2012 and Rules thereto shall be applicable for this procurement. Furthermore, in case of any inconsistency in any of the provisions of this bidding document with the RTPPA Act 2012 and Rules thereto, the later shall prevail.

Jaipur Development Authority, Jaipur. Bid Participation Receipt	
	Date & Time:-
Bid Detail	
Bid ID:	Procurement Entity:-
Bid Title:	
Bid Value:	Bid Opening Place:
Bidder Detail	
Name of Entity:	Mobile No.:
Registration Type:	Instrument Amount:
Payment Mode:	Payment Channel:
Instrument No.:	Instrument Date:

Dates Detail		
Sr. No.	Event Name	Event Date
1	Publishing Date	
2	Bid Opening Date	

Specific Instrument for e-Proc Rajasthan			
Instrument Type			
Instrument Number	Head Name	Amount	Date
	Tender Fee		
	RISL Processing Fee		
	Bid Security Deposit		
Issuer Detail: Jaipur Development Authority		Challan Number:	

More details about Registration Process, Terms and Conditions and FAQ along with contact detail is available on JDA website www.jda.urban.rajasthan.gov.in.

Tender Inviting Authority: JAIPUR DEVELOPMENT AUTHORITY, JAIPUR

Name of Work : Annual Electrical Operation, Repair and Maintenance Contract for Two Years of JDA Staff Quarters at Sethi Colony, Lalkothi and Malviya Nagar and Nehru Place, JDA Jaipur

Contract No: EE (ELECT-III)/38/2025-26

Name of the Bidder/ Bidding Firm/ Company :

PRICE SCHEDULE

(This BOQ template must not be modified/replaced by the bidder and the same should be uploaded after filling the relevant columns, else the bidder is liable to be rejected for this tender. Bidders are allowed to enter the Bidder Name and Values only)

Sl. No.	Item Description	Quantity	Units	Estimated Rate in Rs. P	TOTAL AMOUNT With All Taxes in Rs. P	TOTAL AMOUNT In Words
	Wiring of light point/ fan point/ exhaust fan point/ call bell point with 1.5 sq. mm nominal size FR PVC insulated unsheathed flexible copper conductor 1.1 kV grade and 1.5 sq. mm nominal size FR PVC insulated unsheathed flexible copper earth conductor 1.1 kV grade (IS:694) in recessed ISI marked MMS (IS:9537 P - III) virgin material PVC conduit & it's ISI marked (IS:3419-1988) accessories, round tiles, 1.2 mm thick Hot Dipped Galvanized Modular Box with earth terminal, 10A Modular switch, Modular face plate with grid plate, 3 pin ceiling rose / Holder /3 way connector, screws, making connections, testing etc. as required. For specification of copper Conductor, Phenolic Laminated sheet's & Electrical/ Wiring accessories refer Chapter E - 04, E - 05 & E - 07 For additional technical parameters of product / work refer Annexure 'A' attached with this BSR					
	Short point (up to 3 mtr.)	150.000	P.Point	359.00	53850.00	INR Fifty Three Thousand Eight Hundred Fifty & Paise Zero Only
	Medium point (up to 6 mtr.)	50.000	P.Point	578.00	28900.00	INR Twenty Eight Thousand Nine Hundred & Paise Zero Only
	Wiring of 3/5 pin 6 amp. Light plug point with 1.5 sq. mm nominal size FR PVC insulated unsheathed flexible copper conductor 1.1 kV grade and 1.5 sq. mm nominal size FR PVC insulated unsheathed flexible copper earth conductor 1.1 kV grade (IS:694) in recessed ISI marked MMS (IS:9537 P - III) PVC conduit & it's ISI marked (IS:3419-1988) accessories, Hot Dipped Galvanized Modular box of 1.2 mm thick with earth terminal, 10 A modular switch, 3/5 pin 6 A modular socket, Modular face plate with grid plate, screws, making connections, testing etc. as required. For specification of copper Conductor, Phenolic Laminated sheet's & Electrical/ Wiring accessories refer Chapter E - 04, E - 05 & E - 07 For additional technical parameters of product / work refer Annexure 'A' attached with this BSR					
	On board	150.000	P. point	357.00	53550.00	INR Fifty Three Thousand Five Hundred Fifty & Paise Zero Only
	Short point (up to 3 mtr.)	50.000	P. point	507.00	25350.00	INR Twenty Five Thousand Three Hundred Fifty & Paise Zero Only
	S&F following sizes of ISI marked (IS:14927 P - II) virgin material UPVC trunking along with accessories like coupler, inner, outer, elbow, square box, tee, end cap etc. on surface with screws, expansion fasteners as required. For additional technical parameters of product / work refer Annexure 'A' attached with this BSR					
	25 mm x 12 mm	500.000	R. mtr.	50.00	25000.00	INR Twenty Five Thousand & Paise Zero Only

Sl. No.	Item Description	Quantity	Units	Estimated Rate in Rs. P	TOTAL AMOUNT With All Taxes in Rs. P	TOTAL AMOUNT In Words
	S&F following sizes (dia.) of ISI marked virgin material MMS (IS:9537 P - III) PVC conduit along with ISI marked (IS:3419-1988) accessories as required in recess including cutting the wall, covering conduit and making good the same as required. For additional technical parameters of product / work refer Annexure 'A' attached with this BSR					
	25 mm.	500.000	R. Mtr.	56.00	28000.00	INR Twenty Eight Thousand & Paise Zero Only
	Supplying and drawing FR PVC insulated & unsheathed flexible copper conductor as per PWD specification for electrical Works with ISI marked (IS:694) and as per IS 8130 : 2013 of 1.1 kV grade . Wire should be made from 99.90 % purity copper, class 5 stranding in acc. to IS:8130/IEC 60228 for lower watt loss , oxygen free for less chances of oxidization, insulation PVC type A/C/D , flame retardant as per IS 10810-53, better amperage rating as per IS:3961 part 5, in existing surface or recessed PVC/ MS conduit/casing capping making connections with Copper Lugs of suitable size, Ferrules,testing etc. as required. OEM Must have its own in house NABL lab setup for all testing facilities for wires. For additional technical parameters of product / work refer Annexure 'A' attached with this BSR					
	2 x 1.5 sq.mm	4000.000	Mtr.	43.00	172000.00	INR One Lakh Seventy Two Thousand & Paise Zero Only
	2 x 2.5 sq.mm	3000.000	Mtr.	61.00	183000.00	INR One Lakh Eighty Three Thousand & Paise Zero Only
	2 x 2.5 sq. mm. + 1 x 1.5 sq.mm	1450.000	Mtr.	81.00	117450.00	INR One Lakh Seventeen Thousand Four Hundred Fifty & Paise Zero Only
	1 x 4.0 sq.mm	700.000	Mtr.	48.00	33600.00	INR Thirty Three Thousand Six Hundred & Paise Zero Only
	2 x 4.0 sq.mm. + 1 x 2.5 sq.mm	1400.000	Mtr.	122.00	170800.00	INR One Lakh Seventy Thousand Eight Hundred & Paise Zero Only
	Providing & Fixing of 240/415 V AC MCB with positive isolation of 10 kA breaking capacity (B/ C/D tripping characteristic as per type of load and site requirement) 4 KV impulse withstand voltage, ISI marked IS 8828(1996) / conforming to IEC 60898-1 2002, IEC 60947-2, low watt losses, trip free mechanism , energy limiting of class 3 as per IEC, minimum phase termination capacity of 35sq.mm. , conductor line load reversibility , IP 20 contact protection and fitted in existing distribution board/sheets, minimum electrical operation 20,000 upto 20 A rating and 10,000 upto 63 A, 5000 for 80 A & above rating including making connections, testing etc. as required. OEM shall have submit NABL / CPRI / ERDA accredited lab type test reports & All as per pre approved by Engineer in charge. For additional technical parameters of product / work refer Annexure 'A' attached with this BSR					
	Single pole MCB (With B/C curve tripping Characteristics), 6 A to 32 A rating	100.000	Each	187.00	18700.00	INR Eighteen Thousand Seven Hundred & Paise Zero Only
	Four pole MCB (With B/C curve tripping Characteristics), 50/63 A rating	45.000	Each	1745.00	78525.00	INR Seventy Eight Thousand Five Hundred Twenty Five & Paise Zero Only
	Providing & Fixing of 240/415 V isolator ISI marked IS:13947-III/conforming to IEC 60947-3, suitable for AC22A utilization category, 4KV impulse withstand voltage, true contact indication, Red colour dolly / lever shall have single mould covering over all poles for operation , two position din rail mounting, minimum phase termination capacity of 35sq.mm. IP 20 contact protection and fitted in existing distribution board / sheet including making connections, testing etc. as required. OEM shall have submit NABL / CPRI / ERDA accredited lab type test reports & All as per pre approved by Engineer in charge. For additional technical parameters of product / work refer Annexure 'A' attached with this BSR					

Sl. No.	Item Description	Quantity	Units	Estimated Rate in Rs. P	TOTAL AMOUNT With All Taxes in Rs. P	TOTAL AMOUNT In Words
	Double pole isolator, 63 A rating	40.000	Each	453.00	18120.00	INR Eighteen Thousand One Hundred Twenty & Paise Zero Only
	Four pole isolator, 63 A rating	10.000	Each	818.00	8180.00	INR Eight Thousand One Hundred Eighty & Paise Zero Only
	P & F ISI marked (IS:3854) 6 amp. flush type non modular switch with CM/L no. printed and made out from industrial grade Polycarbonate or fire resistant ABS material including cutting hole in tile and making connection testing etc. as required. All as per pre approved by Engineer in charge. For additional technical parameters of products/ work , refer Annexure "A" attached with this BSR .	260.000	Each	23.00	5980.00	INR Five Thousand Nine Hundred Eighty & Paise Zero Only
	P & F ISI marked (IS :3854) 16 amp. flush type non modular switch CM/L no. printed and made out from industrial grade Polycarbonate or fire resistant ABS material including cutting hole in tile and making connection testing etc. as required. All as per pre approved by Engineer in charge. For additional technical parameters of products/ work , refer Annexure "A" attached with this BSR .	160.000	Each	50.00	8000.00	INR Eight Thousand & Paise Zero Only
	Providing & Fixing of ISI marked (IS :3854) non modular 6A bell push surface type CM/L no. printed and made out from industrial grade Polycarbonate or fire resistant ABS material including making connection testing etc. as required.All as per pre approved by Engineer in charge. For additional technical parameters of products/ work , refer Annexure "A" attached with this BSR .	40.000	Each	34.00	1360.00	INR One Thousand Three Hundred Sixty & Paise Zero Only
	Providing & Fixing of 6 amp. Combined flush type non modular socket and switch set as per PWD specification for electrical Works,made out from industrial grade Polycarbonate or fire resistant ABS material including cutting hole in tile and making connection testing etc. as required. All as per pre approved by Engineer in charge. For additional technical parameters of products/ work , refer Annexure "A" attached with this BSR .	250.000	Each	123.00	30750.00	INR Thirty Thousand Seven Hundred Fifty & Paise Zero Only
	Providing & Fixing of 16 amp. Combined flush type non modular socket and switch set with indicator and fuse set as per PWD specification for electrical Works, made out from industrial grade Polycarbonate or fire resistant ABS material including cutting hole in tile and making connection testing etc. as required. All as per pre approved by Engineer in charge. For additional technical parameters of products/ work , refer Annexure "A" attached with this BSR .	150.000	Each	180.00	27000.00	INR Twenty Seven Thousand & Paise Zero Only
	Providing & Fixing of ISI marked (IS:1258) batten/angle lamp holder with CM/L no. printed and made out from industrial grade Polycarbonate or fire resistant ABS material, brass terminal & captive screwsincluding making connection testing etc. as required. All as per pre approved by Engineer in charge. For additional technical parameters of products/ work , refer Annexure "A" attached with this BSR .	45.000	Each	30.00	1350.00	INR One Thousand Three Hundred Fifty & Paise Zero Only
	Providing & Fixing of ISI marked (IS:1293) 6 amp unbreakable 3 pin plug top having lamp indicator with CM/L no. printed and made out from industrial grade Polycarbonate or fire resistant ABS material, brass terminal including making connection testing etc. as required. All as per pre approved by Engineer in charge. For additional technical parameters of products/ work , refer Annexure "A" attached with this BSR .	40.000	Each	44.00	1760.00	INR One Thousand Seven Hundred Sixty & Paise Zero Only
	Providing & Fixing of ISI marked (IS:1293) 16 amp unbreakable 3 pin plug top having lamp indicator with CM/L no. printed and made out from industrial grade Polycarbonate or fire resistant ABS material, brass terminal including making connection testing etc. as required. All as per pre approved by Engineer in charge. For additional technical parameters of products/ work , refer Annexure "A" attached with this BSR .	40.000	Each	68.00	2720.00	INR Two Thousand Seven Hundred Twenty & Paise Zero Only

Sl. No.	Item Description	Quantity	Units	Estimated Rate in Rs. P	TOTAL AMOUNT With All Taxes in Rs. P	TOTAL AMOUNT In Words
	Providing & Fixing of IS 11037:1984 marked non modular socket size flush type 120 watt rotary minimum 5 step fan regulator with CM/L no. printed and made out from industrial grade Polycarbonate or fire resistant ABS material including making connection testing etc. as required. All as per pre approved by Engineer in charge. For additional technical parameters of products/ work , refer Annexure "A" attached with this BSR .	150.000	Each	199.00	29850.00	INR Twenty Nine Thousand Eight Hundred Fifty & Paise Zero Only
	Providing & Fixing of single / multi tone electronic call bell as per PWD specification for electrical Works, including making connection testing etc. as required. All as per pre approved by Engineer in charge. For additional technical parameters of products/ work , refer Annexure "A" attached with this BSR .	145.000	Each	492.00	71340.00	INR Seventy One Thousand Three Hundred Forty & Paise Zero Only
	Providing & Fixing of modular type switch/ bell push duly ISI marked (IS :3854) with CM/L no. printed and made out of unbreakable and fire retardant vergin UV Stabilized Polycarbonate with brass terminals and captive screws & silver alloy contact tip with IP-20 rating ,minimum width of switch toggle(PUSH PART) should not less then 20mm, including all as per pre approved by Engineer in charge,making connections, testing etc. as required. For additional technical parameters of product / work refer Annexure 'A' attached with this BSR					
	10 A one way switch	500.000	Each	55.00	27500.00	INR Twenty Seven Thousand Five Hundred & Paise Zero Only
	16 A one way switch With Led Indicator	150.000	Each	113.00	16950.00	INR Sixteen Thousand Nine Hundred Fifty & Paise Zero Only
	Providing & Fixing of modular type lockable feature socket duly made out of unbreakable and fire retardant vergin poly carbonate with brass terminals and captive screws & silver alloy contact tip with IP-20 rating , including all as per pre approved by Engineer in charge,making connections, testing etc. as required. For additional technical parameters of product / work refer Annexure 'A' attached with this BSR					
	6 A 3/5 pin shuttered socket	300.000	Each	107.00	32100.00	INR Thirty Two Thousand One Hundred & Paise Zero Only
	6/16 A shuttered socket	200.000	Each	176.00	35200.00	INR Thirty Five Thousand Two Hundred & Paise Zero Only
	Providing & Fixing of modular type 120 W Step Fan regulator duly ISI marked (IS 11037:1984) with CM/L no. printed made out of unbreakable and fire retardant vergin poly carbonate with brass terminals and captive screws & silver alloy contact tip with IP-20 rating , including all as per pre approved by Engineer in charge,making connections, testing etc. as required. For additional technical parameters of product / work refer Annexure 'A' attached with this BSR					
	5 step fan regulator 2 Module 360 dgree rotating	100.000	Each	398.00	39800.00	INR Thirty Nine Thousand Eight Hundred & Paise Zero Only
	Providing & Fixing of following modular accessories as per PWD specification for electrical Works, made out of unbreakable and fire retardant vergin poly carbonate with brass terminals and captive screws & silver alloy contact tip with IP-20 rating , including all as per pre approved by Engineer in charge,making connections, testing etc. as required. For additional technical parameters of product / work refer Annexure 'A' attached with this BSR					
	Blanking plate	100.000	Each	22.00	2200.00	INR Two Thousand Two Hundred & Paise Zero Only
	Modular MCB 6 A to 32 A SP	50.000	Each	225.00	11250.00	INR Eleven Thousand Two Hundred Fifty & Paise Zero Only

Sl. No.	Item Description	Quantity	Units	Estimated Rate in Rs. P	TOTAL AMOUNT With All Taxes in Rs. P	TOTAL AMOUNT In Words
	Providing & Fixing of following size mounting grid plates with cover plates made from fire retardent UV established high performance engineering plastic suitable for all universal metal boxes for front installation & removal direct fit type complete in all respect.All as per pre approved by Engineer in charge. For additional technical parameters of products/ work , refer Annexure "A" attached with this BSR .					
	1/2 Module	50.000	Each	65.00	3250.00	INR Three Thousand Two Hundred Fifty & Paise Zero Only
	3 Module	25.000	Each	86.00	2150.00	INR Two Thousand One Hundred Fifty & Paise Zero Only
	4 Module	25.000	Each	89.00	2225.00	INR Two Thousand Two Hundred Twenty Five & Paise Zero Only
	8 Module	50.000	Each	155.00	7750.00	INR Seven Thousand Seven Hundred Fifty & Paise Zero Only
	12 Module	25.000	Each	214.00	5350.00	INR Five Thousand Three Hundred Fifty & Paise Zero Only
	Providing & Fixing of Wiring Accessories OEM fabricated following size virgin material UPVC modular boxes on surface suitable for modular accessories as required.All as per pre approved by Engineer in charge. For additional technical parameters of products/ work , refer Annexure "A" attached with this BSR .					
	1-2-3 Module	50.000	Each	98.00	4900.00	INR Four Thousand Nine Hundred & Paise Zero Only
	4-5 Module	25.000	Each	152.00	3800.00	INR Three Thousand Eight Hundred & Paise Zero Only
	6-8 Module	50.000	Each	216.00	10800.00	INR Ten Thousand Eight Hundred & Paise Zero Only
	10-12 Module	25.000	Each	287.00	7175.00	INR Seven Thousand One Hundred Seventy Five & Paise Zero Only
	Providing & Fixing of BEE Star rated copper wounded double ball bearing capacitor start, aluminium body & Metallic blade ceiling fan Conforming to all the performance requirements laid down in IS 374:2019 including all amendments, as applicable ; & Carry BIS licensing (i.e. ISI marking) with down rod up to 80 cm with secondary support safety cable (steel rope) , cotter pin with 3 x 1.5 sq.mm pvc insulated flexible copper conductor making connection testing etc. as required. All as per pre approved by Engineer in charge. For additional technical parameters of products/ work , refer Annexure "A" attached with this BSR . 1200 mm Sweep BEE 1 Star rated (service value >=4.0 to < 4.5)	75.000	Each	1890.00	141750.00	INR One Lakh Forty One Thousand Seven Hundred Fifty & Paise Zero Only
	Providing & Fixing of of Double ball bearing, copper wounded capacitor start single phase metallic blade fresh air fan, in existing opening including cost of hardware , flexible 3 core copper conductor ,making connections, testing etc. as required. All as per pre approved by Engineer in charge. For additional technical parameters of products/ work , refer Annexure "A" attached with this BSR . 300 mm sweep	25.000	Each	1822.00	45550.00	INR Forty Five Thousand Five Hundred Fifty & Paise Zero Only
	Providing & Fixing of Heavy duty capacitor start, copper wound Double ball bearing 900/1400 RPM single phase Exhaust fan conforming to IS:2312 ISI marked in existing opening including making connections testing etc. as required. All as per pre approved by Engineer in charge. For additional technical parameters of products/ work , refer Annexure "A" attached with this BSR . 300 mm sweep(900/1400 RPM)	25.000	Each	3175.00	79375.00	INR Seventy Nine Thousand Three Hundred Seventy Five & Paise Zero Only

Sl. No.	Item Description	Quantity	Units	Estimated Rate in Rs. P	TOTAL AMOUNT With All Taxes in Rs. P	TOTAL AMOUNT In Words
	Providing & Fixing of 400 mm Sweep BLDC technology Oscillating type Wall mounting / Pedestal type fans with Three speed, ON and OFF position, Double Wall bearing with front and back 120 or more ribs guard; Three no. blades, noise level should be <= 75 dB, including fixing with anchor bolts, making connection testing etc. as required. (With Remote) All as per pre approved by Engineer in charge. For additional technical parameters of products/ work , refer Annexure "A" attached with this BSR . Wall mounting type with Service value 2.0 CMM /W, Min. Air Delivery 71 CMM	15.000	Each	4699.00	70485.00	INR Seventy Thousand Four Hundred Eighty Five & Paise Zero Only
	Providing & Fixing of Street light bracket made out from following size of ' B ' class , Medium class G.I. Pipe conforming to IS : 1239 P - 1 (2004) with heavy duty pole clamp, Saddles suitable fastners etc. as required. All as per pre approved by Engineer in charge. For additional technical parameters of products/ work , refer Annexure "A" attached with this BSR .					
	32 mm Dia.	30.000	Mtr.	742.00	22260.00	INR Twenty Two Thousand Two Hundred Sixty & Paise Zero Only
	Providing & Fixing of IK08, IP 66 protected LED Street Light Luminaire on existing bracket/pole. Fixture made of powder coated single piece pressure die cast aluminum material with heat dissipation fins on housing with UV stabilized PC (UV stablization report submitted for UV cover) /Toughened Glass cover and secondary lens on each LED & should be SMD type of 3 to 5 watt each . The System efficacy >=125 lm/ wt and potted driver & has a unique BIS R number with Input Voltage AC 120 to 270 V AC with High voltage Cutoff @>=300 V AC and Auto resetting Safety , Power Factor >0.95 driver Efficiency >85% ,THD(I) <10% Humidity 10% to 90% RH Working Temp -5C to 45C . driver current <750mA. The luminaire shall be BIS certified and Trade mark certified. Life Expectancy Equal or more than 50000 burning hrs with Minimum 70% lumen maintained , CRI >70 and CCT 5700K +355K. Surge protection shall be min ≥ 4 KV internal and min 10 KV external inside driver compartment. driver should be Phase to phase protection of 440 V for 4 Hrs. Manufactures Word Mark/Name Engraved/Embossing on die cast housing to allow traceability/authenticity. Fixture shall be AS PER IS 10322 Complianced.OEM Must have its own in house NABL lab setup for all testing facilities for LED fixtures. (LM79/LM80) Certificate/ report with liable warranty of product/accessories from OEM shall be submitted. All as per pre approved by Engineer in charge. For additional technical parameters of products/ work , refer Annexure "A" attached with this BSR . LED Street Light fixture with Minimum lumen output 8700 lm	20.000	Each	5847.00	116940.00	INR One Lakh Sixteen Thousand Nine Hundred Forty & Paise Zero Only
	Providing & Fixing of IP20 SMD Mid Power LED batten type integrated light fixture made from Powder coated Extruded aluminium housing with in built driver , System lumen efficacy ≥ 110 lm/Watt output, internal surge protection of 2.5 KV with Short & Open circuit protection ,THD < 10% , P. F.≥0.95, CRI >80 , life time of minimum 50000 Burning Hours with , 70% of intial Lumen maintained till life ends , CCT 3000°K / 4000°K / 5700°K /6000°K/6500°K (As per ANSI Bin) , Maximum power consumption should not more than the specified rating and Fixture shall be of BIS standard and trade mark certificate (T.C.). Manufactures Word Mark/ Name Engraved/ Embossing/ Screen printing on housing. OEM must have its own in house NABL lab setup for all testing facilities for LED fixtures. (LM79 & LM80) certificate / Report from OEM shall be submitted. All as per pre approved by Engineer in charge. For additional technical parameters of products/ work , refer Annexure "A" attached with this BSR .					
	1170mm(+/-10%) LED batten with min. lumen output 2200 lm	400.000	Each	492.00	196800.00	INR One Lakh Ninety Six Thousand Eight Hundred & Paise Zero Only

Sl. No.	Item Description	Quantity	Units	Estimated Rate in Rs. P	TOTAL AMOUNT With All Taxes in Rs. P	TOTAL AMOUNT In Words
	Charges for oiling, overhauling of ceiling fan, table fan, pedestal fan irrespective to the size of fan including removing,refixing of fan from site and testing etc. as required. Fans w/o Removing & Refixing	500.000	Each	40.00	20000.00	INR Twenty Thousand & Paise Zero Only
	S & F of capacitor of 230V/ 275V, 50Hz rating of plastic casing and terminals -Lugs or copper wire.					
	Starting capacitor, 20-30 micro farad	100.000	Each	134.00	13400.00	INR Thirteen Thousand Four Hundred & Paise Zero Only
	P & Replacement of plastic/metallic sheet condensor holder suitable for ceiling fan/ exhaust fan /motor etc complete as required. Replacement of material or components shall be use as per guidelines of OEM of original product. All the scrap material should be retained by the contractor.	100.000	Each	23.00	2300.00	INR Two Thousand Three Hundred & Paise Zero Only
	P & replacement of supporting legs(4 no.) of vertical pump of desert cooler as required for Desert Cooler/ exhaust fan. Replacement of material or components shall be use as per guidelines of OEM of original product. All the scrap material should be retained by the contractor.	50.000	Each	114.00	5700.00	INR Five Thousand Seven Hundred & Paise Zero Only
	Replacement of cooler pads (heavy) set of 3 no. of size 25" x 27"	50.000	Each	100.00	5000.00	INR Five Thousand & Paise Zero Only
	P & F aluminium blade for 20" desert cooler fan as required.	50.000	Each	221.00	11050.00	INR Eleven Thousand Fifty & Paise Zero Only
	Servicing and overhauling of 20" sweep desert cooler including oiling, greasing, painting of tank from inside with rubber paint after properly desmantling each assembly and refixing the same as required.	100.000	Each	247.00	24700.00	INR Twenty Four Thousand Seven Hundred & Paise Zero Only
	P & F of submercible pump set suitable for 18/24 "Desert coolers.	50.000	Each	308.00	15400.00	INR Fifteen Thousand Four Hundred & Paise Zero Only
	P & F fan motor suitable for 20" desert cooler including making connection testing etc. as required. with Aluminium winding Motor ISI Marked	25.000	Each	2025.00	50625.00	INR Fifty Thousand Six Hundred Twenty Five & Paise Zero Only
	Rewinding of Heavy duty Exhaust fan motor including all necessary material,The motor is to be wound taking no. of coils,turns and pitch as it was originally wound with required size super enamelled wire with 'E' class insulation material and making connections etc. as required. Replacement of material or components shall be use as per guidelines of OEM of original product. All the scrap material should be retained by the contractor.					
	300/ 380 mm sweep	50.000	Each	783.00	39150.00	INR Thirty Nine Thousand One Hundred Fifty & Paise Zero Only
	Rewinding of motor of desert cooler fan with super enamelled copper wire, 'E ' class insulation material including removing,refixing,testing etc. as required. Replacement of material or components shall be use as per guidelines of OEM of original product. All the scrap material should be retained by the contractor.	100.000	Each	891.00	89100.00	INR Eighty Nine Thousand One Hundred & Paise Zero Only
	Providing & Fixing of Vertical(BEE 5 star rated) / Horizontal(BEE 3 star rated) storage water heater with outer casing made of Engineering Plastic sheet (Upto 25 Ltr) / Metal rust proof Body (35 & 50 Ltr), Glass - line / Titanium Enamel coated Pressure Pump Compatible 8 bar pressure Inner tank, Glass Line Coated , mineral filled heating element, stem type, snap action adjustable thermostat , Dual indicating lamps Injected PUF insulation, Multi Function Valve etc. as required held in position with 2/4 no. 10/12 mm anchor Fastener, duly wired with 3 core 2.5/4.0 Sqmm PVC insulated & sheathed copper conductor and 16 A/25A three pin plug top with Portable Residual Current Device (PRCD) , including making inlet, outlet Flexible alloy connection, testing etc. as required. All as per pre approved by Engineer in charge. For additional technical parameters of products/ work , refer Annexure "A" attached with this BSR .					

Sl. No.	Item Description	Quantity	Units	Estimated Rate in Rs. P	TOTAL AMOUNT With All Taxes in Rs. P	TOTAL AMOUNT In Words
	6 Ltr.	10.000	Each	8511.00	85110.00	INR Eighty Five Thousand One Hundred Ten & Paise Zero Only
	15 Ltr.	20.000	Each	10304.00	206080.00	INR Two Lakh Six Thousand Eighty & Paise Zero Only
	Providing & Fixing of stem type ISI marked (IS 3017 / 85) snap action adjustable thermostat storage water heater including making connection testing etc. complete in all respect. All as per pre approved by Engineer in charge. For additional technical parameters of products/ work , refer Annexure "A" attached with this BSR .	30.000	Each	602.00	18060.00	INR Eighteen Thousand Sixty & Paise Zero Only
	Providing & Fixing of stem type ISI marked (IS 3017 / 85) , snap action bipolar adjustable thermostat with built in auto thermal cut out of storage water heater including making connection testing etc. complete in all respect. All as per pre approved by Engineer in charge. For additional technical parameters of products/ work , refer Annexure "A" attached with this BSR .	30.000	Each	883.00	26490.00	INR Twenty Six Thousand Four Hundred Ninety & Paise Zero Only
	Providing & Fixing 2 / 3 KW nickle plated, mineral filled heating element including making connection testing etc complete in all respect. All as per pre approved by Engineer in charge. For additional technical parameters of products/ work , refer Annexure "A" attached with this BSR .	30.000	Each	1043.00	31290.00	INR Thirty One Thousand Two Hundred Ninety & Paise Zero Only
	Providing & Fixing of Glass Line Coated , mineral filled heating element including making connection testing etc complete in all respect. All as per pre approved by Engineer in charge. For additional technical parameters of products/ work , refer Annexure "A" attached with this BSR .	30.000	Each	1805.00	54150.00	INR Fifty Four Thousand One Hundred Fifty & Paise Zero Only
	Providing & Fixing of Multi safety valve of 8.5 bar capacity with built in drain, NRV, Vacuum release, Pressure release etc. as required complete in all respect. All as per pre approved by Engineer in charge. For additional technical parameters of products/ work , refer Annexure "A" attached with this BSR .I technical parameters of products/ work , refer Annex ure "A" attached with this BSR .	30.000	Each	441.00	13230.00	INR Thirteen Thousand Two Hundred Thirty & Paise Zero Only
	Providing & Fixing of Twin neon indicating lamp of superior quality for storage water heater complete in all respect. All as per pre approved by Engineer in charge. For additional technical parameters of products/ work , refer Annexure "A" attached with this BSR .	30.000	Each	120.00	3600.00	INR Three Thousand Six Hundred & Paise Zero Only
	Providing & Fixing of 13 mm Brass with C.P. finished ISI marked angle valve for storage water heater as required complete in all respect. All as per pre approved by Engineer in charge. For additional technical parameters of products/ work , refer Annexure "A" attached with this BSR .	30.000	Each	433.00	12990.00	INR Twelve Thousand Nine Hundred Ninety & Paise Zero Only
	Providing & Fixing of heavy duty flexible alloy pipe for storage water heater for inlet and outlet of suitable length including the cost of nuts, washers etc complete in all respect. All as per pre approved by Engineer in charge. For additional technical parameters of products/ work , refer Annexure "A" attached with this BSR .					
	450 mm	30.000	Set	562.00	16860.00	INR Sixteen Thousand Eight Hundred Sixty & Paise Zero Only
	600 mm	30.000	Set	642.00	19260.00	INR Nineteen Thousand Two Hundred Sixty & Paise Zero Only
	Charges for descaling of storage water heater including replacement of Multi Function Valve as required.	30.000	P.Job	720.00	21600.00	INR Twenty One Thousand Six Hundred & Paise Zero Only
	Charges for Fixing of storage water heater including 10/12 mm Anchor fasteners of suitable size, testing, carrying from store to site,etc. as required.	30.000	P.Job	313.00	9390.00	INR Nine Thousand Three Hundred Ninety & Paise Zero Only

Sl. No.	Item Description	Quantity	Units	Estimated Rate in Rs. P	TOTAL AMOUNT With All Taxes in Rs. P	TOTAL AMOUNT In Words
	Providing & Fixing of 2.0 KW twin ceramic cartridge, Withstands temperatures up to 1000 C long lasting even in hard water including making connection testing etc complete in all respect. All as per pre approved by Engineer in charge. For additional technical parameters of products/ work , refer Annexure "A" attached with this BSR .	30.000	Each	1043.00	31290.00	INR Thirty One Thousand Two Hundred Ninety & Paise Zero Only
	Providing & Laying P.V.C. / XLPE insulated & P.V.C. sheathed Armoured Aluminium cable confirming to IS:1554 P-I / IS :7098 P - I of 1.1 KV with H4- Grade electrolytic aluminium conductor confirming to IS 8130 of purity >99.6 %, round / flat strip armouring of cables, Inner / outer sheath confirming to IS:5831 in existing RCC / Hume / Stoneware / PVC pipe/ open duct/cable trench / Cable tray(with cable tie) including testing etc. as required of following size. OEM must have it's own in house NABL accredited Laboratory for testing procedure as per IS:10810.For additional technical parameters of product / work refer Annexure 'A' attached with this BSR					
	10.0 Sq.mm, 2 core	750.000	Mtr.	152.00	114000.00	INR One Lakh Fourteen Thousand & Paise Zero Only
	25.0 Sq.mm, 3.5 core	500.000	Mtr.	285.00	142500.00	INR One Lakh Forty Two Thousand Five Hundred & Paise Zero Only
	185.0 Sq.mm, 3.5 core	350.000	Mtr.	1415.00	495250.00	INR Four Lakh Ninety Five Thousand Two Hundred Fifty & Paise Zero Only
	P/Laying ISI marked P.V.C. insulated submersible cable confirming to(IS:694) and as per IS 8130 : 2013 of 1.1 kV grade . Wire should be made from 99.90 % purity copper, stranding in acc. to IS:8130/IEC 60228 for lower watt loss , oxygen free for less chances of oxidization, insulation PVC type A/C/D , flame retardant as per IS 10810-53, better amperage rating as per IS:3961 part 5, existing pipe / open trench / Cable tray / on surface including making connection etc. as required. For additional technical parameters of product / work refer Annexure 'A' attached with this BSR					
	6.0 Sq.mm 3 core flat / Round	100.000	Mtr.	300.00	30000.00	INR Thirty Thousand & Paise Zero Only
	Add extra in item no. 11.1 to 11.4 for Laying Charges for cable through Manual Boggi by making pit at regular interval and repairing the pit after laying of cable with PCC/ Bitumin as required.	300.000	Mtr	114.00	34200.00	INR Thirty Four Thousand Two Hundred & Paise Zero Only
	Supply and installation of spike of M.S. rod 20mm dia 3.0mtr. long for earthing of (tower/pole) drive into earth by mechanical means sturcture connection the spike with cross arm top hamper PCC pole, lattics tower to earth etc. complete as per technical specification of DISCOM.	10.000	Each	1819.00	18190.00	INR Eighteen Thousand One Hundred Ninety & Paise Zero Only
	Supply & Laying following size earth wire in horizontal or vertical run in ground/surface/recess including riveting, soldering, saddles, making connection with GI/Cu purity purity >95% thimble etc. as required. All as per pre approved by Engineer in charge. For additional technical parameters of products/ work , refer Annexure "A" attached with this BSR .					
	8 SWG G.I. (Hot Dipped) Wire	50.000	Mtr.	20.00	1000.00	INR One Thousand & Paise Zero Only
	SITC of IP-42 and general construction confirming to IS:8623 : 1993, wall/ free standing floor mounted dust and vermin proof compartmentalised cubical panel as specifications and Other parameters required as per point (a) ,(b), (c),(d), (e), (f), (g), (h) as below:-					
	(a)Thickness of CRCA sheet shall be 2.0 mm, cable alley compartments having concealed hinged type doors with key type lock with / without detachable extension type structure. Removable 3 mm. thick sheet steel gland plates with appropriate size of knockouts for cables shall be provided					

Sl. No.	Item Description	Quantity	Units	Estimated Rate in Rs. P	TOTAL AMOUNT With All Taxes in Rs. P	TOTAL AMOUNT In Words
	(b)complete panel shall undergo a process of degreasing, Water rinsing, Activation, derusting, pickling in acid bath, phosphatising & shall be subjected to nine tank process and then Powder coated with approved shade of minimum 70 microns on both side of panel. The panel having PE foam/ Neoprene rubber gasket of not less than 3mm thickness ,required hardware , concealed hinged door with key type locking arrangement for equipment/switchgear earthed with 2.5 sq.mm braided copper wire.					
	(c) Interconnection between bus bar and switchgears /cable shall be rigidly supported and made out by flexible copper wires (up to 63 amp) and by solid bus bar (>63 amp) . control wiring will be carried out with 1.5 Sq.mm, Earth wire with 2.5 Sq.mm and CT with 2.5 sq.mm flexible copper wire only. All joints / interconnections of copper bus bar shall be dully tinned . Clearance between main bus bar and risers / metal parts shall be at least 10 mm additional to width of bus bar Bus bar is insulated by Heat Shrinkable sleeves . Earth and Neutral bus bar shall be half of the size of phase bus bar. (Cost of Bus bar / Flexible wire for Interconnection between Main busbar and Switchgear is to be Paid Extra)					
	(d)Wiring between components within switchgear and Incoming / outgoing cable shall be done through the terminal block only. Direct connection shall not be permitted. Each terminal block shall be one piece moulded, barrier type, 650 volt grade, complete with washers, heads, studs with two nuts and identification strips and shall have adequate continuous current rating. For tap-offs, adjacent terminals with shorting strips shall be used. 10% Spare terminal blocks shall be provided. Wire identification on marking strip shall correspond to the designation of the wiring diagrams. All wire terminals on the equipment shall also be marked with designation corresponding to those of the wiring diagram.					
	(e)All wiring shall be enclosed in plastic channels and neatly bunched and closed in metering chamber, Wiring between terminals of various devices shall be 'point to point' (no wire splitting or tee connections) with wires neatly trucked along the back of the panels, adequately supported to prevent sagging.					
	(f)Floor mounted panel shall be mounted on Base frame of ISMC channel size 100 x 50 x 5 mm (to be paid Extra)					
	(g) Tests: The insulation resistance (with 1000 V Megger) and High voltage Power frequency test (by applying a voltage of 2.5KV for one minute) shall be measured between phases, between phase and neutral and between phase and earth. both before and after high voltage power frequency test. The insulation resistance shall not be less than three megaohm. CT Secondary current injection test shall also be carried out.					
	(h) only outer surface area on all sides shall be measured & panel to be fabricated only from CPRI approved fabricator only (CPRI Test certificates to be submitted)All as per pre approved by Engineer in charge. For additional technical parameters of products/ work , refer Annexure "A" attached with this BSR .	50.000	Sq. Mtr	5975.00	298750.00	INR Two Lakh Ninety Eight Thousand Seven Hundred Fifty & Paise Zero Only
	Supplying and fixing of Aluminium (IEC 60105 ISO 209-1,2) / Copper (IEC 60028) bus bar by means of SMC / DMC type insulator with standard short circuit withstand capacity , high tensile nuts and bolts spring washers in existing panel including bending , cutting in required shape and size and colour coding with heat shrinkable PVC sleeves. All as per pre approved by Engineer in charge. For additional technical parameters of products/ work , refer Annexure "A" attached with this BSR .					
	Electrolytic grade Aluminium bus bar 6010 grade	30.000	Kg.	542.00	16260.00	INR Sixteen Thousand Two Hundred Sixty & Paise Zero Only

Sl. No.	Item Description	Quantity	Units	Estimated Rate in Rs. P	TOTAL AMOUNT With All Taxes in Rs. P	TOTAL AMOUNT In Words
	Providing & Fixing of IS: 13875 & IEC :61326 confirming LED Digital type (up to 500) V range Volt meter / Direct- Ammeter / CT oertated ammeter/ Frequency meter / KWH meter / Multi Function Meter / Power analyzer of class 1 accuracy as per IS : 1248 of size 96mm x 96 mm including making connection by PVC insulated copper conductor with PVC sleeves / channel etc. as required. All as per pre approved by Engineer in charge. For additional technical parameters of products/ work , refer Annexure "A" attached with this BSR .					
	Three phase Ammeter with Inbuilt Selector Switch	2.000	Each	1689.00	3378.00	INR Three Thousand Three Hundred Seventy Eight & Paise Zero Only
	Three phase Voltmeter with Inbuilt Selector Switch	2.000	Each	1689.00	3378.00	INR Three Thousand Three Hundred Seventy Eight & Paise Zero Only
	Three phase with universal Auxiliary supply + AMP + HZ + PF + KW + KVA + KVAR + KVARH + KWH + DUAL ENERGY+ ENERGY+THD-I, THD-V & RUN HRS + MD with RS485	2.000	Each	6272.00	12544.00	INR Twelve Thousand Five Hundred Forty Four & Paise Zero Only
	P & F in position frame made out of M.S. angle (riveted or welded) finished with two coats of red oxide and two coats enamel paint including cutting, welding, holes etc.of following sizes as required.For additional technical parameters of product / work refer Annexure 'A' attached with this BSR					
	50mm x 50mm x 6mm	40.000	Mtr.	551.00	22040.00	INR Twenty Two Thousand Forty & Paise Zero Only
	Providing & Fixing of BIS approved Current Transformer as per PWD specification for electrical Works ,ISI marked as per IS 2705-1992/ conforming to IEC 60044-1, with secondary terminal of CT shall be brought out suitable to a terminal block which shall be easier accessible for testing and terminal connection , with all necessary support in existing panel including connection etc. as required Current transformer Ring Type Tape Wound/Resin Cast Wound as per IS 16227 with, Accuracy Cl, CT ratio and burden as specified. ISF<=5, Cu cross section of secondary wire 1.5sqmm (minimum), including all necessary support in existing panel including connection etc. as required . All as per pre approved by Engineer in charge.All as per pre approved by Engineer in charge. For additional technical parameters of products/ work , refer Annexure "A" attached with this BSR .					
	Ring type tape wound CT, CT Class 1, Ratio 200/5 to 300/5, Burden 10 VA	6.000	Each	788.00	4728.00	INR Four Thousand Seven Hundred Twenty Eight & Paise Zero Only
	P & F paper phenolic resin bonded laminates confirming to IS : 2036 - 1995 for boxes/ frames including making holes for switches etc, with brass screws, washers/ zinc plated nut and bolts as required. For additional technical parameters of product / work refer Annexure 'A' attached with this BSR					
	12.0 mm thick	2.000	Sq.m	2161.00	4322.00	INR Four Thousand Three Hundred Twenty Two & Paise Zero Only
	Providing & Fixing of 110/220 V, unibody LED Indicating lamp IEC 60947 with integral circuit, IP 65 above panel & IP 20 terminal block, Approx. body dia for panel not less then 20 mm, length min. 50mm, front LED cover dia min. 29 mm, contact material phosphor bronze for Led, PCB contacts shall be of brass (tin plated), impulse dielectric tested for 2.5 KV, Rated insulation resistance shall be 100 M ohm at 500VDC including connection etc. as required. All as per pre approved by Engineer in charge. For additional technical parameters of products/ work , refer Annexure "A" attached with this BSR .					
	Red/yellow/Green colour	6.000	Each	170.00	1020.00	INR One Thousand Twenty & Paise Zero Only

Sl. No.	Item Description	Quantity	Units	Estimated Rate in Rs. P	TOTAL AMOUNT With All Taxes in Rs. P	TOTAL AMOUNT In Words
	Supply and fixing of LT Distribution Kiosk conforming to IS:13947/1993/ IEC 60947 Pt.3 amended up-to-date and as per DISCOM specifications made of 2 mm thick powder coated CRCA sheet of 415 volts 3 phase 4 wire triple pole and neutral type, complete in all respect as required. Including Incoming Switch Disconnecter Fuse unit, Aluminium Busbar with copper one piece U contacts base, brass studs and nuts, copper busbar for main and interconnection, MS Channel frame of 75 mm x 40 mm grouted with C.C. of M-10 grade to achieve the height of 1.5 feet above the road level suitable for required no. outgoing. All as per pre approved by Engineer in charge. For additional technical parameters of product / work refer Annexure 'A' attached with this BSR					
	200 Amp. LT Distribution Kiosk for 63/100 KVA Transformer	2.000	Each	37639.00	75278.00	INR Seventy Five Thousand Two Hundred Seventy Eight & Paise Zero Only
	Providing & Fixing of mechanical / digital time switch having following day / week programme and minimum 100 hours reserve and AC1 rating of 16-20 amperes including making connection, programming conforming to IEC 60730-1 and 60730-2-7 etc. as required. All as per pre approved by Engineer in charge. For additional technical parameters of products/ work , refer Annexure "A" attached with this BSR .					
	One day & week reserve (Analog type)	2.000	Each	4690.00	9380.00	INR Nine Thousand Three Hundred Eighty & Paise Zero Only
	Providing & Fixing of AC operated heavy duty 230 /440 Volt power contactor as per PWD specification for electrical Works, ISI marked IS/IEC 60947-4-1 : 2000 having provision of mechanical interlocking, auxiliary contacts, Din rail mounting type including making connections, testing etc. as required. All as per pre approved by Engineer in charge. For additional technical parameters of products/ work , refer Annexure "A" attached with this BSR .					
	4 pole Power contactors with following AC 1 Rating, 100 Amp	2.000	Each	7849.00	15698.00	INR Fifteen Thousand Six Hundred Ninety Eight & Paise Zero Only
	SITC of 3 /4 pole current limiting Moulded case circuit breaker (MCCB) made of flame retardent & heat resistant material having following current rating, short circuit breaking capacity at 440/415 V, 50 Hz; O/L & S/C settings , conforming to IS/IEC 60947 P -2 :2003 with front face and centralised adjustable, trip free mechanism, true contact position indicator, line load interchangeability, designed for both horizontal & vertical mounting without any adverse effect on electrical performance, suitable for operation upto 55 degree and without derating upto 40 degree, pollution degree 3, having positive isolation capability, push (test) to trip, trip time less than 10 ms under s/c condition, Breaking capacity Ics = 100% Icu. U imp =8 KV, rated insulation voltage 690 V. provision for UVR , shunt trip , earth fault trip, door interlock, pad lock & rotary handle , including making connections etc. as required.OEM shall have submit NABL / CPRI / ERDA accredited lab type test certificate before execution All as per pre approved by Engineer in charge. For additional technical parameters of product / work refer Annexure 'A' attached with this BSR					
	4 pole MCCB With Thermal Magnetic release, up to 100 Amp , 25 kA, adjustable O/L & adjustable S/C setting	15.000	Each	7112.00	106680.00	INR One Lakh Six Thousand Six Hundred Eighty & Paise Zero Only
	4 pole MCCB With Thermal Magnetic release, 200 Amp, 25 kA, adjustable O/L & adjustable S/C setting,	10.000	Each	15348.00	153480.00	INR One Lakh Fifty Three Thousand Four Hundred Eighty & Paise Zero Only
	4 pole MCCB With Thermal Magnetic release, 400 Amp, 35 kA, adjustable O/L & adjustable S/C setting,	2.000	Each	23846.00	47692.00	INR Forty Seven Thousand Six Hundred Ninety Two & Paise Zero Only

Sl. No.	Item Description	Quantity	Units	Estimated Rate in Rs. P	TOTAL AMOUNT With All Taxes in Rs. P	TOTAL AMOUNT In Words
	Providing experienced and Highly skilled/skilled/ semi-skilled/Un Skilled labour for electric repair/ maintenance / operation of Air conditioning/Air cooling/Fire fighting/Lift/DG set/CCTV/EPABX or any other electromechanical systems as per requirement (one shift of 8 Hrs per day) Add extra for working days					
	Highly Skilled Labour	730.000	Each Per Day	436.00	318280.00	INR Three Lakh Eighteen Thousand Two Hundred Eighty & Paise Zero Only
	Semi Skilled labour	730.000	Each Per Day	353.00	257690.00	INR Two Lakh Fifty Seven Thousand Six Hundred Ninety & Paise Zero Only
Total in Figures					5092258.00	INR Fifty Lakh Ninety Two Thousand Two Hundred Fifty Eight & Paise Zero Only
Quoted Rate in Figures			Select		0.00	INR Zero Only
Quoted Rate in Words	INR Zero Only					