

समाचार पत्रों में प्रकाशन हेतु



## जयपुर विकास प्राधिकरण, जयपुर

कमरा नं. 109, प्रथम तल, नागरिक सेवा केन्द्र भवन, राम किशोर व्यास भवन,  
इन्दिरा सर्किल जवाहर लाल नेहरू मार्ग, जयपुर-302004

क्रमांक : जविप्रा/अधि.अभि.-9/2025-26/डी-1159

दिनांक : 06-03-2026

निविदा सूचना क्रमांक : जविप्रा/अधि.अभि.-9/24/2025-26

जयपुर विकास प्राधिकरण द्वारा "Construction of at-grade U-turn facility for traffic improvement on Hare Krishna Marg (Mahal Road), Zone-09, JDA, Jaipur " जिसकी अनुमानित लागत रुपये 1040.06 लाख के लिए ऑनलाईन बिड्स दिनांक 30.03.2026 को 06.00 पी.एम. बजे तक आमंत्रित की जाती है। निविदा बोली का ऑनलाईन आवेदन व भुगतान जविप्रा पोर्टल पर करने की अन्तिम तिथि 30.03.2026 को 06.00 पी.एम. बजे तक है।

निविदा बोली के दस्तावेजों का विस्तृत विवरण [www.sppp.rajasthan.gov.in](http://www.sppp.rajasthan.gov.in), [www.eproc.rajasthan.gov.in](http://www.eproc.rajasthan.gov.in) and [www.jda.urban.rajasthan.gov.in](http://www.jda.urban.rajasthan.gov.in) पर देखा जा सकता है। निविदा में भाग लेने वालों को निम्न शर्तों की पूर्ति करनी होगी :-

1. निविदा दाता जयपुर विकास प्राधिकरण की वेबसाइट [www.jda.urban.rajasthan.gov.in](http://www.jda.urban.rajasthan.gov.in) पर पंजीकृत हो एवं निविदा में भाग लेने के लिए बोलीदाता को आवेदन करने के लिए दस्तावेज शुल्क, अमानत राशि, आर.आई.एस. एल. प्रोसेसिंग शुल्क ऑनलाईन जमा करनी होगी।
2. ऑनलाईन निविदा प्रस्तुत करने के लिए निविदा दाताओं का राजस्थान सरकार के ई-प्राक्यूमेन्ट पोर्टल [www.eproc.rajasthan.gov.in](http://www.eproc.rajasthan.gov.in) पर पंजीकृत हो।

UBN No. **JDA2526WLOB06656**  
Job No. 374/2025-26

अधिशायी अभियंता-9  
जविप्रा, जयपुर

**OFFICE OF THE JAIPUR DEVELOPMENT AUTHORITY, JAIPUR**

<b>NIB No.-JDA/EE-9/24/2025-26</b>	
<b>Name &amp; Address of the Procuring Entity</b>	<ul style="list-style-type: none"> <li>➤ Name : Executive Engineer-9 Jaipur Development Authority</li> <li>➤ Address: Room No.-109, 1st floor, CCC Building, Ram Kishore Vyas Bhavan, Indira Circle, JawaharLal Nehru Marg, Jaipur 302004 (Rajasthan)</li> <li>➤ Email:- <a href="mailto:rjjp201119035477@rajasthan.in">rjjp201119035477@rajasthan.in</a></li> </ul>
<b>Name of work</b>	<ul style="list-style-type: none"> <li>➤ <b>Construction of at-grade U-turn facility for traffic improvement on Hare Krishna Marg (Mahal Road), Zone-09, JDA, Jaipur</b></li> </ul>
<b>Bid Procedure</b>	<ul style="list-style-type: none"> <li>➤ Two part open competitive eBid procedure at <a href="http://eproc.rajasthan.gov.in">http://eproc.rajasthan.gov.in</a></li> </ul>
<b>Bid Evaluation Criteria (Selection Method)</b>	<ul style="list-style-type: none"> <li>➤ L1 (eg. Least Cost based Selection ( LCBS)-L1)</li> </ul>
<b>Websites for downloading Bidding Document, Corrigendum's, Addendums, etc.</b>	<ul style="list-style-type: none"> <li>➤ Websites: <a href="http://www.sppp.rajasthan.gov.in">www.sppp.rajasthan.gov.in</a>, <a href="http://www.eproc.rajasthan.gov.in">www.eproc.rajasthan.gov.in</a>, <a href="http://www.jda.urban.rajasthan.gov.in">www.jda.urban.rajasthan.gov.in</a></li> </ul>
<b>Estimated Procurement Cost</b>	<ul style="list-style-type: none"> <li>➤ INR 1040.06 Lacs</li> </ul>
<b>Website for online Bid application and payment *</b>	<ul style="list-style-type: none"> <li>➤ Website: <a href="http://www.jda.urban.rajasthan.gov.in">www.jda.urban.rajasthan.gov.in</a></li> <li>➤ For participating in the Bid, the Bidder has to apply for this Bid and pay the Bidding Document Fee, RISL Processing Fee and Bid Security Deposit, online only. <ul style="list-style-type: none"> <li>○ Bidding document fee: Rs. 1000.00</li> <li>○ RISL Processing Fee: Rs. 2500.00</li> <li>○ Requisite Bid Security Deposit.</li> <li>○ The Bidders are required to submit Bid security, cost of Bidding documents, and Bid processing fees through online payment after registering with JDA on <a href="http://www.jaipurjda.org/e-services/e-tender">www.jaipurjda.org/e-services/e-tender</a> portal. There should be a gap of 3 working days between the End date for Bid Applying, Online Payment &amp; Bid Submission and Bid Opening date. In the absence of the requisite fee, the bid of the concerned bidder will be considered as non-responsive and shall be liable for rejection</li> </ul> </li> </ul>
<b>Bid Security Deposit (in favor of Secretary, JDA, Jaipur)</b>	<ul style="list-style-type: none"> <li>➤ Amount (INR: 2% (Rs. 20,80,120/-) For AA class contractors registered in the appropriate class with CPWD, Postal, Telegram, Railway, MES, Other State Government/Central Government undertakings/organizations of Estimated Procurement Cost. (The bidder must capable to bid in the bid as per their enlistment)</li> <li>➤ 0.5 % (Rs. 5,20,030/-) for Bidder registered as a contractor in the appropriate class AA in JDA.</li> <li>➤ In case of Departments of the State Government and undertakings, Corporations, Autonomous bodies, Registered Societies, Cooperative Societies which are owned or controlled or managed by the State Government and Government undertakings of the Central Government shall submit a bid securing declaration in lieu of bid security.</li> <li>➤ If a joint Venture is allowed in the Bid then 2% (Rs. 20,80,120/-) shall be deposited by bidders (Joint Venture firm)</li> </ul>
<b>Start/ End Date for Bid Applying Bid and making Online Payment on JDA portal*</b>	<ul style="list-style-type: none"> <li>➤ Start Date: 09/03/2026 at 9:30 AM onwards</li> <li>➤ End Date: 30/03/2026 at 6:00 PM</li> <li>➤ In case EMD in form BG Original Bank Guarantee is to be submitted in Room No 109. st floor, CCC Building, Jaipur Development Authority, JI.N</li> </ul>

<b>Bid Submission on e-Procurement Portal of GOR**</b>	Marg, Jaipur by 01.04.2026 from 9.30 AM to 06.04.2026 up to 3.30 PM (within three working days from the last date of submission of bid.) ➤ Start Date: 09/03/2026 9:30 AM onwards ➤ End Date: 30/03/2026 6:00 PM
<b>Date/Time/Place of pre-Bid</b>	➤ NA
<b>Date/ Time/ Place of Technical Bid Opening</b>	➤ 07/04/2026 11:00 AM ➤ Room No 109, 1st floor, CCC Building, Jaipur Development Authority, JLN Marg, Jaipur
<b>Date/ Time/ Place of Financial Bid Opening</b>	➤ Will be intimated later to the Technically qualified bidders
<b>Bid Validity</b>	➤ 120 days from the bid submission deadline
<b>Time Period</b>	➤ 6 Month
<b>A&amp;F/Job No.</b>	➤ 374/2025-26

### **Procedure for bidding:**

#### **Single part bid system:**

Single part (Two-envelope) (2 docket) system would be adopted, Docket-1 being for Documents and Docket-2 being for Financial Bid.

Docket-1:- is for proof of deposition of Bid Security, cost of bidding document and bid processing fee along with copy of GST registration, signed Annexure "B" and copy of enlistment as contractor/ bidder in required category.

#### **Docket-2:- is for financial bid.**

The financial bid will be opened only for bidders whose proper Bid Security, copy of GST registration, proof for deposition of bidding document fee, RISL processing fee, copy of enlistment of contractor in the required category and signed Annexure "B" are found to be in order. Bid Security will be accepted only in the form of online deposition or in the form of Bank Guarantee.

#### **1. Two part bid system:**

Two part (Two-envelope) (2 docket) system would be adopted, Docket-1 being for Technical Bid and Docket-2 being for Financial Bid.

Docket-1:- There will be three separate folders- Folder-1 is for proof of deposition of Bid Security, cost of bidding document and bid processing fee alongwith copy of GST registration, signed Annexure "B" and copy of enlistment as contractor/ bidder in required category. Folder-II is for bid document and folder-III is for technical bid.

Docket-2:- There will two separate folders-1 is for financial bid and 2 is for bill of quantities.

The technical bid will be opened only for bidders whose proper Bid Security, copy of GST registration, proof for deposition of bidding document fee, RISL processing fee, copy of enlistment of contractor in the required category and signed Annexure "B" are found to be in order. Bid Security will be accepted only in the form of online deposition or in the form of Bank Guarantee

## SCHEDULE AND SPECIFICATIONS

### SCHEDULE – A: INFORMATION USEFUL FOR THE CONTRACTORS:

The bidder should see the site and fully understand the conditions of the site before bidding and include all leads, lift etc for the material in his item rate/percentage to be quoted on the rates given in Schedule 'G'. The work shall be carried out in accordance with the Rajasthan PWD detailed specification and to the entire satisfaction of the Engineer – In – Charge of the work.

### SCHEDULE – B: LIST OF THE DRAWING TO BE SUPPLIED BY THE DEPARTMENT

The drawing may be seen in the office of the undersigned.

SCHEDULE – C: LIST OF THE DRAWING TO BE SUPPLIED BY THE CONTRACTOR: List of the drawing to be supplied by the contractor NIL. But the contractor shall have to arrange at his own cost drawings required for the work after deposition necessary cost with JDA.

### SCHEDULE - D: TEST OF THE MATERIALS:

The test of the materials and workmanship shall be conducted by the JDA staff as necessary. The result of such tests should confirm to the standards laid down in the Indian standard & or the standards laid down in the detailed specifications of the work by the contractor. Qualified personnel required as per the contractor enlistment rules shall have to be engaged at site by the Contractor. The authority reserves the right to engage such staff and recover the expenses from the contractor on such account in case of his failure to do so.

### SCHEDULE – E: SAMPLES OF THE MATERIALS:

The sample of the materials to be used by the contractor shall be deposited 15 days in advance with the Engineer In charge and be got approved by him before use.

### SCHEDULE - F: TIME OF COMPLETION:

The work should start within 10 days of the issue of the work order and complete within time limits.

SCHEDULE – G: ATTACHED SEPARATELY BASED ON APPLICABLE BSRs IN JDA.

SCHEDULE – H: SPECIAL CONDITION: Attached Separately.

SCHEDULE – I: COST OF TENDER DOCUMENTS, PROCESSING FEES & BID SECURITY .

The Bid Processing fee is payable in favor of M.D. RISL & Cost of bid document & Bid Security is payable in Favour of the Secretary, JDA, Jaipur. Bidders have to pay bid processing fees, cost of bidding documents, and Bid Security through Online. **If a bidder opts to deposit the bid security through bank guarantee, the bank guarantee should be valid for the next seven months after the bid opening date. A copy of the such bank guarantee will be required to be attached with the bid submission documents uploaded on the E-procurement portal of GOR. The bank guarantee will be physically handed over upto prescribed time to Nodal officer of the on-line tendering system of JDA i.e. D.D( E&B) in room No. 215N Extension building, JDA, JLN marg, Jaipur, as per specified in bidding documents,**

- Annexure-1. Special Conditions of Contract regarding defect liability period.
- Annexure-2A. Bank guarantee will be in specified Performa enclosed with this bidding document for Bid Security.
- Annexure-2B. Bank guarantee will be in specified Performa enclosed with this bidding document for Performance Security.
- Annexure-A. Compliance with the code of integrity and no conflict of interest (RTPP Act/Rules).
- Annexure-B. Declaration by the bidder regarding qualifications (RTPP Act/Rules).
- Annexure-C. Grievance Redressal during the procurement process (RTPP Act/Rules).
- Annexure-D. Additional Conditions of Contract (RTPP Act/Rules).
- Annexure-E. Process for Tender Participation & Depositing Payment on 'Online Tender Participation' Portal of JDA & Bid Submission on 'e-Procurement Portal' of Government of Rajasthan.



**EXECUTIVE ENGINEER (9 )  
JDA, JAIPUR**

## SPECIAL CONDITIONS

### SCHEDULE 'H'

01. If there is any typographical error or otherwise in the 'G' Schedule, the rates given in the relevant BSR on which Schedule 'G' has been prepared, shall prevail.
02. The bidder shall follow the provisions of the builder labour regulation and abolition Act, 1970 & Rule, 1971.
03. The JDA shall have the right to cause an audit for technical examination of the work and the final bills of the bidder including all supporting vouchers, abstracts etc. to be made within two years after payment of the final bills and if as a result of such audit, any amount is found to have been overpaid / excess in respect of any work done by the bidder under the contract or any work claimed by him to have been done under this contract and found not to have been executed, the bidder shall be liable to refund such amount and it shall be lawful for the JDA to recover the such sum from him in the manner prescribed in special condition no. 8 or any other manner legally permissible and if it is found that the bidder was paid less than that was due to him under the contract in respect of work executed by him under it, the amount of such underpayment shall be paid by the JDA to the bidder.
4. Wherever any claim against the bidder for the payment of a sum of money arises out of under the contracts, the JDA shall be entitled to recover the sum by appropriating in part or whole of the performance security of the bidder. In the event of the security being insufficient or if no security has been taken from the bidder then the balance of the total sum recoverable as the case may be deducted from any sum then due or which at any time their contract with the JDA should this sum be sufficient to recover the full amount recoverable. The bidder shall pay to JDA on demand the balance remaining due. The JDA shall further have the right to affect such recoveries under P.D.R. Act.
5. The rate quoted by the bidder shall remain valid for a period of 120 days from the date of opening of the bids.
6. By submission of the Bid the bidder agrees to abide by all printed conditions provided in the PWD manual from 64 (Chapter 3-para 36) and subsequent modification.
7. No conditions are to be added by the bidder and the conditional Bid is liable to be rejected.
8. If any bidder withdraws his Bid prior to the expiry of said validity period given at S. No. 5 or mutually extended prior or makes modifications in the rate, terms and conditions of the Bid within the said period which are not acceptable to the authority or fails to commence the work in the specified period, fails to execute the agreement the authority shall without prejudice to any, other right or remedy, be at liberty to forfeit the amount of bid security given in any form absolutely. If any bidder, who has submitted a Bid does not execute the agreement or start the work or does not complete the work and the work has to be put to rebidding he will stand debarred for six months from participating of Bidding in JDA in addition to forfeiture of bid security/ Performance Security and other action under agreement
9. Any material not conforming to the specifications collected at the site have to be removed by the bidder within a period of 3 days of the instruction, issued by the Engineer -In charge in writing failing which, such material shall be removed by the Engineer-In charge at risk and cost of the bidder after the expiry of 3 days period.
10. The material collected at the site and paid provisionally shall remain under the watch and ward of the bidder till it is consumed fully on the work.
11. The rates provided in the Bidding documents are inclusive of all Taxes and royalties otherwise specified.
12. No extra lead of earth/material shall be paid over and above as specified in 'G' Schedule, Source/ borrow pit area for the earth shall have to be arranged by the Bidder at his own cost.
13. Undersigned has full right to reject any or all Bids without giving any reasons.
14. As per the Supreme Court decision "All contracts with Governments shall require registration of workers under the building and other construction workers (Regulation of Employment and Conditions of Service) Act, 1996 and extension of benefits to such workers under the etc."
15. Special Conditions of the Contract regarding the Defect Liability Period (DLP) for works costing Rs. 25.00 lacs and more shall be applicable (Annexure-1).
16. The Bidder is required to submit a copy of their enlistment as a contractor.
17. Conditions of RPWA-100 will be mandatory & acceptable to the bidder.

18. The bidder will have to install display boards at the site of work as directed by Engineer in charge.
19. All the provisions of THE RAJASTHAN TRANSPARENCY IN PUBLIC PROCUREMENT ACT, 2012 and Rules, 2013 and amendments issued from time to time by the Finance Department, GOR shall be applicable. If there are any contradictions in existing special conditions and provisions of THE RAJASTHAN TRANSPARENCY IN PUBLIC PROCUREMENT ACT, 2012 and Rules 2013 provisions of THE RAJASTHAN TRANSPARENCY IN PUBLIC PROCUREMENT ACT, 2012 and Rules 2013 shall prevail.
20. In case the rate received in the bid is below than BSR rate, additional Performance security shall be deposited by the bidder as per Rule 75 (A) of RTPP Rules.
21. The Annexure "B" (RTPP Act/Rules) is mandatory to be fulfilled & signed with seal by the bidder failing which the bid shall summarily be rejected without asking for any clarification.
22. Contractors enlisted in JDA, should be get reviewed periodically. The registered bidder who has not been reviewed within a period of 5 years 3 months, shall not be allowed to participate in the bid. Contractors enlisted in other departments shall be as per the provision of PWF&AR.
23. The river sand shall be part replaced with crushed stone sand or crushed gravel sand (M-Sand) up to a minimum extent of 25% of total mass of fine aggregate subjected to the codal provisions (Clause 4.2) of IS 383:2016 and article 11 of Rajasthan M-Sand policy 2020.



**Executive Engineer ( 9 )**  
**JDA, Jaipur**

**SPECIAL CONDITIONS OF CONTRACT REGARDING DEFECT LIABILITY PERIOD (DLP) FOR  
WORKS COSTING RS. 25.00 LACS AND MORE**

**Table-1**

S.No.	Type of work	DLP Period
1.	<b>Bridge Work</b>	<b>5 Years</b>
2.	<b>CD Work</b>	<b>5 Years</b>
3.	<b>CC Road. PQC Work</b>	<b>5 Years</b>
4.	<b>CC tiles/Krebs/medians</b>	<b>5 Years</b>
5.	<b>Drains</b>	<b>3 Years</b>
6.	<b>Roads</b>	
	(i) Two-layer WBM/GSB	<b>6 months or one full rainy season whichever is later</b>
	(ii) For Renewal/Strengthening	
	(a) BT up to 30 mm thickness	<b>1 Years</b>
	(b) BT above 30 mm to up to 40 mm	<b>2 Years</b>
	(c) BT above 40 mm to up to 90 mm	<b>3 Years</b>
	(d) BT above 90 mm thickness	<b>5 Years</b>
	(iii) New Roads	
	(a) BT up to 90 mm	<b>3 Years</b>
	(b) BT more than 90 mm	<b>5 Years</b>
7.	<b>Compound wall</b>	<b>3 Years</b>
8.	<b>Building Work</b>	
	(i) Work pertaining to Sanitary work electrical works, Joinery works and painting work.	<b>2 Years</b>
	(ii) Work pertaining to the Building structure and other civil works	<b>5 Years</b>
9.	<b>Electric work except for maintenance</b>	<b>3 years</b>
10.	<b>Sewer/Water supply including STP and water supply-related work except for maintenance works.</b>	<b>3 Years</b>

**1. ROAD-WORKS**

- 1.1 The Defect Liability Period (DLP) for all Road works excluding patch repair work shall be as per the above table. Road works executed by the Contracting agency shall be maintained by them at their own cost for completion (DLP) from the actual date of completion of work as per the clause in the Contract Agreement and Special Condition of the Contract.
- 1.2 No extra payment shall be made to the contracting agency on account of maintenance of Road works and removal of defect during the Defect Liability Period.
- 1.3 The word "Road Works" means all new Road Works construction, widening, strengthening, up-gradation and renewal works
- 1.4 The word "Maintenance of Road Works during Defect Liability Period" means
  - (i) Routine maintenance of Road Works,
  - (ii) To remove the defect as & when appear in part and the entire structure of Road Works, in the specified time and keeping the Road Surface with good riding quality and
  - (iii) Damages due to improper drainage/drains, local flooding, depressions on roads etc.
- 1.5 The contracting agency shall do the routine maintenance of Road works, including pavement, road side and cross drains including surface drains to the required standards and keep the entire road surface and structure in Defect free conditions during the entire period of routine maintenance, which begins at the completion of the construction work and ends after complete (DLP).
- 1.6 The routine maintenance shall consist of the routine maintenance operation defined in the manual for the maintenance of roads of MoRTH and shall be carried out accordingly.
- 1.7 The routine maintenance activities and their periodicity.

S.No.	Name of Item/Activity	Frequency of operations in one year
1	Restoration of rain cuts and dressing of berms.	Once in a year, generally after rains.
2	Making up of shoulders.	As and when required.
3	Maintenance of Bituminous surface road and/or gravel road/WBM road including filling pot holes and patch repairs etc.	As and when required.
4	Insurance of proper functioning of drains including civil maintenance and desalting of drains. (If constructed by the same Road agency or not)	As and when required.
5	Maintenance of road signs. (If installed by the same Road agency)	Maintenance as and when required. Repainting <b>once in every one and a half years.</b>
6	Road Marking, Kerb Stone / Dand. (If done by the same Road agency)	<b>Thermoplastic Paint</b> Maintenance as and when required. Repainting <b>once in everyone &amp; a half year.</b> <b>Ordinary Paint</b> Maintenance as and when required. Repainting <b>thrice in every year.</b>
7	Damages beyond the control of the agency.	Road cuts made by various agencies for utility, duly permitted by JDA / JNN will have to be repaired by the agency on the same rates of the contract agreement till DLP.

## 2. General

### 2.1 Inspection of works during the Defect Liability Period

2.1.1 The contracting agency shall undertake a joint detailed inspection along with Engineer-in-charge/A.En., at least once in three months in case of all Road works. The Engineer-in-charge can reduce this frequency in case of an emergency. The Contracting agency shall forward to the engineer in-charge the record of inspection and rectification immediately after the joint inspection. The Contracting agency shall pay particular attention to those road sections, which are likely to be damaged during rainy season.

2.1.2 One register has to be maintained by every AEN for recording the inspection details of works in his jurisdiction under defect liability period.

### 2.2 Conditions regarding Performance Security

#### 2.2.1 Security for DLP-

The contracting agency shall have to furnish Performance Security in the form of Bank Guarantee valid from the actual date of completion, which shall be assigned by the Engineer-in-charge

2.2.2 The release of PS amount shall be as per following table 2 :-

S.No.	Released PS	DLP Period			
		1 Year	2 Years	3 Years	5 Years
1.	After 1 year	100%	40%	20%	10%
2.	After 2 year		60%	20%	10%
3.	After 3 year			60%	10%
4.	After 4 year				20%
5.	After 5 year				50%

The Performance Security will be released as per the above table after a satisfactory performance certificate issued by Engineer-In-Charge -

#### 2.2.3 Forfeiture of Performance Security

In case the contracting agency fails to rectify the defects within the stipulated period notified to him by the Engineer-in-charge concerned under the contract agreement, the Engineer-in-charge shall serve a final notice for 5 days time reckoned from the date of issue of notice to rectify the defects. In case the contracting agency not responding to the notice and fails in the rectification of defects the Engineer-in-charge will get the defect removed at the risk and cost of the contracting agency. Action such as encashment of Bank Guarantee and action under enlistment rules etc. shall also be taken against the contracting agency by the competent authority.

#### 2.2.4 Force Majeure

The defect that arises due to earthquakes, cyclones, and natural calamities shall not be the responsibility of contracting agency.

2.2.5 Various conditions for managing DLP are as under :-

- At the time of completion of work, final component shall be worked out for each individual item like BT/CC/tiles/ drains etc. (as per different categories in Table-1). DLP shall be operative based upon type of individual item ex:- CC-5 years, BT-1/2/3/5 years, Drain-3 years etc.

- (ii) If any work, amount is less than Rs. 25 lacs but later on due to extra/excess work, if amount of final work crosses more than Rs. 25 lacs, DLP shall be operative as per rule for each individual item.
- (iii) Similarly, if any work is more than Rs. 25 lacs but after finalization amount of work is less than Rs. 25 lacs, DLP should be operative for six months or rainy season whichever is later.
- (iv) During DLP period if contractor fails to repair any work even after the issue of 7 days written notice, the same work shall be got executed by the respective Executive Engineer at the contractor's risk and cost. This process shall be applicable throughout the DLP period. After completion of DLP period in such works contractor should be debarred and blacklisted, from JDA for three years as per RTPP rule 2012 and 2013 where his defaults twice in a single agreement or in two different works.
- (v) Quarterly Inspection as per rules shall be carried out and DLP registers shall be maintained by respective Executive Engineers to monitor the DLP repairs.
- (vi) Special and regular inspection shall also be carried out as per order no. JDA/XEN & TA to DE-I/2014-15/D-223 dated 12.03.2015 and order no. SE (PMGSY) CIRCULAR 2006/D-115 dated 04.05.2006 Point no. 3.
- (vii) In case JDA feels to take up work on any existing DLP road due to any reason, the following procedure should be adopted:
- (a) At the time of withdrawal total liability of repairs as per DLP conditions to be carried out and the contractor shall be asked to complete the same. After completion of assessed repairs, DLP period shall be released after deduction amt. as per following table-III.

**Table-3**

% Recovery on withdrawal of DLP of work order	1 Year	2 Year	3 Year	4 Year	5 Year
DLP period					
1 Year	1.12	-	-	-	-
2 Year	2.55	1.43	-	-	-
3 Year	4.38	3.26	1.83	-	-
5 Year	9	7.88	6.45	4.62	2.47

Note:- Calculation is to be done on a quarterly basis.

- (b) In case the Contractor fails to carry out these repairs, same shall be carried out at his risk and cost. If the total amt. of such repairs works out to be more than the total retained amount of PS same shall be recovered from other works and as per PDR rules. The amount as per Table 3 is also to be deducted in addition to this amount.
- (viii) Based upon the type of work, DLP conditions for works to be carried out during the DLP period with their frequency of the respective type of work shall be prepared by respective SE's after approval of these periods.
3. In case patch repairs/civil maintenance works costing more than Rs. 25.00 Lakhs, defect liability period will as per clause 37(C) of Contract Agreement.



**Executive Engineer ( 9 )  
JDA, Jaipur**

**Specified Bank Guarantee Performa for Bid Security**

**Section - 6**

Form of (Bank Guarantee) -En cashable at the branch of the bank in Jaipur City.

To  
Secretary,  
Jaipur Development Authority,  
Jaipur

Sub:

Bank Guarantee No. \_\_\_\_\_ dated \_\_\_\_\_ for [amount of Security in figures] [in words] on behalf of \_\_\_\_\_ [Name of the Bidder] against Bid Security for the **Construction of at-grade U-turn facility for traffic improvement on Hare Krishna Marg (Mahal Road), Zone-09, JDA, Jaipur** WHEREAS, \_\_\_\_\_ [name of Bidder with address] (**hereinafter called "the Bidder"**) has submitted his Bid dated ..... for the work of **Construction of at-grade U-turn facility for traffic improvement on Hare Krishna Marg (Mahal Road), Zone-09, JDA, Jaipur** (here in after called " the Bid ").

KNOW ALL PEOPLE by these presents that we \_\_\_\_\_ (Name of Bank) of having our registered office at \_\_\_\_\_ [name of country] having our registered office at \_\_\_\_\_ (hereinafter called "the Bank") are bound unto Secretary, Jaipur Development Authority. (Hereinafter called "the Employer") in the sum of Rupees \_\_\_\_\_ [**Amount of Security in figures**] \_\_\_\_\_ (in words) only for which payment will and truly to be made to the said Employer, the Bank binds itself, its successors, and assigns by these presents.

That on demand of JDA , this Bank Guarantee is cashable at the following branch in Jaipur City.

1. Name of Bank:
2. Name of the branch with branch code:
3. Address:
4. E-Mail Id:
5. Telephone No.
6. Fax No.:

SEALED with the Common Seal of the said Bank this \_\_\_\_\_ day of \_\_\_\_\_ of 20\_\_\_\_\_.

THE CONDITIONS of this obligation are:

- (1) if the Bidder withdraws his Bid during the period of Bid validity specified in the Form of Bid;
- (2) if the Bidder refuses to accept the correction of errors in his bid;

(3) If the Bidder, having been notified of the acceptance of his Bid by the Employer during the period of Bid validity;

(a) fails or refuses to execute the Form of Agreement in accordance with the Instructions to Bidders, or

(b) fails or refuses to furnish the Performance Security, in accordance with the Instructions to Bidders;

We undertake to pay to the Employer up to the above amount upon receipt of his first written demand, without the Employer having to substantiate his demand, provided that in his demand the Employer will note that the amount claimed by him is due to him owing to the occurrence of one or more of the above conditions, specifying the occurred condition or conditions.

This Guarantee will remain in force up to and including the date 30 days after the date of expiration of the Bid Validity, as stated in the Instructions to Bidders, or any such extension thereto as may be agreed by the Bidder, a notice of which extension(s) to the Bank is hereby waived. Any demand in respect of this Guarantee should reach the Bank no later than the above date.

The amount covered under the above Bank Guarantee shall be automatically credited in the accounts of JDA in ICICI Bank, JDA Campus, Jaipur through **IFSC code No ICICI 006754. Bank Account No. 675401700518** on the date of expiry or its validity, unless the agencies get it re-validated well before its expiry date or produce NOC from JDA in writing for its release.

Date \_\_\_\_\_ Signature of the Bank \_\_\_\_\_

Witness \_\_\_\_\_ Seal \_\_\_\_\_

[Signature, Name, and Address]

**[Note: To be furnished on appropriate non-judicial stamps & should be valid for the next 7 months from the bid opening date]**

**Specified Bank Guarantee Performa for Performance Security**

**Section - 6**

Form of (Bank Guarantee) -En cashable at the branch of the bank in Jaipur City.

To  
Secretary,  
Jaipur Development Authority,  
Jaipur  
Sub:

Bank Guarantee No. \_\_\_\_\_ dated \_\_\_\_\_ for [amount of Security in figures] [in words] on behalf of \_\_\_\_\_ [Name of the Bidder] against Performance Security for the **Construction of at-grade U-turn facility for traffic improvement on Hare Krishna Marg (Mahal Road), Zone-09, JDA, Jaipur** WHEREAS, \_\_\_\_\_ [name of Bidder with address] (**hereinafter called "the Bidder"**) has submitted his Bid dated ..... for the work of **Construction of at-grade U-turn facility for traffic improvement on Hare Krishna Marg (Mahal Road), Zone-09, JDA, Jaipur** (herein after called "the Bid").

KNOW ALL PEOPLE by these presents that we \_\_\_\_\_

\_\_\_\_\_ (Name of Bank) of having our registered office at \_\_\_\_\_ [name of country] having our registered office at \_\_\_\_\_ (hereinafter called "the Bank") are bound unto Secretary, Jaipur Development Authority. (Hereinafter called "the Employer") in the sum of Rupees \_\_\_\_\_ [**Amount of Security in figures**] \_\_\_\_\_ (in words) only for which payment will and truly to be made to the said Employer, the Bank binds itself, its successors, and assigns by these presents.

That on demand of JDA, this Bank Guarantee is cashable at the following branch in Jaipur City.

1. Name of Bank:
2. Name of the branch with branch code:
3. Address:
4. E-Mail Id:
5. Telephone No.
6. Fax No.:

SEALED with the Common Seal of the said Bank this \_\_\_\_\_ day of \_\_\_\_\_ of 20\_\_\_\_.

We undertake to pay to the Employer up to the above amount upon receipt of his first written demand within valid period of this guarantee.

This Guarantee will remain in force up to and including the date 30 days after the date of expiration of the Bid Validity, as stated in the Instructions to Bidders, or any such extension thereto as may be agreed by the Bidder, a notice of which extension(s) to the Bank is hereby waived. Any demand in respect of this Guarantee should reach the Bank no later than the above date.

The amount covered under the above Bank Guarantee shall be automatically credited to the accounts of JDA in ICICI Bank, JDA Campus, Jaipur through **IFSC code No ICICI 006754. Bank Account No. 675401700518** on the date of expiry or its validity, unless the agencies get it re-validated well before its expiry date or produce NOC from JDA in writing for its release.

Date \_\_\_\_\_ Signature of the Bank \_\_\_\_\_

Witness \_\_\_\_\_ Seal \_\_\_\_\_

[Signature, Name and Address]

[Note: To be furnished on appropriate non-judicial stamps.]

**Compliance with the Code of Integrity and No Conflict of Interest**

Any person participating in a procurement process shall-

- (a) Not offer any bribe, reward or gift or any material benefit either directly or indirectly in exchange for an unfair advantage in the procurement process or to otherwise influence the procurement process;
- (b) Not misrepresent or omit that misleads or attempts to mislead so as to obtain a financial or other benefit or avoid an obligation;
- (c) Not indulge in any collusion, Bid-rigging or anti-competitive behavior to impair the transparency, fairness and progress of the procurement process;
- (d) Not misuse any information shared between the procuring entity and the bidders with an intent to gain an unfair advantage in the procurement process;
- (e) Not indulge in any coercion including impairing or harming or threatening to do the same, directly or indirectly, to any party or to its property to influence the procurement process;
- (f) Not obstruct any investigation or audit of a procurement process;
- (g) Disclose conflict of interest, if any; and
- (h) Disclose any previous transgressions with any entity in India or any other country during the last three years or any debarment by any other procuring entity.

**Conflict of interest:**

The Bidder participating in a bidding process must not have a Conflict of Interest.

A Conflict of interest is considered to be a situation in which a party has interests that could improperly influence that party's performance of official duties or responsibilities, contractual obligations, or compliance with applicable laws and regulations.

A bidder may be considered to be in conflict of interest with one or more parties in the bidding process if, including but not limited to:

- (a) Have controlling partners/shareholders in common; or
- (b) Receive or have received any direct or indirect subsidy from any of them; or
- (c) Have the same legal representative for purposes of the bid; or
- (d) have a relationship with each other, directly or through common third parties, that puts them in a position to have access to information about or influence on the bid of another bidder, or influence the decisions of the procuring Entity regarding the bidding process; or
- (e) The bidder participates in more than one bid in a bidding process. Participation by a bidder in more than one bid will result in the disqualification of all bids in which the bidder is involved. However, this does not limit the inclusion of the same subcontractor, not otherwise participating as a bidder, in more than one bid; or
- (f) the bidder or any of its affiliates participated as a consultant in the preparation of the design or technical specifications of the goods, works or services that are the subject of the Bid; or
- (g) Bidder or any of its affiliates has been hired (or proposed to be hired) by the procuring entity as engineer-in-charge/consultant for the contract.

**Declaration by the Bidder regarding Qualifications**

**Declaration by the Bidder**

In relation to my/our Bid submitted to .....for procurement of .....in response to their Notice inviting Bids No.....Dated.....I/we .....hereby declare under Section 7 of Rajasthan Transparency in Public Procurement Act, 2012 that:

1. I/we possess the necessary professional, technical, financial and managerial resources and competence required by the Bidding Document issued by the Procuring Entry;
2. I/we have fulfilled my/our obligation to pay such of the taxes payable to the union and the state government or any local authority as specified in the Bidding Document.
3. I/we are not insolvent, in receivership, bankrupt or being wound up, not have my/our affairs administered by a court or a judicial officer, not have my/our business activities suspended and not the subject of legal proceedings for any of the foregoing reasons;
4. I/we do not have, and our directors and officers not have, been convicted of any criminal offense related to my/our professional conduct or the making of false statements or misrepresentations as to my/our qualifications to enter into a procurement contract within a period of three years preceding the commencement of this procurement process, or not have been otherwise disqualified pursuant to debarment proceedings;
5. I/we do not have a conflict of interest as specified in the Act, Rules and the Bidding Document, which materially affects fair competition;

Date:

Signature of the bidder

Place:

Name:

Designation:

Address:

Note:- Annexure "B" is mandatory to be fulfilled & signed with seal by the bidder failing which the bid shall summarily be rejected without asking any clarification.

## Grievance Redressal during Procurement Process

The designation and address of the First Appellate Authority :  
For works costing up to Rs. 300.00Lakhs - Jaipur Development Commissioner, JDA, Jaipur.  
For works costing above Rs. 300.00Lakhs - Executive Committee, JDA, Jaipur.  
The designation and address of the Second Appellate Authority: .....  
For works costing up to Rs. 300.00Lakhs - Executive Committee, JDA, Jaipur.  
For works costing above Rs. 300.00Lakhs - Principle Secretary/ACS, Urban Development  
& Housing Department, GOR, Jaipur.

**(1) Filing an appeal: -**

if any bidder or prospective bidder is aggrieved that any decision, action or omission of the procuring entity is in contravention to the provisions of the Act or the rules or the guidelines issued there under, he may file an appeal to First Appellate authority, as specified in the Bidding document within a period of ten days from the date of such decision or action, omission, as the case may be, clearly giving the specific ground or grounds on which, he feels aggrieved:

Provided that after the declaration of a bidder as successful the appeal may be filed only by a bidder who has participated in procurement proceedings:

Provided further that in case a procuring entity evaluates the technical bids before the opening of the financial bids, an appeal related to the matter of financial bids may be filed only by a bidder whose technical bid is found to be acceptable.

**(2)** The officer to whom an appeal is filed under Para (1) shall deal with the appeal as expeditiously as possible and shall Endeavour to dispose it of within thirty days from the date of the appeal.

**(3)** If the officer designated under Para (1) fails to dispose of the appeal filed within the period specified in Para (2), or if the bidder or prospective bidder or the procuring entity is aggrieved by the order passed by the first appellate authority, the bidder or prospective bidder or the procuring entity, as the case may be, may file a second appeal to the second appellate authority specified in the bidding document in this behalf within fifteen days from the expiry of the period specified in Para (2) or of the date of receipt of the order passed by the first appellate authority, as the case may be.

**(4) Appeals not to lie in certain cases: -**

No appeal shall lie against any decision of the procuring entity relating to the following matters, namely: -

- (a) Determination of the need of procurement
- (b) Provisions limiting the participation of bidders in the bid process
- (c) The decision of whether or not to enter into negotiations
- (d) Cancellation of a procurement process
- (e) Applicability of the provisions of confidentiality

**(5) Form of Appeals: -**

- (a) An appeal under Para (1) or (3) above shall be in the annexed form along with as many copies as there are respondents in the appeal.
- (b) Every appeal shall be accompanied by an order appealed against, if any, Affidavit verifying the facts stated in the appeal and proof of payment of fee,

- (c) Every appeal may be presented to the first appellate authority or second appellate authority, as the case may be, in person or through registered post or authorized representative.

**(6) Fee for filing Appeal: -**

- (a) Fee for the first appeal shall be rupees two thousand five hundred and for the second appeal shall be rupees ten thousand, which shall be non-refundable.
- (b) The fee shall be paid in the form of a bank demand draft or banker's cheque of a scheduled bank in India payable in the name of the appellate authority concerned.

**(7) Procedure for disposal of Appeal: -**

- (a) The first appellate authority or second appellate authority as the case may be, upon the filing of the appeal, shall issue notice accompanied by a copy of the appeal, affidavit and documents, if any, to the respondents and fix a date of hearing
- (b) On the date fixed for hearing, the first appellate authority or the second appellate authority, as the case may be shall-
  - (i) Hear all the parties appeal presenting before him; and
  - (ii) Peruse or inspect documents, relevant records or copies thereof relating to the matter.
- (c) After hearing the parties, perusal or inspection of documents and relevant records or copies thereof relating to the matter, the appellate authority concerned shall pass an order in writing and provide a copy of the order to the parties to appeal free of cost.
- (d) The order passed under sub-clause (c) above shall also be placed on the state public procurement portal.

### Additional Conditions of Contract

**1. Correction of arithmetical errors**

Provided that a financial bid is substantially responsive, the procuring entity will correct arithmetical errors during the evaluation of financial Bids on the following basis:

- (i) if there is a discrepancy between the unit price and the total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail and the total price shall be corrected unless in the opinion of the procuring entity, there is an obvious misplacement of the decimal point in the unit price, in which case the total price as quoted shall govern and the unit price shall be corrected;
- (ii) if there is an error in a total corresponding to the addition or subtraction of subtotals, the subtotals shall prevail and the total shall be corrected; and
- (iii) if there is a discrepancy between words and figures, the amount in words shall prevail, unless the amount expressed in words is related to an arithmetic error, in which case the amount in figures shall prevail subject to (i) and (ii) above.

If the Bidder that submitted the lowest evaluated bid does not accept the correction of errors, its bid shall be disqualified and its bid security shall be forfeited or its bid securing declaration shall be executed.

**2. Procuring Entity's Right to Vary quantities.**

- (i) At the time of award of the contract, the quantity of goods, works or services originally specified in the bidding documents may be increased or decreased, by a specified percentage, but such increase or decrease shall not exceed fifty percent, of the quantity specified in the bidding documents. It shall be without any change in the unit prices or other terms and conditions of the bid and the conditions of the contract.
- (ii) If the Procuring entity does not procure any subject matter of procurement or procures less than the quantity specified in the bidding document due to change circumstances, the bidder shall not be entitled to any claim or compensation except otherwise provided in the conditions of the contract.
- (iii) In case of procurement of goods or services, additional quantity may be procured by placing a repeat order on the rates and conditions of the original order. However, the additional quantity shall not be more than 25% of the value of goods of the original contract and shall be within one month from the date of expiry of the last supply. If the supplier fails to do so, the procuring entity shall be free to arrange for the balance supply by limited bidding or otherwise and the extra cost incurred shall be recovered from the supplier.

**3. Dividing quantities among more than one bidder at the time of award (In case of procurement of Goods):-**

As a general rule, all the quantities of the subject matter of procurement shall be procured from the Bidder, whose Bid is accepted. However, when it is considered that the quantity of the subject matter of procurement to be procured is very large and it may not be in the capacity of the Bidder, whose Bid is accepted, to deliver the entire quantity or when it is considered that the subject matter of procurement to be procured is of critical and vital nature, then in such cases, the quantity may be divided between the Bidder, whose Bid is accepted and the second lowest Bidder or even more Bidder in that order, in a fair, transparent and equitable manner at the rates of the Bidder, whose Bid is accepted.

## Process for Tender Participation & Depositing Payment on 'Online Tender Participation' Portal of JDA & Bid Submission on 'e-Procurement Portal' of Government of Rajasthan: -

### A\*Process for Tender Participation & Depositing Payment on 'Online Tender Participation' Portal of JDA

#### 1-Participate in tender

- a) Bidder can access 'Online Tender Participation' Portal of JDA at <https://jda.urban.rajasthan.gov.in/jda> or by Single-Sign-On at <http://service.jaipurjda.org>.
- b) Create user Login with a valid mobile number to register yourself for various Online Services of JDA.
- c) Select 'Proceed as Citizen' and then 'Proceed for Subscription' for 'Tender Online Payment'. The prevailing plan for getting registered for tendering process of JDA is Rs. 500.00 with a validity period of 3 Years (renewable).
- d) After successful payment, re-login and upload required documents for KYC (Know Your Client) compliance as per the type of entity viz. Individuals/ Company/ Partnership Firms/ Trusts & foundations. Besides, Bank Passbook / Cancelled Cheque consisting of Bank Account, IFSC Code is mandatory to be uploaded, to refund the bid security of unsuccessful bidder.
- e) After receiving the payment successfully and approving KYC documents the bidder will be authenticated by JDA for taking part in Tender.

#### 2-Deposit Tender Fee, RISL processing fee and Bid Security (EMD)

- **Option-1:** Payment Gateway (Aggregator)  
The facility to make payment through Debit Card, Credit Card, Net banking etc., will be available. User can use this facility from anywhere any time till the closing date & time of bid participation.
- **Option-2:** Electronic Fund Transfer (EFT: NEFT/RTGS)  
If the bidder selects payment mode as EFT (NEFT/RTGS), "Paying Slip for EFT (NEFT/RTGS)" will be generated by the system for the complete amount. The payment can be made from any Bank any Branch using this Paying Slip through NEFT/RTGS (Claim against payment made through EFT in any other JDA bank account will not be acceptable and bidder stands disqualified from participation in the bid applied for). After successful transaction through NEFT/RTGS, as per the standard procedures it may take 4 to 24 hours in process of confirmation of EFT through Auto-Process depending on the time of EFT done. Therefore, option to make payment through EFT (NEFT/RTGS) will be available till 48 hours prior to closing date of bid participation.

#### 3-Deposit Bid Security (EMD)

The Bid Security (EMD) can be submitted through Bank Guarantee (BG). Bidder may opt Bank Guarantee (BG) against Bid Security (EMD), for which bidder requires to prepare BG before applying in the tender. The detail of BG requires to be fed on 'Online Tender Participation' Portal of JDA before paying balance amount (Tender Fee + RISL Processing Fee). This balance amount will be paid through Payment Gateway only, option to make balance payment through EFT (RTGS/NEFT) will not be available.

#### 4-Obtain Bid Participation Receipt

After confirming payment, the bidder will get Bid Participation Receipt based on which user will get the payment details along with other details for bidding on e-Procurement portal of GOR.

- In case of BG as the remaining payment will be done through Payment Gateway, on successful transaction the 'Bid Participation Receipt' will be generated on real time basis.
- In case complete payment is done through Payment Gateway, on successful transaction the 'Bid Participation Receipt' will be generated on real time basis.
- In case complete payment is done through EFT (NEFT/RTGS), on confirmation of payment from ICICI Bank (Auto Process) 'Bid Participation Receipt' will be available on Login of Bidder on JDA portal.

### B-\*\*Bid Submission on 'e-Procurement Portal' of Government of Rajasthan

- 1- Online e-Bid can be submitted after registration at e-Procurement Portal of Government of Rajasthan [www.eproc.rajasthan.gov.in](http://www.eproc.rajasthan.gov.in)

- 2- It is mandatory to upload Bid Participation Receipt with the bid submission.
- 3- Details of online payment available on Tender Participation Portal of JDA have to be filled in 'offline payment' section of e-Procurement portal.

**Note**

- 1- Bidder (authorized signatory) shall submit their offer on-line in electronic formats both for technical and financial proposal.
- 2- In case, any of the bidders fails to pay the Tender Fee, BSD, and RISL Processing Fee, online (subject to confirmation), its Bid shall not be accepted.
- 3- To participate in online bidding process, Bidders must procure a Digital Signature Certificate (Type III) as per Information Technology Act-2000 using which they can digitally sign their electronic bids. Bidders can procure the same from any CCA approved certifying agency, i.e., TCS, Safecrypt, nCode etc. Bidders who already have a valid Digital Signature Certificate (DSC) need not procure a new DSC. Also, bidders must register on <http://eproc.rajasthan.gov.in> (bidders already registered on <http://eproc.rajasthan.gov.in> before 30-09-2011 must register again).
- 4- JDA will not be responsible for delay in online submission due to any reason. For this, bidders are requested to upload the complete bid well advance in time so as to avoid 11th hour issues like slow speed; choking of web site due to heavy load or any other unforeseen problems.
- 5- Bidders are also advised to refer "Bidders Manual Kit" available at eProc website for further details about the e-Tendering process.
- 6- Training for the bidders on the usage of e-Tendering System (eProcurement) is also being arranged by DoIT&C, GoR on a regular basis. Bidders interested in training may contact e-Procurement Cell, DoIT&C for booking the training slot.

Contact No: 0141-4022688 (Help desk 10 am to 6 pm on all working days) e-mail: [eproc@rajasthan.gov.in](mailto:eproc@rajasthan.gov.in)

Address: e-Procurement Cell, JDA, Yojana Bhawan, Tilak Marg, C-Scheme, Jaipur

- 7- The procuring entity reserves the complete right to cancel the bid process and reject any or all of the Bids.
- 8- No contractual obligation whatsoever shall arise from the bidding document/ bidding process unless and until a formal contract is signed and executed between the procuring entity and the successful bidder.
- 9- Procurement entity disclaims any factual/ or other errors in the bidding document (the onus is purely on the individual bidders to verify such information) and the information provided therein are intended only to help the bidders to prepare a logical bid-proposal.
- 10- The provisions of RTPPA Act 2012 and Rules thereto shall be applicable for this procurement. Furthermore, in case of any inconsistency in any of the provisions of this bidding document with the RTPPA Act 2012 and Rules thereto, the later shall prevail.

**Jaipur Development Authority, Jaipur.**

**Bid Participation Receipt**

Date & Time:-	
<b>Bid Detail</b>	
Bid ID:	Procurement Entity:-
Bid Title:	
Bid Value:	Bid Opening Place:
<b>Bidder Detail</b>	
Name of Entity:	Mobile No.:
Registration Type:	Instrument Amount:
Payment Mode:	Payment Channel:
Instrument No.:	Instrument Date:

<b>Dates Detail</b>		
Sr. No.	Event Name	Event Date
1	Publishing Date	
2	Bid Opening Date	

<b>Specific Instrument for eProc Rajasthan</b>			
<b>Instrument Type</b>			
Instrument Number	Head Name	Amount	Date
	Tender Fee		
	RISL Processing Fee		
	Bid Security Deposit		
Issuer Detail: Jaipur Development Authority		Challan Number:	

More details about Registration Process, Terms and Conditions and FAQ along with contact detail is available on JDA website [www.jda.urban.rajasthan.gov.in](http://www.jda.urban.rajasthan.gov.in).

# JAIPUR DEVELOPMENT AUTHORITY, JAIPUR

## SPECIAL CONDITION OF THE CONTRACT FOR POST QUALIFICATION OF CONTRACTORS

**Name of work :- Construction of at-grade U-turn facility for traffic improvement on Hare Krishna Marg (Mahal Road), Zone-09, JDA, Jaipur.**

Special conditions of contract of POST QUALIFICATION as detailed here under, shall be applicable in addition to all other terms and condition already prescribed under standard agreement forms/rules and regulations to contract:

### 1. Procedure:

Procedure for POST QUALIFICATION would be as follow:

- (a) Two-envelope (docket) system would be adopted, for POST QUALIFICATION, Docket-1 being for Technical Bid and Docket-2 being for Financial Bid.  
Docket-1:- There will be three separate folders- Folder-1 is for proof of deposition of Bid Security, cost of bidding document and bid processing fee along with copy of GST registration and copy of enlistment as contractor/bidder in required category. Folder-II is for bid document and folder-III is for technical bid.  
Docket-2:- There will two separate folders-1 is for financial bid and 2 is for bill of quantities.
- (b) The technical bid will be opened only of whose bidders those proper Bid Security, copy of GST registration, proof for deposition of bidding document fee, RISL processing fee, copy of enlistment of contractor in required category and signed Annexure "B" are found to be in order. The bid Security will be accepted only in from of online deposition or in form of Bank Guarantee
- (c) The Technical Bid envelope would be opened on the date.....at.....pm in the chamber of Superintending Engineer.....
- (d) The Financial Bid envelope would be opened only of those bidders who fulfill all the POST QUALIFICATION CRITERIA.

## 2. Criteria:

Criteria for POST QUALIFICATION would be as follows:-

- (a) The bidder should have executed following quantities of work in any one financial year of the last seven financial years. However the bidder may opt current year in the said financial assessment period.

S.No.	Items	Quantities
	Major items of schedule "G" as decided by Dir.(Engg.)/OIC(Engg.)	50%
<b>For Road Work</b>		
A	B.T. Work by Paver	710.00 MT
B	Stone work (Flooring/ cladding)	15171.00 Sqm
C	Mastic Asphalt wearing work	9920.00 Sqm

### **Note:-**

- (i) **The Bidder should enclose the certificate having quantities Financial year wise otherwise the certificate will not be considered.**
  - (ii) **Quantities of all the items mentioned in criteria 2(a) should be executed in one financial year.**
  - (iii) **Certificate issued by Government of India, State Governments, Union Territory, Government, Undertaking, Autonomous Bodies shall only be considered.**
- 2(b) The bidder should have completed at least one similar nature work in last seven Financial Year (including current year, if opted by the bidder) of value not less than 50% of the Estimated Cost of The work (bid cost Rs. 1040.06 Lacs) updated to present price level.

### **Note:-**

- (i) The starting & completion date of the work is to be in between above said financial year. If no then maximum work (70%) of work mentioned in certificate submitted is to be completed in above said financial years. The bidders should have to enclose the proper bifurcated certificate accordingly otherwise the certificate will not be considered.
- (ii) In case; if single work selected by the bidder is of mix in nature having different components; then a proper bifurcated completion certificate showing the required similar nature component, should be enclosed.

2(C) The bidder should have achieved an annual financial turnover of at least 60% of the estimated cost of work (bid cost Rs. 1040.06 Lacs) in any one of the last five financial years (including current year, if opted by the bidder)

**Note:-**

- (i) The bidder should enclose certificate of Turn Over from Chartered Accountant for last seven financial year & audited balance sheet of the year which is considered by the bidder in criteria 2(c).
  - (ii) If current year or last year has been opted by bidder whose balance sheet is not submitted till the submission of bid then certificate from Chartered Accountant should be enclosed.
- 2(d) The bidder should give self declaration to deploy the machinery and equipment as specified in Schedule-III for the execution of this work.
- 2(e) Bid Capacity: Bidders who meet the minimum qualification criteria will be qualified only if available bid capacity is equal to or more than the total Bid Value.

The available bid capacity will be calculated as under:

$$\text{bid capacity} = (A \times N \times 3 - B)$$

- Where A= Maximum value of civil engineering work executed in any one year during the last 7 financial years(updated to preset Price level) taking in to account the completed as well as works in progress. However, the bidder may opt current year in the five year assessment period (Annexure-IV).
- N= Number of year prescribed for completion of the work of which bids are invited. In present case value of N shall be 0.50
- B= Value, at present price level of existing commitments and ongoing works to be executed during "N" period (period prescribed for completion of the works for which the bids are invited)

**Note:-**

- (i) **Certificate from Chartered Accountant should be enclosed by bidder clearly indicated maximum value of Civil Engineering Work in one Financial Year.**

**2(f)** Litigation History:- Bidder should provide an accurate information on any litigation or arbitration resulting from contracts completed or under execution by him over the last seven years. The maximum value (updated at the present price level) of disputed amount claimed in the litigation/arbitration resulting from contracts executed in last seven years shall be deducted from the calculated Bid Capacity of the bidder. The details shall be furnished in Schedule VI.

Note:-

(I) The present price level for turnover, cost of completed work & disputed amount of similar nature, the previous years value shall be given weight age of 10% per years as follows:-

		Financial Year	
(a)	For current year	1.00	2025-26
(b)	For last year	1.00	2024-25
(c)	For one year before	1.10	2023-24
(d)	For two year before	1.21	2022-23
(e)	For three year before	1.33	2021-22
(f)	For four year before	1.46	2020-21
(g)	For five year before	1.60	2019-20
(h)	For six year before	1.76	2018-19

3. The bidder should furnish the following documents along with the technical bid;
- (a) Information regarding financial resources and capability in Schedule-I.
  - (b) Information regarding works executed in the last five years in Schedules-II.
  - (c) Certificates from the concerned Engineer-In-Charge in support and verification of the information furnished in Schedule-II.
  - (d) Self declaration regarding machinery and equipment required for deployment, as detailed in Schedule-III.
  - (e) Information regarding details of maximum value of civil engineering works executed in any one year during the last seven years taking into account the completed as well as works in progress in schedule-IV.
  - (f) Information regarding existing commitments and ongoing works to be completed in schedule-V.
  - (g) Information regarding details of litigation or arbitration contracts to be furnished in schedule-VI.
  - (h) Calculation of Bid capacity in schedule-VII.
  - (i) Self declaration as per Annexure I.
  - (j) Details regarding evaluation criteria in schedule-VIII.

Note:- These schedules are mandatory to fill by the bidder, failing which the information be treated as NIL.

#### 4. Important:

- (a) The bidder must ensure that all the information required in the Document is furnished by him completed in all respects. He would not be allowed to withdraw any document, or to rectify any information furnished therein, after submitting the bid.

(b) The bidder should give self declaration that the information furnished in schedule I to VII is correct. If any information is found incorrect, the offer of the bidder shall be rejected and action be taken as per rules.

(c) Bidders must do paging of all enclosure of bid documents.

**5. Rejection of bids:**

The department reserves the rights to reject any bid or to disqualify any or all the bidders, without assigning any reasons at any stage.

- (I) If bid is not accompanied with the requisite documents mentioned in clauses 3(a) to 3(i) or is not in accordance with procedure specified in para 1, or is not accompanied with bid security, copy of GST registration, proof for deposition of bidding document fee, RISL processing fee and registration of contractor in required category it would be liable for rejection.
- (II) Furnish of incorrect or concealment of any information required in the bid documents would render the bid liable for rejection.
- (III) The bidder shall prepare bid in the digital/ electronic mode for uploading on e-procurement portal in the format/type of file specified in evaluation qualification criteria" all the documents uploaded should be digitally signed with DSC of authorized signatory, deemed as all the pages of the uploaded documents are signed."
- (IV) The self declaration and annexure "B" enclosed by the bidder regarding qualifications of RTPP Act, 2012 and Rules, 2013 alongwith bid documents, should be signed by the participating bidders before uploading bid documents otherwise the bid will be rejected as per officer order No. 194 dated 06.09.2022.



**EXECUTIVE ENGINEER (ZONE-9)**

**JAIPUR DEVELOPMENT AUTHORITY**

**JAIPUR**

**SCHEDULE-I**  
**FINANCIAL RESOURCES AND CAPABILITY**  
**(Reference clause 3(a))**

1. Name of Bidder:-

2. Total financial turnover achieved by the bidder in the last five financial years;

S.No.	Year	Turnover
(i)		
(ii)		
(iii)		
(iv)		
(v)		

Note: Balance Sheets and Profit & Loss Accounts is to be enclosed by the bidder which is considered by him as per criteria 2(a).

3. Total financial Turnover projected in the current financial year.
4. Has the bidder ever been debarred from tendering for Central Government/State Government/any Government undertaking?  
Yes/No, If yes give details.
5. Has bidder ever been declared insolvent?  
Yes/No, If yes give details.
6. Name(s) and Address of Branch/(s) for bidder's Bankers.

I/We hereby certify that the above information is correct to the best of my/our knowledge and belief.

Date:



### SCHEDULE-III

(Reference clause 3(d))

### Self Declaration

I/We.....Proprietor/Partner/ Authorized signatory of  
M/s.....under take the oath that I/We will deploy  
the machinery and equipment listed below as and when required in the  
execution of this work.

S. No.	Name of Machinery	Minimum Requirement	Availability	
			Owned	Leased
1.	Batch mix plant (Bituminous)	01		
2.	Compactor	01		
3.	Tandem Roller	02		
4.	Static Roller	02		
5.	Bitumen Browser	01		
6.	PTR Roller	01		
7.	Water Tanker	02		
8.	Dumper	10		
9.	JCB	01		
10.	Sensor Paver	01		
11.	Compressor	01		
12.	Concrete Mixer	02		
13.	Generator set	01		
14.				

I/We hereby certify that the above information is correct to the best of my/our  
knowledge and belie

Signature of Bidder

Note:- This self declaration is mandatory to be signed by the bidder failing which the bid shall  
summarily be rejected without asking any clarification.

**SCHEDULE-IV**

**(Reference clause 3(e))**

**DETAILS OF MAXIMUM VALUE OF CIVIL WORKS EXECUTED IN ANY ONE YEAR  
DURING LAST SEVEN YEARS.**

<b>FINANCIAL YEAR IN LAST SEVEN YEARS</b>	<b>COST OF WORK EXECUTED IN FINANCIAL YEAR</b>



**SCHEDULE-VI**

**(Reference clause 3(g))**

**DETAILS OF LITIGATION OR ARBITRATION CONTRACTS**

<b>S. No.</b>	<b>Name of Works (with agreement No. &amp; Date)</b>	<b>Client</b>	<b>Work Order</b>	<b>Disputed Amount claimed in Litigation/ Arbitration</b>	<b>Date of Raising Disputed Amount</b>	<b>Actual Award Amount, if the case is Decided</b>	<b>Cause of Litigation &amp; matter in Dispute</b>

**SCHEDULE-VII**  
**(Reference clause 3(h))**

**BID CAPACITY**

1.	A= Mximum value of civil Engineering works Executed in any one year during the last five Years (Updated to present price level)	.....Lacs	Certified details enclosed at Page No.....
2.	N= Number of years prescribed for completion of the work for which bids are invited	0.5	
3.	B= Value, at present price level of existing Commitments and on going works to be Completed during the next N Period.	.....Lacs	Certified details enclosed at Page No.....

Bid Capacity= A x N x 3-B

= .....Lacs

**Schedule- VIII**  
**(Reference clause 3(J))**

**Details Regarding Evaluation Criteria**

Name of work :-

S. No.	Item	Minimum Requirement (As per Bid)	Remark	Year		
				Year	Qty.	Page No.
1	Copy of GST Reg. Certificate					
2	Copy of Registration certificate					
3	1. Proof of Bid Security deposition 2. Proof of bidding document cost deposition 3. Proof of RISL fees deposition.					
4	The bidder should have executed following quantities of work in any one financial year of the last seven financial years. However the bidder may opt current year in the said financial assessment period. (Schedule-II). a. b. c.					
5	The bidder should have completed at least one similar nature work in last seven financial year (including current year, if opted by the bidder) of value not less than .....% of the estimated cost of the work (Bid cost) updated to present price level.					
6	The bidder should have achieved an annual financial turnover of at least Rs. ....% Lacs of the work (Bid cost) in any one of last seven financial year (including current year)					
7	The bidder should give declaration to deploy the machinery and equipment as specified in schedule-III, for the execution of this work. Duly Self attested.					
8	Bid Capacity (AxNx3-B) Here A is Maximum value of civil engineering work executed in any one of last 5 financial years. N is number of Years Prescribed for completion of the work. B is value at present price level of existing commitments and ongoing.					
9	Affidavit in support of information finished by bidder in Annexure-I					
10	Schedule-VI (Details of Litigation).					
11	Signed Annexure "B"(RTPP Act/Rules)					

Note:- This sheet must be prepared and submitted by the bidders.

## Self Declaration

Attested photo of  
the bidder

I/We.....Proprietor/Partner/Authorized  
signatory of M/s.....under take the oath that the  
information furnished by me/us in schedule I to VIII of the assessment Bid  
for.....is  
correct to the best of my/ our knowledge. If any information id found to be incorrect JDA  
has right to reject the Bid and to take action against me/us as per rules.

.....  
Proprietor/Partner/Authorized signatory  
M/s.....  
.....

Note:- This Self Declaration is mandatory to be signed by the bidder failing  
which the bid shall summarily be rejected without asking any  
clarification.

## JAIPUR DEVELOPMENT AUTHORITY, JAIPUR

Name of Work :- Construction of at-grade U-turn facility for traffic improvement on Hare Krishna Marg (Mahal Road), Zone-09, JDA, Jaipur

### G-Schedule

BSR For :2015 JDA BSR Items (Approved Non-BSR Items)-2015-2016  
 2016 JDA BSR (Building Works)-2015-2016  
 2022 JDA BSR Items (Approved Non-BSR Items)-2022-2023  
 2023 RUIDP SOR (Bridge Works)-2025-2026  
 2024 JDA BSR Items (Approved Non-BSR Items)-2024-2025  
 2025 PWD BSR (Road Work)-2025-2026

S. No	Particulars	Unit	Qty.	Rate	Amount
1	Clearing Grass and Removal of Rubbish up to a distance of 30 m outside the periphery of the area as per MoRD Specification Clause 201 By Manual Means	Hect.	0.820	8720.00	7150.40
2	Clearing and Grubbing Road Land including uprooting wild vegetation, grass, bushes, shrubs, saplings and trees of girth upto 300 mm, removal of stumps of such trees cut earlier and disposal of unserviceable materials and stacking of serviceable material to be used or auctioned, upto a lead of 1000 m including removal and disposal of top organic soil not exceeding 150 mm in thickness as per MoRD Specification Clause 201 By Mechanical Means In area of non-thorny jungle	Hect.	0.820	12513.00	10260.66
3	Uprooting and Removing Stumps & roots, compaction of backfilling and stacking of serviceable material by manual means as per MoRTH Specification Clause 201. Lead upto 100 m Girth above 300 mm to 600 mm	Each	100.000	81.00	8100.00
4	Cutting of Trees including Cutting of Trunks, Branches and Removal of Stumps & roots, refilling, compaction of backfilling and stacking of serviceable material by manual means with all lifts as per MoRD Specification Clause 201 Lead upto 100 m Girth above 900 mm to 1800 mm	Each	50.000	510.00	25500.00
5	Stripping, Storing and Relaying Top Soil from Right-of-Way (R.O.W) Stripping, storing and preservation of top soil by keeping it damp in stock piles and keep wet till it is used by road side at 15 m internal and reapplication on embankment slopes, cut slopes and other areas in localities where the available embankment material is not conducive to plant growth as per MoRTH Specification Clause 301.3.2.& 305.3.3	Cum	2050.000	94.00	192700.00

6	Pavement milling (cold planing, asphalt milling, or profiling) of existing all kinds of bituminous surfaces (Mastic, DBM, BC, SDBC, SMA, PMC etc.) with specially designed equipment up to the specified depth of bituminous layer as per designed level & grade, including disposal of milling material with all lead (minimum 20 km from site) and lift complete as per specification. The surface shall be free of bumps, ruts, and other imperfections including the arrangement of traffic diversion if required. Milling material recovered, shall be loaded directly onto trucks/trolleys from the milling machine & shall be the property of the contractor. The milled road surface shall be swept clean prior to opening to traffic. The milling machine is power-operated, self-propelled, and self-sufficient in power, traction, and stability to remove a thickness of BT surface to a specified depth. The machine should be able to provide a uniform profile and cross slope, and capable of accurately and automatically establishing profile grades along each edge of the machine by referencing from the existing pavement without damaging the bottom CC surface if any. The machine should have an automatic system for controlling grade elevation and cross slope etc.	Cum	3643.500	900.00	3279150.00
7	Dismantling kerb stones by manual means and disposal of dismantled material with all lifts and upto a lead of 1000 m as per MoRTH Specification Clause 202.	R. Mtr.	2000.000	8.00	16000.00
8	Dismantling of barbed wire fencing / wire mesh fencing including posts, foundation concrete, backfilling of pit by manual means including disposal of dismantled material with all lifts and upto a lead of 1000 m, stacking serviceable material and unserviceable material separately as per MoRTH Specification Clause 202	R. Mtr.	1640.000	31.00	50840.00
9	Excavation in Cutting in Soil by manual means with lead upto 50 m Excavation for roadway in soil using manual means for carrying of cut earth to embankment site with a lift upto 1.5 m and lead upto 50 m as per MoRTH Specification Clause 301.3	Cum	960.000	76.00	72960.00
10	Granular Sub-base with Well Graded Material (Table 400.1) By Mix in Place Method Construction of granular sub-base by providing well graded material, spreading in uniform layers with Tractor Mount Grader on prepared surface, mixing by mix in place method with rotavator at OMC, and compacting with smooth wheel roller to achieve the desired density, complete as per MoRD Specification Clause 401 (i) For Grading I Material	Cum	1240.000	512.00	634880.00
11	Wet Mix Macadam Providing, laying, spreading and compacting graded stone aggregate to wet mix macadam specification including premixing the material with water at OMC in mechanical mixer (Pug Mill), carriage of mixed material by tipper to site, laying in uniform layers in sub-base/base course on a well prepared sub-base and compacting with smooth wheel roller of 80 to 100kN weight to achieve the desired density including lighting, barricading and maintenance of diversion, etc as per Tables 400.11 & 400.12 and MoRD Specification Clause 406. By Mechanical Means with 1 km lead	Cum	1550.000	1147.00	1777850.00

12	Providing and laying 25 mm thick Mastic Asphalt wearing course with paving grade bitumen meeting the requirements given in table 500-29, prepared by using mastic cooker and laid to required level and slope after cleaning the surface, including providing anti-skid surface with bitumen precoated fine grained hard stone chipping of 13.2 mm nominal size at the rate of 0.005 cum per 10 sqm and at an approximate spacing of 10 cm center to center in both directions, pressed into surface when the temperature of surfaces is not less than 100 C protruding 1 mm to 4 mm over mastic surface, all complete as per Clause 516.	Sqm	19840.000	490.00	9721600.00
13	Direction and Place Identification signs upto 0.9 sqm size board Retro-reflectorised Traffic Signs Providing and erecting direction and place identification retro-reflectorised sign as per IRC:67 made of encapsulated lens type reflective sheeting vide Clause 801.3.1. fixed over aluminium sheeting, 2 mm thick with area not exceeding 0.9 sqm supported on a mild steel single angle iron post 75 x 75 x 6 mm firmly fixed to the ground by means of properly designed foundation with M-15 grade cement concrete 450 x 450 x 600 mm, 600 mm below ground level as per approved drawing and MoRTH Specification Clause 801. Direction and Place Identification signs upto 0.9 sqm size board	Sqm	60.000	13272.00	796320.00
14	Painting lines, dashes, arrows, etc. on roads in two coats on new work with ready mixed road marking paint conforming to IS:164 on bituminous/concrete surface, including cleaning the surface of all dirt, dust and other foreign matter, demarcation at site and traffic control as per drawing and MoRTH Specification Clause 803	Sqm	160.000	96.00	15360.00
15	Road Markers/Road Stud with Lens Reflector Providing and fixing of road stud 100 x 100 mm die cast in aluminium, resistant to corrosive effect of salt and grit, fitted with lense reflectors, installed in concrete or asphaltic surface by drilling holes 30 mm upto a depth of 600 mm and bedded in a suitable bituminous grout or epoxy mortar, all as per BS:873 (Part 4) 1973.as per MoRTH Specification Clause 804	Each	4500.000	109.00	490500.00
16	Construction of speed breaker of IRC standard having width of 3.70 M including cost of stone aggregate (50-25mm) size hire charges for roller for consolidation and compaction and other machines required for the work (including cost of bitumen)	Sqm	160.000	200.00	32000.00
17	Providing and applying primer coat with bitumen emulsion (SS-1) on prepared surface of granular base including cleaning of road surface and spraying primer at the rate of 0.70-1.0 kg/sqm using mechanical means as per MoRD Specification Clause 502	Sqm	6200.000	31.00	192200.00
18	Providing and applying tack coat with Bitumen emulsion (RS-1) using emulsion distributor at the rate of 0.20 to 0.30 kg per sqm on the prepared bituminous surface cleaned with Hydraulic broom as per MoRD Specification Clause 503.	Sqm	12400.000	9.60	119040.00
19	Providing and applying tack coat with Bitumen emulsion (RS-1) using emulsion distributor at the rate of 0.25 to 0.30 kg per sqm on the prepared granular surfaces treated with primer & cleaned with Hydraulic broom as per MoRD Specification Clause 503.	Sqm	6200.000	11.00	68200.00

20	Providing and laying dense graded bituminous macadam with 100-120 TPH batch type HMP producing an average output of 75 tones per hour using crushed aggregates of specified grading, premixed with bituminous binder @ 4.0 to 4.5 per cent by weight of total mix and filler, transporting the hot mix to work site, laying with a hydrostatic paver finisher with sensor control to the required grade, level and alignment, rolling with smooth wheeled, vibratory and tandem rollers to achieve the desired compaction as per MoRT&H Specifications Clause 505 complete in all respects. Bitumen (VG-30) for Grading II ( 26.50 mm nominal size )	MT	848.160	2969.00	2518187.04
21	Providing and laying bituminous concrete with 100-120 TPH batch type hot mix plant producing an average output of 75 tonnes per hour using crushed aggregates of specified grading, premixed with bituminous binder @ 5.2 to 5.4 per cent of mix and filler, transporting the hot mix to work site, laying with a hydrostatic paver finisher with sensor control to the required grade, level and alignment, rolling with smooth wheeled, vibratory and tandem rollers to achieve the desired compaction as per MoRT & H Specifications Clause 507 complete in all respects. for Grading-I (19 mm nominal size) Bitumen (VG-30)	MT	570.400	3377.00	1926240.80
22	Painting on Concrete/Steel Surfaces with Epoxy Painting two coats including prime coat with epoxy paint of approved brand on concrete/steel surfaces after through cleaning of surface to give an even shade as per drawing and MoRTH Specification Clause 801	Sqm	3600.000	138.00	496800.00
23	Marking Centre Line and stop lines etc. on road as per IRC pattern with thermoplastic paint of approved quality and make with 8% glass beads laid on the road surface at temperature 160° C with a special applicator machine complete with a special applicator machine complete with labour material and traffic diversion arrangements.	Sqm	15734.400	500.00	7867200.00
24	Flooring with Cobble stone of approx. Size 125x125x75 mm (thick) laid on 25 mm average thick cement mortar 1:3 ( 1 cement : 3 Coarse sand) and jointed with grey cement slurry mixed with pigment to match the shade of the stone, laid in approved pattern complete in all respect as per direction of Engineer-in-charge.	Sqm	30342.000	1822.00	55283124.00
25	Providing and fixing SOLAR DELINATOR made of ms pipe of 48/63 mm, dia upper top of iron cage 1 Meter Pole Energy: green led warning strobe light 3.2 Volt 600 mAh Illumination: 4 High Intensity Super Bright LEDs Cover Material: PC Function: flash-stable -close 6 Hour Sun Charged: Operates 60 Hours (Flash Mode) Photocontrol: Automatic on at Dusk; Off at Dawn IRC 67 2012 and meeting the coefficient of retro reflection values as per ASTM D 4956 Type XI table specification. The delineator shall be painted with powder coat of minimum 40 microns thickness, on top of which The structure shall be manufactured in roll forming process and shall have height not less than 800 mm above the ground, dia of ms pipe 48/63 MM DIA and shall extend not more than 50 mm below the ground while being installed	Each	640.000	1548.00	990720.00

26	Traffic Signs Semi Reflective Traffic Signs Providing and fixing of semi reflective cautionary, mandatory and informatory sign board as per IRC:67 made of 1.5 mm thick MS Sheet duly stove white colour in front and gray colour on back with red reflective border of 65 mm width and required letters and figures with reflective tape engineering grade of required shade and colour supported and welded on 47mm x 47 mm x 12 SWG sheet tube firmly fixed to the ground by mean of properly designed foundations with M-15 grade cement concrete 450x450x600 mm, 600 mm below ground level as per approved drawing and Specifications. (i) 600 mm equilateral triangle	Each	48.000	1555.00	74640.00
	(ii) 600 mm circular	Each	32.000	1675.00	53600.00
	(iii) 800 mm x 600 mm rectangular	Each	48.000	1870.00	89760.00
	(iv) 600 mm x 450 mm rectangular	Each	32.000	1665.00	53280.00
27	CAST-IN-SITU CONCRETE Providing and laying in position specified grade of cement concrete for all RCC structural elements upto plinth level including curing, compaction, finishing with rendering in cement sand mortar 1:3 (1 cement: 3 coarse sand) and making good the joints and cost of plastizers( if required) excluding the cost of centering, shuttering and reinforcement. M20 grade Nominal Mix / Design Mix	Cum	820.000	2961.00	2428020.00
28	FORMK WORK Centering & shuttering with plywood or steel sheets including strutting, propping bracing both ways with steel props and removal of formwork for upto floor five level for : Walls (any thickness) including attached pilasters, buttresses plinth and string course.	Sqm	13120.000	180.90	2373408.00
29	STEEL REINFORCEMENT Providing and fabricating reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding (including cost of binding wire) all complete up to floor five level. Thermo-mechanically Treated bars (Conforming of relevent IS code)	Kg	78556.014	62.10	4878328.47
30	Providing and erecting overhead signs with a corrosion resistant 2mm thick aluminium alloy sheet reflectorised with high intensity retro-reflective sheeting of encapsulated lense type with vertical and lateral clearance given in clause 802.2 and 802.3 and installed as per clause 802.7 over a designed support system of aluminium alloy or galvanised steel trestles and trusses of sections and type as per structural design requirements and approved plans (i) Truss and Vertical Suppor	MT	10.000	99382.00	993820.00
	(ii) Aluminium Alloy Plate for Over Head Sign	Sqm	132.000	11312.00	1493184.00

31	Providing, fixing, maintaining, shifting & refixing, barricading of minimum 2.0 mtr height at stipulated active site of the same project site, made with angle iron frame of 50x50x5mm and GI sheet of 0.63mm thick including primer painted initially, painting, lettering & border with reflective paint at the time of every shifting, traffic diversion arrangement, safety guard, suitable lightning arrangement during night, complete in all respect till completion of the project as per technical specification and direction of Engineer-In-charge and same shall be possessed by the contractor after completion of the Project. Payment under this item will be released (1) 50% At the time of Providing new barricading at the time of start of project at location and plan as approved by the Engineer & certification (2) 50% After completion of project including shifting re-erecting and maintaining the barricading in position, during entire construction tenure with requisite manpower / flagman etc. complete for guiding traffic and safety etc and dismantling after completion of project.	Mtr	800.000	4540.00	3632000.00
32	Providing and fixing CAT's eye made of aluminium alloy size 75x100x22mm having 21 biconvex lenses embedded in circular disk of AS plastic on Each side on road surface complete including all material, labour, diversion	Each	2400.000	178.00	427200.00
33	Supplying and fixing of Single Molded twin Shank Raised Pavement Markers made of polycarbonate and ABS moulded body and reflective panels with micro prismatic lens capable of providing total internal reflection of the light entering the lens face and shall support a load of 16000 kg tested in accordance to ASTM D 4280 Type H and complying to Specifications of Category A of MORTH Circular No RW/NH/33023/10-97-DO III Dt 11.06.1997. The height, width and length shall not exceed 50 mm, 100 mm and 100 mm and with minimum reflective area of 13 Sqcm on each side and the slope of the base shall be 35+/-5 degree. The strength of detachment of the integrated cylindrical shanks, (of diameter not less than 19 +/- 2 mm and height not less than 30+/- 2 mm) from the body is to be a minimum value of 700 Kgf. Fixing will be by drilling holes on the road for the shanks to go inside, without nails and using epoxy resin based adhesive as per manufacturer's recommendation and complete as directed by the engineer. (manufactured from 3M, Avery or equivalent)	Each	5000.000	183.00	915000.00
				<b>Total</b>	<b>104005123.37</b>

  
EXECUTIVE ENGINEER-9  
JDA, Jaipur.





## JAIPUR DEVELOPMENT AUTHORITY, JAIPUR

**Name of Work :- Construction of at-grade U-turn facility for traffic improvement on Hare Krishna Marg (Mahal Road), Zone-09, JDA, Jaipur**

### G-Schedule

BSR For :2015 JDA BSR Items (Approved Non-BSR Items)-2015-2016  
 2016 JDA BSR (Building Works)-2015-2016  
 2022 JDA BSR Items (Approved Non-BSR Items)-2022-2023  
 2023 RUIDP SOR (Bridge Works)-2025-2026  
 2024 JDA BSR Items (Approved Non-BSR Items)-2024-2025  
 2025 PWD BSR (Road Work)-2025-2026

S. No	Particulars	Unit	Qty.	Rate	Amount
1	Clearing Grass and Removal of Rubbish up to a distance of 30 m outside the periphery of the area as per MoRD Specification Clause 201 By Manual Means	Hect.	0.820	8720.00	7150.40
2	Clearing and Grubbing Road Land including uprooting wild vegetation, grass, bushes, shrubs, saplings and trees of girth upto 300 mm, removal of stumps of such trees cut earlier and disposal of unserviceable materials and stacking of serviceable material to be used or auctioned, upto a lead of 1000 m including removal and disposal of top organic soil not exceeding 150 mm in thickness as per MoRD Specification Clause 201 By Mechanical Means In area of non-thorny jungle	Hect.	0.820	12513.00	10260.66
3	Uprooting and Removing Stumps & roots, compaction of backfilling and stacking of serviceable material by manual means as per MoRTH Specification Clause 201. Lead upto 100 m Girth above 300 mm to 600 mm	Each	100.000	81.00	8100.00
4	Cutting of Trees including Cutting of Trunks, Branches and Removal of Stumps & roots, refilling, compaction of backfilling and stacking of serviceable material by manual means with all lifts as per MoRD Specification Clause 201 Lead upto 100 m Girth above 900 mm to 1800 mm	Each	50.000	510.00	25500.00
5	Stripping, Storing and Relaying Top Soil from Right-of-Way (R.O.W) Stripping, storing and preservation of top soil by keeping it damp in stock piles and keep wet till it is used by road side at 15 m internal and reapplication on embankment slopes, cut slopes and other areas in localities where the available embankment material is not conducive to plant growth as per MoRTH Specification Clause 301.3.2.& 305.3.3	Cum	2050.000	94.00	192700.00

6	Pavement milling (cold planning, asphalt milling, or profiling) of existing all kinds of bituminous surfaces (Mastic, DBM, BC, SDBC, SMA, PMC etc.) with specially designed equipment up to the specified depth of bituminous layer as per designed level & grade, including disposal of milling material with all lead (minimum 20 km from site) and lift complete as per specification. The surface shall be free of bumps, ruts, and other imperfections including the arrangement of traffic diversion if required. Milling material recovered, shall be loaded directly onto trucks/trolleys from the milling machine & shall be the property of the contractor. The milled road surface shall be swept clean prior to opening to traffic. The milling machine is power-operated, self-propelled, and self-sufficient in power, traction, and stability to remove a thickness of BT surface to a specified depth. The machine should be able to provide a uniform profile and cross slope, and capable of accurately and automatically establishing profile grades along each edge of the machine by referencing from the existing pavement without damaging the bottom CC surface if any. The machine should have an automatic system for controlling grade elevation and cross slope etc.	Cum	3643.500	900.00	3279150.00
7	Dismantling kerb stones by manual means and disposal of dismantled material with all lifts and upto a lead of 1000 m as per MoRTH Specification Clause 202.	R. Mtr.	2000.000	8.00	16000.00
8	Dismantling of barbed wire fencing / wire mesh fencing including posts, foundation concrete, backfilling of pit by manual means including disposal of dismantled material with all lifts and upto a lead of 1000 m, stacking serviceable material and unserviceable material separately as per MoRTH Specification Clause 202	R. Mtr.	1640.000	31.00	50840.00
9	Excavation in Cutting in Soil by manual means with lead upto 50 m Excavation for roadway in soil using manual means for carrying of cut earth to embankment site with a lift upto 1.5 m and lead upto 50 m as per MoRTH Specification Clause 301.3	Cum	960.000	76.00	72960.00
10	Granular Sub-base with Well Graded Material (Table 400.1) By Mix in Place Method Construction of granular sub-base by providing well graded material, spreading in uniform layers with Tractor Mount Grader on prepared surface, mixing by mix in place method with rotavator at OMC, and compacting with smooth wheel roller to achieve the desired density, complete as per MoRD Specification Clause 401 (i) For Grading I Material	Cum	1240.000	512.00	634880.00
11	Wet Mix Macadam Providing, laying, spreading and compacting graded stone aggregate to wet mix macadam specification including premixing the material with water at OMC in mechanical mixer (Pug Mill), carriage of mixed material by tipper to site, laying in uniform layers in sub-base/base course on a well prepared sub-base and compacting with smooth wheel roller of 80 to 100kN weight to achieve the desired density including lighting, barricading and maintenance of diversion, etc as per Tables 400.11 & 400.12 and MoRD Specification Clause 406. By Mechanical Means with 1 km lead	Cum	1550.000	1147.00	1777850.00

12	Providing and laying 25 mm thick Mastic Asphalt wearing course with paving grade bitumen meeting the requirements given in table 500-29, prepared by using mastic cooker and laid to required level and slope after cleaning the surface, including providing anti-skid surface with bitumen precoated fine grained hard stone chipping of 13.2 mm nominal size at the rate of 0.005 cum per 10 sqm and at an approximate spacing of 10 cm center to center in both directions, pressed into surface when the temperature of surfaces is not less than 100 C protruding 1 mm to 4 mm over mastic surface, all complete as per Clause 516.	Sqm	19840.000	490.00	9721600.00
13	Direction and Place Identification signs upto 0.9 sqm size board Retro-reflectorised Traffic Signs Providing and erecting direction and place identification retro-reflectorised sign as per IRC:67 made of encapsulated lens type reflective sheeting vide Clause 801.3.1. fixed over aluminium sheeting, 2 mm thick with area not exceeding 0.9 sqm supported on a mild steel single angle iron post 75 x 75 x 6 mm firmly fixed to the ground by means of properly designed foundation with M-15 grade cement concrete 450 x 450 x 600 mm, 600 mm below ground level as per approved drawing and MoRTH Specification Clause 801. Direction and Place Identification signs upto 0.9 sqm size board	Sqm	60.000	13272.00	796320.00
14	Painting lines, dashes, arrows, etc. on roads in two coats on new work with ready mixed road marking paint conforming to IS:164 on bituminous/concrete surface, including cleaning the surface of all dirt, dust and other foreign matter, demarcation at site and traffic control as per drawing and MoRTH Specification Clause 803	Sqm	160.000	96.00	15360.00
15	Road Markers/Road Stud with Lens Reflector Providing and fixing of road stud 100 x 100 mm die cast in aluminium, resistant to corrosive effect of salt and grit, fitted with lense reflectors, installed in concrete or asphaltic surface by drilling holes 30 mm upto a depth of 600 mm and bedded in a suitable bituminous grout or epoxy mortar, all as per BS:873 (Part 4) 1973.as per MoRTH Specification Clause 804	Each	4500.000	109.00	490500.00
16	Construction of speed breaker of IRC standard having width of 3.70 M including cost of stone aggregate (50-25mm) size hire charges for roller for consolidation and compaction and other machines required for the work (including cost of bitumen)	Sqm	160.000	200.00	32000.00
17	Providing and applying primer coat with bitumen emulsion (SS-1) on prepared surface of granular base including cleaning of road surface and spraying primer at the rate of 0.70-1.0 kg/sqm using mechanical means as per MoRD Specification Clause 502	Sqm	6200.000	31.00	192200.00
18	Providing and applying tack coat with Bitumen emulsion (RS-1) using emulsion distributor at the rate of 0.20 to 0.30 kg per sqm on the prepared bituminous surface cleaned with Hydraulic broom as per MoRD Specification Clause 503.	Sqm	12400.000	9.60	119040.00
19	Providing and applying tack coat with Bitumen emulsion (RS-1) using emulsion distributor at the rate of 0.25 to 0.30 kg per sqm on the prepared granular surfaces treated with primer & cleaned with Hydraulic broom as per MoRD Specification Clause 503.	Sqm	6200.000	11.00	68200.00

20	Providing and laying dense graded bituminous macadam with 100-120 TPH batch type HMP producing an average output of 75 tones per hour using crushed aggregates of specified grading, premixed with bituminous binder @ 4.0 to 4.5 per cent by weight of total mix and filler, transporting the hot mix to work site, laying with a hydrostatic paver finisher with sensor control to the required grade, level and alignment, rolling with smooth wheeled, vibratory and tandem rollers to achieve the desired compaction as per MoRT&H Specifications Clause 505 complete in all respects. Bitumen (VG-30) for Grading II ( 26.50 mm nominal size )	MT	848.160	2969.00	2518187.04
21	Providing and laying bituminous concrete with 100-120 TPH batch type hot mix plant producing an average output of 75 tonnes per hour using crushed aggregates of specified grading, premixed with bituminous binder @ 5.2 to 5.4 per cent of mix and filler, transporting the hot mix to work site, laying with a hydrostatic paver finisher with sensor control to the required grade, level and alignment, rolling with smooth wheeled, vibratory and tandem rollers to achieve the desired compaction as per MoRT & H Specifications Clause 507 complete in all respects. for Grading-I (19 mm nominal size) Bitumen (VG-30)	MT	570.400	3377.00	1926240.80
22	Painting on Concrete/Steel Surfaces with Epoxy Painting two coats including prime coat with epoxy paint of approved brand on concrete/steel surfaces after through cleaning of surface to give an even shade as per drawing and MoRTH Specification Clause 801	Sqm	3600.000	138.00	496800.00
23	Marking Centre Line and stop lines etc. on road as per IRC pattern with thermoplastic paint of approved quality and make with 8% glass beads laid on the road surface at temperature 160" C with a special applicator machine complete with a special applicator machine complete with labour material and traffic diversion arrangements.	Sqm	15734.400	500.00	7867200.00
24	Flooring with Cobble stone of approx. Size 125x125x75 mm (thick) laid on 25 mm average thick cement mortar 1:3 ( 1 cement : 3 Coarse sand) and jointed with grey cement slurry mixed with pigment to match the shade of the stone, laid in approved pattern complete in all respect as per direction of Engineer-in-charge.	Sqm	30342.000	1822.00	55283124.00
25	Providing and fixing SOLAR DELINATOR made of ms pipe of 48/63 mm, dia upper top of iron cage 1 Meter Pole Energy: green led warning strobe light 3.2 Volt 600 mAh Illumination: 4 High Intensity Super Bright LEDs Cover Material: PC Function: flash-stable -close 6 Hour Sun Charged: Operates 60 Hours (Flash Mode) Photocontrol: Automatic on at Dusk; Off at Dawn IRC 67 2012 and meeting the coefficient of retro reflection values as per ASTM D 4956 Type XI table specification. The delineator shall be painted with powder coat of minimum 40 microns thickness, on top of which The structure shall be manufactured in roll forming process and shall have height not less than 800 mm above the ground, dia of ms pipe 48/63 MM DIA and shall extend not more than 50 mm below the ground while being installed	Each	640.000	1548.00	990720.00

26	Traffic Signs Semi Reflective Traffic Signs Providing and fixing of semi reflective cautionary, mandatory and informatory sign board as per IRC:67 made of 1.5 mm thick MS Sheet duly stove white colour in front and gray colour on back with red reflective border of 65 mm width and required letters and figures with reflective tape engineering grade of required shade and colour supported and welded on 47mm x 47 mm x 12 SWG sheet tube firmly fixed to the ground by mean of properly designed foundations with M-15 grade cement concrete 450x450x600 mm, 600 mm below ground level as per approved drawing and Specifications. (i) 600 mm equilateral triangle	Each	48.000	1555.00	74640.00
	(ii) 600 mm circular	Each	32.000	1675.00	53600.00
	(iii) 800 mm x 600 mm rectangular	Each	48.000	1870.00	89760.00
	(iv) 600 mm x 450 mm rectangular	Each	32.000	1665.00	53280.00
27	CAST-IN-SITU CONCRETE Providing and laying in position specified grade of cement concrete for all RCC structural elements upto plinth level including curing, compaction, finishing with rendering in cement sand mortar 1:3 (1 cement: 3 coarse sand) and making good the joints and cost of plastizers( if required) excluding the cost of centering, shuttering and reinforcement. M20 grade Nominal Mix / Design Mix	Cum	820.000	2961.00	2428020.00
28	FORMK WORK Centering & shuttering with plywood or steel sheets including strutting, propping bracing both ways with steel props and removal of formwork for upto floor five level for : Walls (any thickness) including attached pilasters, buttresses plinth and string course.	Sqm	13120.000	180.90	2373408.00
29	STEEL REINFORCEMENT Providing and fabricating reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding (including cost of binding wire) all complete up to floor five level. Thermo-mechanically Treated bars (Conforming of relevent IS code)	Kg	78556.014	62.10	4878328.47
30	Providing and erecting overhead signs with a corrosion resistant 2mm thick aluminium alloy sheet reflectorised with high intensity retro-reflective sheeting of encapsulated lense type with vertical and lateral clearance given in clause 802.2 and 802.3 and installed as per clause 802.7 over a designed support system of aluminium alloy or galvanised steel trestles and trusses of sections and type as per structural design requirements and approved plans (i) Truss and Vertical Suppor	MT	10.000	99382.00	993820.00
	(ii) Aluminium Alloy Plate for Over Head Sign	Sqm	132.000	11312.00	1493184.00

31	Providing, fixing, maintaining, shifting & refixing, barricading of minimum 2.0 mtr height at stipulated active site of the same project site, made with angle iron frame of 50x50x5mm and GI sheet of 0.63mm thick including primer painted initially, painting, lettering & border with reflective paint at the time of every shifting, traffic diversion arrangement, safety guard, suitable lightning arrangement during night, complete in all respect till completion of the project as per technical specification and direction of Engineer-In-charge and same shall be possessed by the contractor after completion of the Project. Payment under this item will be released (1) 50% At the time of Providing new barricading at the time of start of project at location and plan as approved by the Engineer & certification (2) 50% After completion of project including shifting re-erecting and maintaining the barricading in position, during entire construction tenure with requisite manpower /flagman etc. complete for guiding traffic and safety etc and dismantling after completion of project.	Mtr	800.000	4540.00	3632000.00
32	Providing and fixing CAT's eye made of aluminium alloy size 75x100x22mm having 21 biconvex lenses embedded in circular disk of AS plastic on Each side on road surface complete including all material, labour, diversion	Each	2400.000	178.00	427200.00
33	Supplying and fixing of Single Molded twin Shank Raised Pavement Markers made of polycarbonate and ABS moulded body and reflective panels with micro prismatic lens capable of providing total internal reflection of the light entering the lens face and shall support a load of 16000 kg tested in accordance to ASTM D 4280 Type H and complying to Specifications of Category A of MORTH Circular No RW/NH/33023/10-97-DO III Dt 11.06.1997. The height, width and length shall not exceed 50 mm, 100 mm and 100 mm and with minimum reflective area of 13 Sqcm on each side and the slope to the base shall be 35+/-5 degree. The strength of detachment of the integrated cylindrical shanks, (of diameter not less than 19 +/- 2 mm and height not less than 30+/- 2 mm) from the body is to be a minimum value of 700 Kgf. Fixing will be by drilling holes on the road for the shanks to go inside, without nails and using epoxy resin based adhesive as per manufacturer's recommendation and complete as directed by the engineer. (manufactured from 3M, Avery or equivalent)	Each	5000.000	183.00	915000.00
<b>Total</b>				<b>104005123.37</b>	

**EXECUTIVE ENGINEER-9  
JDA, Jaipur.**